### MECHANICAL POWER LIFT

Ref. No.	Port Number	Description	No. Req.	Row Crop Serial Number	Standard Serial Number	Industrial Serial Number
74	1H-1050	WORM Power Lift	-	320001~		
0 m 4	1A-1056	SET SCREW, Trip Pedal and Trip Arm 915002 Nut, 3/8 - 24 Hex 920124 Lock Washer, 3/8 Shakeproof	000	32000 I=		
ហ	IK-1075	SNAP RING, Transmission Input Shaft	-	320001-		
8 7 9	1K-1501-A	HOUSING 935010 Plug, 13/16 Dia Welch Expansion 939017 Fitting, 1/8 PT x 67-1/2 Elbow Grease		320001-		
9 10 11 12	1C-1502-A	BEARING, Shaft 908332 Cap Screw, 3/8 - 16 x 1 Hex Hd 920083 Lock Washer, 3/8 939017 Fitting, 1/8 PT x 67-1/2° Elbow Grease		320001-		
13	1K-1503	SHAFT	~	320001-		
14 15 16	1C-1504-A	LEVER, Shaft 920093 Lock Washer, 1 S-144 Nut, 1 - 14 Hex	0 00 00	320001-		
17	1C-1505	GEAR, Worm		32000I-		
18	1KA-1506-A	PEDAL, Trip	н	320001-		
19	1H-1507	SPRING	7	32000 I-		
	1H-1508	ARM, Recr Trip (Order 1HS-1508)	-	320001-		
20	1HS-1508	ARM (1F-1508) with Roller (1B-1525) and Pin. (1B-1526), Rear Trip	-	320001~		
21	1K-1509-A	SHAF'I', Reor Am 932025 Cotter Pin, 5/32 x 1		32000 1		
	1B-1510	ARM, Front Trip (Order ICS-1510) S-1367 Pin, 1/4 x 1-1/8 Roll	~~ ~	320001-		
23	1CS-1510	ARM, SHAFT AND ROLLER, Front	-	320001~		
24	10-1511	SHAFT, Front Trip Arm (Order 1CS-1510)		320001-		
25	1B-1512	PIN, Trip Arm (1/4 x 1-3/8)		320001-323150		
26 27	1K-1513	LINK, Trip Arm 932008 Cotter Pin, 3/32 x 3/4	7 7	320001-		
78	IC-1514	GASKET, Shaft Bearing	~	320001-		
29	10-1515	OIL SEAL, Shaft	23	320001-		
30	1C-1516	RETAINER, Shaft Oil Seal	2	320001-		
3323	1B-1518	OIL SEAL, Thp Lever Shaft 920014 Washer, 11/16 Plan 932035 Cotter Pin, 3/16 x 1-1/4	2	32000 1-		
35 36 36	1B-1519-B	BOLT, Connecting 915238 Nut, 1/2 - 13 Hex Jam 920085 Lock Washer, 1/2	000	320001-		
37	1BS-15 20-B	CARRIER, ROLLER AND PIN	-	320001-		
38	1C-1521	PIN, Power Lift Roller Cartler 932025 Cotter Pin, 5/32 x 1	~~	320001-		
40	1B-1522	SPRING, Roller Cartler	F-4	320001-		
41	1B-1525	ROLLER, THP	23	320001-		
4 2	1B-1526	PIN, Thp Roller	23	320001-		

### 77 PARTS BOOK

### K CHANCAL DOWN

- And State				5		
Ref. No.	Part Number	Description	No. Req.	Row Crop Senal Number	Standard Senal Number	Industrial Serial Number
43	1B-1527	DOWEL, Housing		320001-		
4	IK-1527	DOWEL, Housing	quart's	320001-		
8 4 4 8 6 7	1K- 1533	COVER, Housing 908334 Cap Screw, 3/8 - 16 x 1-1/2 Hex Hd 920083 Lock Washer, 3/8	L. 4 4	320001-		
<b>⇔</b> ∞	IK-1534	GASKET, Housing Cover	prod	320001-		
500	1K- 1535	SHAFT, Worm 937026 Key, 1/4 x 1=1/8 Woodruff	- 2	320001~		
r)	1K-1536	GEAR, Duve - 38 Teeth	p-1	320001-		
52.23	11537	BUSHING, Wom Shaft	23	320001-		
ις 60	IK-1538	BEARING, Front Worm Shaft (Order 1KS-1538)	pomi	320001-		
n nn 4. no	1KS-1538	BEARING with Bushing (1H-1537) and Dowel Pin (1K-1584), Front Worm Shaft 908359 Cap Screw, 1/2 - 13 x 2 Hex Hd 920085 Lock Washer, 1/2	- 00	320001-		
57	IK-1538-A	BEARING, Rear Worm Shaft (Order 1KS-1538-A)	<u></u>	320001-		
8 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	IKS-1538-A	BEARING with Bushing (1H-1537) and Dowel Pin (1K-1584), Rear Worm Shaft 908346 Cap Screw, 7/16 - 14 x 1-1/2 Hex Hd 920084 Lock Washer, 7/16	- 6 6	320001-		
61	1H-1541	WASHER, Thp Lever Shaft	F-4	320001-		
62	1K-1542	PINION, Drive - 18 Teeth		32000 J-		
63	1K-1584	DOWEL PIN, Worm Shaft Bearing (3/8 x 5/8)	4	320001-		
American State of the State of	temperatural description of the section of the sect	The state of the s	7			

#### RYDRA-LECTRC LIFT

SECTION I


The Hydra-Lectric and Hydraulic Control units are divided into Sections I, II and III.

Tractor serial numbers or unit serial numbers (identified by prefix letter K) as well as parts shown may be duplicated in all three sections.

Section III covers the Hydra-Lectric and Hydraulic Control units starting with Super 77 tractors.


Check all three sections before ordering repair parts.

#### HVORA-LECTRIC LFT




	And in contrast of the contras	The state of the s			Thit or Tractor
Ref.	Part	Description	2 Cyl.   1 Cyl.	1 Cyl.	Seral Number
ć Z	Manuber	And the second control of the second control			
	The second secon			,1	K1000-K35000
	1H-212	PLUG, Reservoir	,	-	K1000-K35000
	1				
7	ICA-297	CAP, Fires	-	,	K1000-K35000
c	10- 308	GASKET, Filler Cap	4		
>			4	4	K4961-K7180
	1.B-398-A	$STUD = 5/16 \times 1^{-1}/4$ (With 1 km. 2004)		,	WA 09 0 K 9 91 39
	, t	<b>DACKING.</b> "0" Ring (Order 1K-2264)			20 to 201 2 00 to
4	110-011	H + 1 ( 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 ×	σ	ø	K 1000-K7124
v	10-580	CAP SCREW, 3/8 x 2-3/8 Dulled Head	) <del>-</del>	,	
•		S-2880 Mire, No. 16 Ga Annealed " 42" Cong			000 367
			2	23	K 1000-123000
9	IB-597	PIN, Dowel	,	,	K1000-K35000
		*C++> [ #2 following and an area and a second a second and a second an	· · ·	۲ ر	)
7	1K-914-A	SOCKET, Smill Level	7 0	7 0	
60		000000 1 0.1 Washer. 3/8	2	9	
6		3 COOOS FOOD TO THE TOTAL OF TH		,	K 1000-K35000
Ç	1K-915-A	GASKET, Shiff Lever Socket			
2					
			-	-	10 . 5
	COLUMN TO SERVICE STATE OF THE PERSON STATE OF	The state of the s			

#### HYDRA-LECTRIC LIFT



Pearl   Pearl   Number   Num						
1B-1073   SNAP RING, Selector VdIve Spool   2   1   1   1   1   1   1   1   1   1	Ref. No.	Part Number	Description	Hy drœ-I 2 Cyl.	Lectific 1 Cyl.	Unit or Tractor Sendl Number
IL-1080   SNAP RING, Restrictor Swivel (1 used on Orchard)	-	112, 1073	SNAP RING. Selector Valve Spool	7		K1000•K9494
1K-1272-C       CLIP, Control Witing Hamess       1       1         1B-1527       PIN, Dowel       1       1         1K-1527       PIN, Dowel       1       1         1K-2001       BASE, Control Mounting (Order 1KSR-2001-C)       8       8         908 332       Cap Screw, 3/8 - 16 x 1 Hex Hd       2       2         908 340       Cap Screw, 3/8 - 16 x 1-3/4 Hex Hd       2       2         908 340       Cap Screw, 3/8 - 16 x 3 Hex Hd       1       1         908 340       Cap Screw, 3/8 - 16 x 3 Hex Hd       2       2         919 17 Plug, 1/2 Pre - Crisk Hd       2       2       2         5-1871       Nipple, 1/2 x 3-1/2 Steel Pipe       2       2         5-1783       Elbow, 1/2 x 90° Mdll Street       2       2         5-2704       2       2       2         5-2704       2       2       2         5-2704       2       2       2         5-2704       2       2       2         5-2704       2       2       2         5-2704       2       2       2         5-2704       2       2       2         5-2704       2       2       2	12	11-1080	SNAP RING, Restrictor Swivel (1 used on Orchard)	4	2	RC 320001-6502 Std 269001-6502
1B-1527       PIN, Dowel       1		1K-1272-C		-	1	
1K-1527     PIN, Dowel       1K-2001     BASE, Control Mounting (Order 1KSR-2001-C)     1       108332 Cap Screw, 3/8 - 16 x 1 Hex Hd     2       908332 Cap Screw, 3/8 - 16 x 1-3/4 Hex Hd     2       908335 Cap Screw, 3/8 - 16 x 3 Hex Hd     2       908340 Cap Screw, 3/8 - 16 x 3 Hex Hd     1       920083 Lock Washer, 3/8     4       5-1917 Plug, 1/2 Pipe - Cisk Hd     4       5-1871 Nipple, 1/2 x 3-1/2 Steel Pipe     2       5-1704 Nipple, 1/2 Close Steel Pipe     2       5-2621 Elbow, 1/2 x 90° Mall Street     2	13	1B-1527	PIN, Dowel	-	г	K1000-K35000
1K-2001 BASE, Control Mounting (Order IKSR-2001-C) 8 8 8 8 8 908 332 Cap Screw, 3/8 - 16 x 1 Hex Hd 908 335 Cap Screw, 3/8 - 16 x 1-3/4 Hex Hd 908 340 Cap Screw, 3/8 - 16 x 3 Hex Hd 908 340 Cap Screw, 3/8 - 16 x 3 Hex Hd 908 340 Cap Screw, 3/8 - 16 x 3 Hex Hd 908 340 Cap Screw, 3/8 - 16 x 3 Hex Hd 908 340 Cap Screw, 3/8 - 16 x 3 Hex Hd 111 111 111 111 111 111 111 111 111	14	1K-1527	PIN, Dowel	-		K1000-K35000
	115 116 118 118 119	1K-2001	BASE, Control Mounting (Order IKSR-2001-C) 908332 Cap Screw, 3/8 - 16 x 1 Hex Hd 908335 Cap Screw, 3/8 - 16 x 1-3/4 Hex Hd 908340 Cap Screw, 3/8 - 16 x 3 Hex Hd 908340 Cap Screw, 3/8 - 16 x 3 Hex Hd 920083 Lock Washer, 3/8 - 16 x 3 Hex Hd 5-1917 Plug, 1/2 Pipe - Cisk Hd 5-1971 Nluple, 1/2 x 3-1/2 Steel Pipe S-1783 Elbow, 1/2 x 90° Mall Street 5-2621 Elbow, 1/2 x 90° Mall Street	1 2 2 2 1 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2	1	K100 0-K2137



c Unit or Tractor L Serial Number	K2 138-K94 94	K1000-K35000	K1000-K35000	K1000-K7180	K1000-K20451
Hydra-Lectric 2 Cyl.   1 Cyl.	L 8 5 L L 4 5		<i></i> !	~ & &	e (
Hydra 2 Cyl.	1 2 2 1 1 2 8 8 1	-		88 7	puri
Description	BASE, Control Mounting 908 332 Cap Screw, 3/8 - 16 x 1 Hex Hd 908 335 Cap Screw, 3/8 - 16 x 1-3/4 Hex Hd 908 345 Cap Screw, 3/8 - 16 x 3 Hex Hd 92008 3 Lock Washer, 3/8 \$-1917 Plug, 1/2 Plpe - Cisk Hd \$-2621 Elbow, 1/2 x 90 <sup>0</sup> Mail Street - Orchard	MOUNTING BASE, Reservoir and Pump Assembly (Replaces any paior assembly on Hydra-Lectric two cylinder units)	MOUNTING BASE, Reservoir and Pump Assembly (Replaces any prior assembly on Hydra-Lectric one cylinder units)	HOUSING, Reservoir 908332 Cap Screw, 3/8 - 16 x 1 Hex Hd 920083 Lock Washer, 3/8	GASKET, Reservoir Housing (1KA-2003-A will work)
Part Number	1K-2001-A	1KSC-2001-H	1KSD-2001~H	1K-2002	1K-2003
Ref. No.	15 16 17 18 18 19			22 22 22	23

#### HYDRA-LECTRIC LIFT

915112 Nut, 5/16 - 18 Hex  GASKET, Reservoir Cover  BREATHER  BODY, Selector Valve (Requires 4 Mounting Cap Screws)  S-3143 Cap Screw, 3/8 - 16 x 3-3/4 Hex Hd  920156 Lock Washer, 3/8 Internal Tooth  S-3143 Cap Screw, 8/8 - 16 x 3-3/4 Hex Hd  920156 Lock Washer, 3/8 Internal Tooth
g Cap Screws) (d tg Cap Screws) 1d
d Cap Screws) Id Cap Screws)
ıq Cap Screws) İd
Hd.
S-1919; 1149, 0, 0 - 1
SHAFT Assembly, Manual Valve Actuating
PACKING, 3/32 x 5/8 ''0" Ring (Used in Base Plate)
$1/8 \times 7/8$ '0'' Ring (Used in Swivel Valves) sed on Orchard)
(Used in Valve Seats)
(Used in Swivel Valves)
SOLENOID Assembly, Valve Actuating (Order 1KS-2032-A)

্ৰ

Ref. No.	Part Number	Description	Hydra- 2 Cyl.	Hydræ Lectric 2 Cyl.   1 Cyl.	Unit or Tractor Send Number
58	1K-2033	SPRING, Valve Centeting	4	2	K1000-K9494
8.9	1K-2034	WASHER, Valve Spool	83	-	K1000-K9494
09	1K-2036	JOINT, Ball Socket (Threaded)	81	_	K1000-K35000
61	1K-2037	JOINT, Ball Socket (Tapped) 915667 Nut, No. 10 - 32 Mach Screw Hex	20.03	~ ~	K1000-K35000
63 64 65	1KS-2038	CONNECTOR Assembly, Solenoid (6 Wires) \$-896 Painut, 7/8 - 20 908 953 Screw, No. 4 - 40 x 3/8 Mach	~~ ~ ₹		K1 00 0-K350 00
63 64 65	1KS-2038-A	CONNECTOR Assembly, Solenoid (3 Wires) (Order 1KS-20 38) S-896 Pahut, 7/8 - 20 908953Screw, No. 4 - 40 x 3/8 Mach		<del></del>	
99	1K-2039	GASKET, Solenoid Connector	~	-	K1000-K35000
67	1KA-2041	SHAFT, Pump Drive (Not required on tractors with Power Take-Off)	Н	~	K1000-K35000
68 69	1K-2042	PLATE, Pump Front (Order 1K-2042-A) S-1922 Plug, 1/4 Std Hdless Slotted Steel Pipe	pad yad	7	K1000-K4081
68 69	1K-2042-A	PLATE, Pump Front S-1922 Plug, 1/4 Std Hdless Slotted Steel Pipe			K4082-K35000
70	1K-2043-A	PLATE, Pump Center (Order 1KSRA-2049-B)	7	p-ml	K1000-K7124
-1	1KSB-2043-B	PUMP Assembly (Will replace any prior pump)		post	K1000-K35000
7.2	1K-2044	PLATE, Pump Rear		~~	K1000-K35000
73	1K-2045	DOWEL, Pump Housing	03	7	K1000-K7124
74	IKS-2046	GEAR AND SHAFT Assembly, Pump Idler (Order 1KSRA-2049-B)	hart		K1000-K1100
75	1KS-2049	GEAR AND SLEEVE Assembly, Pump (Order 1KSRA-2049-B)	Г		K1000-K1100
	1KSRA-2049-B	PLATEAND GEAR Package, Pump Center (Replacement) (Idler and Drive Gears)	П	~	
27	1K-2052	SNAP RING, Pump (Not required on tractors with Power Take-Off)	<b>,</b> —1	,I	K1000-K35000
78	IK-2053	SEAL, Pump Oil	4	4	K1000-K35000
79	1K-2054	STUD - 7/16 x 1-7/8 915058 Nut, 7/16 - Ø Castle S-2880 Wire, No. 16 Ga Annealed - 14" Long	en en -1	ღო ←	K1000-K35000
00 4ml	1K-2055	PACKING, 3/32 x 11/16 "0" Ring	7	м	K 1000-K35000
82	1K-2056	CAP SCREW, 3/8 x 3 Dilled Head	~		K1000-K7124
83	15-2057	GASKET, Pump Front Plate			K1000-K4081
84	IK-2058	PIPE, Cylinder (With 1KS-2061 and 1KS-2061-A)	03	prof	RC 320001-6502 Std 269001-6502
85	1KS-2061	CYLINDER and Follow-Up Assembly (Order 1KSA-2061) (Cable Male Connector has four same size terminals)		_	RC 320001-332449 Std 269001-271515
86 88		(1KS-2061-A with 1K-2222-C will work) S-1944 Elbow, 1/2 x 45° Mall Street S-2621 Elbow, 1/2 x 90° Mall Street S-1943 Elbow, 1/2 x 45° Mall	000		
	1KSA-2061	CYLINDER and Follow-Up with Fittings and Pins (1KSA-2061-A with 1K-2222-C will work)	8	,(	RC 32000 1-332449 Std 26900 1-27 151 5
85	1KS-2061-A	CYLIND ER and Follow-Up Assembly (Order 1KSA-2061-A)	2		RC 332450+341033
86 87 88		S-1944 Elbow, 1/2 x 45° Mail Street S-1943 Elbow, 1/2 x 45° Mail Street S-1943 Elbow, 1/2 x 45° Mail	0000	ed rd rd	
Andread of the contract					10 - 9

Ref.

#### HYDRA-LECTRIC LIFT

Fart		140 1100	1001	Serial Number
	Describtion	, C		23 32450=34 10 33
1KSA-2061-A C	CYLINDER and Follow-Up with Fittings and Pins	63	-1	RC 3 524 50-53 10 55 Std 2715 16-27 2900
<u>m</u>	BRACKET, Hand Switch	23	p==4	RC 320001-6502 Std 269001-6502
	1. BOLT, Hand Switch	2	-	RC 320001-6502 Std 269001-6502
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	920079 Lock Washer, No. 10 916667 Nut. No. 10 = 32 Hex	4 4	2 2	
<b>-</b>	LEVER, Manud Valve Actuation	-		K1000-K2 3976
	BRACKET Assembly, Coupling (For Drawn Implements)		,	RC 32000 1-34 to 33 Std 26 900 1-27 2900
	908535 Cap Screw, 5/8 - 18 x 2 Hex Hd		- ·	
1MS-2066 I	BRACKET Assembly, Coupling - Orchard (Tractor Send Number 26 900 1-27 2880) 908 38 4 Cap Screw, 5/8 - 11 x 1-1/2 Hex Hd 900 00 7 Lock Washer, 5/8		- 0.0	
1K-2067	FASTENER, Cable	73	<u> </u>	RC 320001-341033 Std 269001-272900
	909052 Screw, 1/4-20 x 1/2 Mach 920081 Lock Washer, 1/4	444	0.00	
1K~2068	913111 144, 173 22 1201 GROMMET, Rubber (3/8 x 1-1/2 OD) (Rec Penel)	F4	p-4	RC 32000 1-650 2 Std 26900 1-650 2
1KS_2070	SWITCH Assembly, Hand (Order 1KS-2070-A)	23		RC 320001-341033
	S-2564 Fastener, No. 10 - 32 x 7/16 Sems	∞	4	
1K-2071	pIN, Cylinder Mounting	4	64	RC 32000 1-650 2 Std 26900 1-6502
1K-2072	CLIP, Cylinder End Pin		4	RC 320001-6502 Std 269001-6502
1K-2073	CLAMP, Cylinder Wire - Small	4	8	RC 320001-6502 Std 269001-6502
	Cylinder Wire - Large	4	64	RC 320001-6502 Std 269001-6502
1K-2074	909021 Screw, No. 10 - 24 x 5/8 Mach 920079 Lock Washer, No. 10	444	000	
1K-2075	915538 Nut, No. 10-24 Loss Inc.  CABLE, Remote Cylinder (For Drawn Implements) (With 1KS-2061)		-	RC 320001-332449 Std 269001-271515
1KS-2075-A	(Cylinder End Connector nas for a CABLE, Remote Cylinder (For Drawn Implements) (With 1KS-2061-A)			RC 3 32450-3410 33 Std 271516-272900
1KS-2076	COUPLING, Bruing Self-Detaching (For Drawn implements)		4 0	RC 32000 1-3410 33 Std 26900 1-727900
	S-1945 Mpple, 1/2 Short Steel Pipe			
1KS-2076-A	COUPLING, Bruning Self-Detaching (For Drawn Implements)		r °	Std 269001-272900
	S-1945 Nipple, 1/2 Short Steel Pipe S-1945 Nipple, 1/2 Short Steel Pipe		, 4,	RC 320001-341033
1KS-2076-B	COUPLING, Florest Sear Doctor			
1K-2077	BRACKET, Self-Detaching Coupling (For Drawn Implements) (With IKS-2076 or IKS-2076-A) S-739 Set Screw, 1/4 - 20 x 1 Mach 915111 Nut. 1/4 - 20 Hex			
1K-2077-A	BRACKET, Self-Detaching Coupling (For Drawn Implements)			2 RC 320001-3410 33 Std 269001-272900

G.

#### HYORA-LECTRIC LFT

Req. Req. 1 1 1 1 4 4 2 2 2 2 1 1 1 1 1 1 1 1 1 1	HC 320001-341033 Std 26900 1-272900  K1000-K9494  K1000-K7180  K1000-K7180  K1000-K7180  K1000-K7180  HC 320001-6502 Std 269001-6502 Std 269001-6502 Std 269001-6502 Std 269001-6502 Std 269001-332450  HC 320001-332450  Std 269001-371654  K1000-K9611  HC 320001-371654  K1000-K96111  HC 320001-371654
	Std RC RC Std
	RC RC Std
	Std
	Std
	Std
(//	Std
(8 %	Std
- (V V V	RC Std Std Std Std Std Std RC
	RC Std
	Std Std
	Std Std
	Std Std
r=4 e=4	
	RC 332450-34103:
prof proj	grand the P
,l e(	Std 27 1516-27 2900
, pag	au au a common anna an
-	RC 320001-6502 Std 269001-6502
000	
4	RC 320001-332450 Std 269001-271654
4	RC 332451-6502 Std 27 1655-6502
	2
	RC 32000 1-6502 Std 269001-6502
	1 RC 320001-6502
4 4 7 1	

Ac.

#### E CARCELLE

		2 Cyl. 1 Cyl.	1 02 1	racing mass
1K-2104	BODY, Restrictor (Only 1 used on Orchord) (Order 1K-2104-A and S-2031)	4,	84	RC 332451-4502116 Std 271655-4502116
1KS-2104	SWIVEL Assembly, Restrictor (Poined Red) (Order 1KS-2104-A.)	64	-	RC 332451-4502116 Std 271655-4502116
1KSA-2104	SWIVEL Assembly, Free Flow (Pointed Green) (Order 1KSA-2104-A)	63	r-1	RC 332451-4502116 Std 271655-4502116
IKSB-2104	RESTRICTOR Assembly, Momentary (Painted Yellow) (Order 1KSB-2104-A)	Ħ		RC 332451~4502116 Std 271655~4502116
1K-2105	PLUNGER, Restrictor	67	-	RC 332451-4502116 Std 27 1655-4502116
1K-2106	GUIDE, Restfictor (Only 1 used on Orchard)	4	63	RC 332451~4502116 Std 27 1655~450 2116
	S-894 Palnut, 3/4 - 20 Reg Type	4	81	
1K-2107	SWIVEL, Restrictor (Only 1 used on Orchard) (Order IKA-2107)	41	8	RC 332451-450 2116 Std 271655-450 2116
1K-2108	PIN, Restrictor Plunger	64		RC 332451-4502116 Std 271655-4502116
1K-2109	SPRING, Restrictor	63	~	RC 332451-6502 Std 27 1655-6502
1K-2110	GASKET, Selector Valve Body	87		K2 138-K9494
1K-2114	PLUNGER, Momentary Restrictor (For use with front end loaders with single arting cylinders)	62		RC 332451-6502 Std 27 1655-6502
IK-2115	SPRING, Momentary Restrictor (For use with front end loaders with single acting cylinders)	63		RC 332451-6502 Std 271655-6502
1KSR A-2202-A	CYLINDER Charge-Over Package, Electronagnetic (Field charge-over to Electronagnetic design)	H		
1KSRB-2202-A	CYLINDER Change-Over Package, Electromagnetic (Field change-over to Electromagnetic design)		н	
1KSR-2246	CONNECTOR Package, Winng Hamess (Can be used on 1KS-2091 and 1KS-2091-B)	<b>-</b>		The same of the sa
1KSR-2246-A	CONNECTOR Package, Witing Hamess (Can be used on 1KS-2091-A, 1KS-2091-C and 1KS-2091)		<u>~</u>	
1KS-2351	PIECE Assembly, 1/2" Nose (in 1KS-2076-A)			
1KS-2352	COLLAR Assembly, 1/2" (in 1KS-2076-A)	,		
1KS-2353	NIPPLE Assembly, Coupler (in 1KS-2076-A)	وموادات وموادية	-	and the state of t
1K-2354	RING, Body Lock (in 1KS-2076-A)			مند دود من
1K-2355	COLLAR, Lag (in 1KS-2076-A) S-2430 Ball, 7/32 Dig Hardened Steel		- · ·	
1K-2356	SPRING, Body Compression (in 1KS-2076-A)		<b>-</b>	
1K-2357	SEAL, Body (In 1KS-2076-A)		62	
1K-2358	BODY, Coupler (h 1KS-2076-A)			
1KS-5041	BEARING, Needle (Dave Sleeve) (Tornington GB-2212)	64	64	K=1000=K35000
1KS-5042	BEARING, Needle (Idler Shaft) (Tordington GB-1616)	23	α	K-1000-K35000
1D-7362	GROMMET, Rubber - 5/8'' ID, 1-1/8" OD		01	
ICD-7364	GROMMET, Rubber - 3/4" ID, 1.3/8"OD			

4,200

0

#### 

WEATER AND ENGINEERING STATE OF THE STATE OF	Unit or Tractor Send Number	RC 320001-6502 Std 269001-6502	AC 32 000 1-65 02 Std 26 9001-65 02	10 - 13
إعجازا والكاسان والمرافق والمهام والمواهدة	l Cyl.	prof		***************************************
	Hydra-Lectne 2 Cyl. 1 Cyl.	gang	4 00	
	Description	FUSE, 30 Ampere (1/4'x 1-7/16" Long)	900321 Cap Screw, 6/16 - 18 x 2 Hex Hd 915585 Nut, 5/16 - 19 Wang	The section of the se
таварані райунаціві Кілеўжняйся вяжунтура айра фантів	Port Number	1K-7371	1EP-7868	
di binamanja and pagabasa may an ass	Ref. No.		in i	Shiri deplayers about 5 treasures.

\$

### HYDRA-LECTRIC CYLINDER

Ref. No.	Port Number	Description	Hydra- 2 Cyl.	Hydra-Lectric 2 Cyl.   1 Cyl.	Tractor Serial Number	tor
	1KS-2061	CYLINDER and Follow-Up Assembly (Cable Male Connector has four same size terminals) (1KS-2061-A with 1K-2222-B will work)	α.	prof	RC 320001-332449 Std 269001-271515	-33 24 49
an over Namedan adapt	1KS-2061-A	CYLINDER and Follow-Up Assembly (Cable Male Connector has three large and one small terminal)	82	<u></u>	RC 332450 Std 271516	332450-341033 271516-272900
	1KSRA-2202-A	CYLINDER Change-Over Package, Electromagnetic (Field change-over to Electromagnetic design)	<b>-</b> 4			
	IKSRB-2202-A	CYLINDER Change-Over Package, Electromagnetic (Field change-over to Electromagnetic design)		pund		
Ref. No.	Part Number	Breakdown for One Cyllnder and Follow-Up Assembly	n bly			No. Req.
y1	1K-2027	PACKING, 1/8 x 7/8 "0" Ring				7
5	1KS-2201	BARREL Assembly, Cylinder				
w 44	1K-2202	HEAD, Cylinder S-1372 Groov-Pin, 1/8 x l				r 0
rt)	1K-2203	PISTON, Cylinder				parel
9	1KS-2204	ROD Assembly, Cylinder Piston				p-ed
7 8 0 0	1KS-2205	PLATE Assembly, Cylinder Follow-Up Base S-2568 Screw, No. 10-32 x 1 Fill Hd Mach S-289 Lock Washer, No. 10 External Tooth S-895 Nut, No. 10-32 Hex				0000
F 72	1KS-2206	SOLENOID Assembly, Cylinder Follow-Up S-2569 Screw, No. 10 - 32 x 3/16 Bind Hd Mαch				7 7
8	1KS-2207	STUD Assembly, Cylinder Contact (Old Style)			***************************************	-
13A 14	1KS-2207-A	STUD Assembly, Cylinder Contact (New Style) S-897 Ntt, No. 4 - 40 Hex				7 8
ئن برئ	1KS-2208	CAM Assembly, Cylinder Follow Up				2
16	1KS-2209	ARM Assembly, Cylinder Contact				~
14	1K-2210	COLLAR, Cylinder Stop				,4
¥8	1K-2211	SPRING, Cylinder Contact Arm Retaining				<b>,</b> i
0	1K-2212	SEAL, Cylinder Rod				Ħ
22 2 2 2 2 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4	1KS- 2213	COVER Assembly, Cylinder Follow-Up S-1471 Cotter Pin, 3/32 x 1/2 S-2568 Screw, No. 10 - 32 x 1 Fill Hd Mach S-289 Lock Washer, No. 10 External Tooth S-895 Nut, No. 10 - 32 Hex				~~ 4 4 4
25	1K-2214	SPRING, Cylinder Follow-Up Cam				,4
26	1K-2215	PIN, Cylinder Stop (Circuit Breaker)				
27	1K-2216	WASHER, Solen ald Plunger				H
28	1K-2217	SHIM, Cylinder Contact Stud (Old Style)				Req.
29	1K-2218	RING, Cylinder Contact Stud Retaining (Old Style)				1
30	1K~2219	SNAP RING, Cylinder Head				<b>;4</b>
ξ	1K-2220	CLAMP, Cylinder Cable				<b></b> t
62 62	1K-2221	CABLE, Cylinder				-
e recipio de l'écolo de la company						10 - 15

3

### HYDRA-LECTRIC CYLINDER

			•														8 -		
No. Req.	-	,			-					, ·	- F	<b>→</b> -	-	1000					
Breakdown for One Cylinder and Follow-Up Assembly	(Amon Illan Call non croy), senson ass.	CABLE Assembly, Cylinder (With 1KS-2061) (1KSH-2221-B Will Work)	CABLE Assembly, Cylinder (With 1KS-206 1-A) (1KSR-2221-B will work)	CABLE Assembly, Cylinder (Will work for 1KS-2221 or 1KS-2221-A)	CONNECTOR and Nipple Assembly - Male (With 1KS-2061-A) (1K-2222-A with 1K-2222-B Required for 1KS-2061)	CONNECTOR and Mpple Assembly, Female	SPRING, Cylinder Stop Collor	LEVER, Cylinder Com - Right S-2570 Screw, No. 10 - 32 x 5/8 Bind Hd Mach S-289 Lock Washer, No. 10 External Tooth S-895 Nut, No. 10 - 32 Hex	LEVER, Cylinder Cam - Left S-2570 Screw, No. 10 - 32 x 5/8 Bind Hd Mach S-289 Lock Washer, No. 10 External Tooth S-895 Nut, No. 10 - 32 Hex	PACKING, 1/16 x 1/4 "0" Ring	PACKING, 3/16 x 2-5/8 '0'' Ring	GASKET, 1/8 x 2-3/4 "0" Ring	GASKET, Follow-Up Cover	BLOCK Àssembly, Follow-Up Contact S-2571 Screw, No. 4 * 40 x 5/8 Bind Hd Mach S-290 Lock Washer, No. 4 External Tooth S-291 Washer, No. 4 Plain	LOCK NUT, Cylinder Piston	CONTACT Assembly, Cylinder Relay 9236 39 Rivet, 3/32 x 1/8 Oval Hd Tubular	INSULATOR, Cylinder Terminal (New Style)	LUG, Cylinder Terminal (New Style)	
Part	Ted III Del	1KS-2221	1KS-2221-A	IKSR-2221-B	1K-2222-A	IK-2222-B	IK-2223	1K-2224	1K-2225	1K-2226	1K-2227	1K-2228	1K-2229	1KS-2230	1K-2231	1KS-2232	1K-2233	1K-2234	
Ref.	o o				33		34	35 35 37 38	3378	40	4	42	& E	4 4 4 4 4 10 0 7	84	49 50	ro Fr	52	

4

Ø

M

Ö

## SECTION X OPTIONAL EQUIPMENT

## HYDRA-LECTRIC HAND SWITCH

nber	1410 33	No. Req.	<b></b> 4	- 0 0 0		2	c7 ,		-, ·	ν,	<u> </u>	တ္မ	<b>,</b> —1		64		
Tractor Senal Number	RC 320001-341033 Std 269001-272900	7 H			2·11										<del></del>		
Hydra-Lectric 2 Cyl.   1 Cyl.	<u>,</u>																
Hydra-I 2 Cyl	73																
Description	SWITCH Assembly, Hand (Order 1KS-2070-A)	Breakdown for One Hand Switch Assembly	BLOCK, Hand Switch Base	PLATE, Hand Switch Cover and Mounting S-2573 Screw, No. 10 - 32 x 3 Mach 920079 Lock Washer, No. 10 S-895 Nut, No. 10 - 32 Hex	BLOCK, Hand Switch Actuating	BLADE, Hand Switch Sliding Block Slider	SPRING, Hand Switch Sliding Block	HANDLE, Hand Switch Actuating	SPRING, Hand Switch Actuating Handle	HOLDER, Hand Switch Contact	BLOCK, Hand Switch Sliding	TERMINAL, Hand Switch Contact S-2572 Screw, No. 8 - 32 x 1/4 Mach	PIN, Hand Switch Actuating	BAR, Hond Switch Contact Terminal Buss	RING, (W-K) Type E No. 5133-15 Retaining		
Part Number	1KS-2070	Part Nu mber	1K-2301	1K-2302	1K-2303	1K-2304	1K-2305	1K-2306	1K-2307	1K-2308	1K-2309	1K-2310	1K-2311	1K-2312	1K-2313		
Ref. No.		Ref. No.	-	01 to 4 to	9	7	&	6	10	Ħ	2	13	1.5	16	17		

## HYDRA-LECTRIC AND HYDRAULIC LIFT

SECTION II


The Hydra-Lectric and Hydraulic Control units are divided into Sections I, II and III.

Tractor serial numbers or unit serial numbers (identified by prefix letter K) as well as parts shown may be duplicated in all three sections.


Section III covers the Hydra-Lectric and Hydraulic Control units starting with Super 77 tractors.

Check all three sections before ordering repair parts.

HYDRA-LECTRIC AND HYDRAULIC RESERVOIR AND SELECTOR VALVE



HYDRA-LECTRIC AND HYDRAULIC RESERVOIR AND SELECTOR VALVE



## SECTION X OP TION AL EQUIPMENT

Ref. No.

-	Port Number	Description	Hydræ-Lectric 2 Cyl.   1 Cyl.	ectric 1 Cyl.	Hydin 2 Cyl.	Hydraulic Cyl. 1 Cyl.	Unit Serial Number
-		a polaración Circumstantino		2		7	K1000-K35000
	1H-212	PLUG, Heservar			8	,d	K16078-K23976
	15-27 7-A	SEAL, COLLEGE	_	-	-	-	K1000-K35000
	1CA-297	CAP, Filler	p-4	-		_	K1000-K35000
	IC-298		7		7		K23977-K35000
y-sym-spi h-18-70-00	1B-628	SPRING, bearing Fluie	г	-	p-m]	-	K1000-K35000
	IA-6.28"A	SFRING, HELLS THE SECTION SECT		,t		<b></b> -4	K2 0452-K35000
	1KS-841-B	SOCKET, Shift Lever	- 0	7 2	7 7	7 7	K1000-K35000
		908 333 Cap Screw, 3/8 - 16 x 1=1/4 nex nu 92008 3 Lock Washer, 3/8	101	101	73	8	
	IK-915-A	GASKET, Shiff Lever Socket	-	-	,	-	K1000-K35000
-	1B-1527	PIN, Dowel	-				K1000-K35000
	1K-1527	PIN, Dowel	~		-	~	K1000-K35000
	1K-1746	WASHER, Breather Tube Copper			Ø	23	K46078-K23976
	1K-2001-B	BASE, Control Mounting (Die Casting) (Order IKSR-2001-C for repairs) 908 340 Cap Screw, 3/8 - 16 x 3 Hex Hd 908 332 Cap Screw, 3/8 - 16 x 1 Hex Hd 908 335 Cap Screw, 3/8 - 16 x 1-3/4 Hex Hd 908 315 Cap Screw, 3/8 - 16 x 1-3/4 Hex Hd 92 008 31 Lock Waster, 3/8 9-1917 Plug, 1/2 Std Pipe Ctsk Hd S-731 Elbow, 1/2 x 90 Mail Strt - Orchard	1 1 8 8 1 1	7 7 8 8 7 7 8 8 7 7 8 8 7 8 7 8			K9495-K20451
	IKA-2001-B	BASE, Control Mounting (Grey Iron) (Order 1KSF-2001-C for repairs)	r-4 .	-			K9495~K20451
	1K-200 1-C	BASE, Control Mounting (Die Casting)	-			<u></u>	K 20452-K35000
¥ 0		(Order 1KS-2001-C) 908 340 Cap Screw, 3/8 - 16 x 3 Hex Hd 908 332 Cap Screw, 3/8 - 16 x 1 Hex Hd 908 332 Cap Screw, 3/8 - 16 x 1-3/4 Hex Hd 92008 3 Lock Washer, 3/8 5-1917 Plug, 1/2 Std Pipe - Ctsk Hd 5-1900 Plug, 1/2 Std Pipe 5-26 21 Elbow, 1/2 x 90° Mall Strt - Orchard 5-1919 Plug, 3/8 Pipe - Ctsk Hd	11 2 2 1 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2221022	182114 2	1881	
· · · · · · · · · · · · · · · · · · ·	1KA-2001-C	BASE, Control Mounting (Grey Iron) (To be used when 1KS-2001-C not available)					K20 452-K3500 0
	1KS-2001-C	BASE (1½-2001-C) with Washer (1K-2021-A) and Seat (1K-2023-B), Control Manufing (This will work for 1K-2001-B or 1KA-2001-B)	p-4		-4	<b>~</b>	K20452-K35000
	1KSR-2001-C	BASE Assembly - Repair (Will replace any prior Base except 1K-2001-A)	<b>-</b> 4	-		-	
	1KSC-2001-H	MOUNTING BASE, Reservoir and Pump Assembly (Replaces any prior assembly on Hydra-Lectric two cylinder wits)	-				K-1000-K35000
	1KSD-2001-H	MOUNTING BASE, Reservoir and Pump Assembly (Replace any pulor assembly on Hydra-Lectric one cylinder units)				and the second s	K1000-K35000
and the second s	1KSC-2001-J	MOUNTING BASE, Reservoir and Pump Assembly (Replaces any prior assembly on Hydraulic two cylinder units)	water the second se		port		K 100 0-K3 50 00
and the second s	IKSD-2001-J	MOUNTING BASE, Reservoir and Pump Assembly (Replaces any prior assembly on Hydraulic one cylinder units)				p=4	K1000-K35000

Q.

Transport Statistics of Programs				i de la constante de la consta			Cartisis - da La de production de la colon de la c
Ref. No.	Part Number	Description	Hydra-1 2 Cyl.	Hydra-Lectric 2 Cyl. 11 Cyl.	Hydra 2 Cyl.	Hydraulic 2 Cyl   1 Cyl	Unit Senal Number
37	IKSB-2007-B	VALVE Assembly, Selector - LH (Order 1KSB-2007-C)	gend,		an encount (the copy of polytopen agrains grain		K9495-K20023
37	IKSB-2007-C	VALVE Assembly, Selector - LH (Die Cast Body) (Will work for 1KSB-2007-B)	<b>-</b> -{		<b>;</b> - <b>-</b>		K20024-K35000
37	IKASB-2007-C	VALVE Assembly, Selector - LH (Grey Iron Body) (To be used when 1KSB-2007-C not available)	<b>;-</b> (		pant		K20024-K35000
38	1KS-2008-A	SPOOL Assembly, Selector Valve	63	part.	23	;I	K9495-K35000
39	1K-2009-A	PLUNGER, Interlock	23	-	23		K9495~K35000
40	1K-2010-A	SEAT, Interlock Valve	4	23	4	83	K9495-K35000
44	1K-2011-B	GUIDE, Interlock Valve S-3735 Ball, 3/4 Día Steel	44	0.01	4 4	00	K9495~K35000
\$	1K-2012	SPRING, Interlock - Large	4,	8	4	83	K 1000-K35000
4 4 4 4 8 8 8 8	IK-2014	COVER, Base Plate Vaive Port 908333 Cap Screw, 8/8 - 16 x 1-1/4 Hex Hd 920156 Lock Washer, 3/8 Int Tooth		⊢ <b>4</b> 4		- 4 4	K 20452-K35000
4	1KS-2015	LEVER Assembly, Solenoid	8	-			K1000-K23976
88	1KS-2015-A	LEVER Assembly, Solenoid	83	end	2	-	K23977-K35000
& Q	1KS-2018	SHAFT Assembly, Hand Actuating	23	~			K1000-K19079
49	IKS-2018-A	SHAFT Assembly, Hand Actuating	23	<u></u>		and the second	K19080~K23976
20	IKAS-2018-B	SHAFT Assembly, Hand Actuating	2		23		K23977-K35000
52	1K-2019	PLUNGER, Rellef Valve	pref	-	p-l	<i>-</i>	K1000-K35000
R A	IK-2019-A	PLUNGER, Rellef Valve (Special Adjustable Rellef Valve)	<b>~</b>	<b></b> 4	-	-	K 1000-K3 5000
52	1K-2020	GUIDE, Rellef Valve	prof	p=4	-	~	K 1000-K35000
52A	1K-2020-A	NUT, Rellef Valve (Spead Adjustable Rellef Valve)	H	r-4	~	F(	K 1000-K35000
ηυ ευ	IK-2021	WASHER, Relief Valve Crush	Req.	Req.	Req.	Req	K1000-K9494
7. 4	1K-2021-A	WASHER, Relief Valve Seat Crush (Used only with die cast bases)	p	pmi	p-vl	p(	K9495-K35000
54 A	IK-2021-B	WASHER, Rellef Valve Crush (Spead Adjustable Rellef Valve)	grand grand	F<		p	K1000-K35000
55	1K-2022	SPRING, Relief Valve				p-4	K1000-K35000
56	IK-2023-B	SEAT, Relief Valve (Used only with die cast bases)	,(	p=4	<del></del> (	r—(	K9495-K35000
57	1KS-2024-B	VALVE Assembly, Thermal Relief	23	<b>-</b>	2	~	K1000-K35000
28	1K-2026	PACKING, 3/32 x 5/8 ''0" Ring (in Base Plate)	œ	4	æ	4	K1000-K35000
59	1K-2028	PACKING, 1/8 x 3/4 "0" Ring (With Valve Seats)	4	8	4	2	K1000-K35000
59A	1K-2029	PACKING, 3/32 x 1/2 ''0" Ring (Speci di Adjustable Relief Valve)	gred		e-i	pret	K1000-K35000
09	IK-2029-A	PACKING, 1/16 x 3/8 "0" Ring	63	<i>-</i>	73	-	K1000-K35000
Реф	1K-2030-A	SNAP RING, Selector Valve Spool	23	F-I	83	prof.	K9495-K35000
62	1K-2030-B	SNAP RING, Selector Valve Body	23	p-vi	23	~	K9495~K35000
63	1K-2030-C	SNAP RING, No. 100 Trace internal	ed.	8	<del>or on recovery</del>		K9495~K20023
4	IK-2031-A	RING, Extemal Retaining • Snall	જ	7	***************************************	<del></del>	
ROWLANDAGO	ž						##GL_cia_#ac_docato_machin_####################################

Ø.

# HYDRA-LECTRIC AND HYDRAULIC RESERVOIR AND SELECTOR VALVE


Ref.	Part	Description	Hydro-Lectric 2 Cyl.   1 Cyl.	ectric 1 Cyl	Hy dro	Hydraulic 2 Cyl. 1 Cyl.	Unit Serial Number
65	IK-2031-B	RING, External Retaining - Large	22	prod	2	part	K1000-K35000
90	1KS-2032-A	SOLENOID Assembly, Valve Actualing 91566 7 Nut, No. 10 - 32	20	bung kont	A CONTROL OF THE CONT	AND CONTRACTOR OF THE CONTRACT	K1000~K35000
89	1K-2033-A	SPRING, Valve Centefing	N	proof.	63	pane)	K9495~K35000
69	1K-2034-A	WASHER, Valve Spool	C4	pand.	83	providence (mentions)	K9495~K35000
2 7	IKS-2035-A	LEVER Assembly, Hand Actuating ~ Right 908 465 Cap Screw, 5/16 - 24 x 7/8 Hex Hd	breel to annual	provide ground	part prof	had had	K23977~K35000
7 7 20	1KS-2035-B	LEVER Assembly, Hand Actuating - Left 908465 Cap Screw, 5/16 - 24 x 7/8 Hex Hd	foreignesservices	and the state of t	p==( g==)	grafija podenieje. Projek karaga disk	K23977~K35000
7.	1K-2036	JOINT, Ball Socket (Threaded)	8	yeard	8	paraj	K4000-K35000
2	1K-2037	JOINT, Ball Socket (Tapped)	8	peri		<del>og tog gregered</del>	K1 000-K35000
76	IKS-2038	CONNECTOR Assembly, Solenoid (6 Wires) S-896 Palnut, 7/8 - 20 Reg Type	times for the format of the second	end so-		**************************************	K 1000-K35 000
28	IK-2039	GASKET, Solencid Connector (Also used in replacement package 1KSR-2002C)	pans",	he-4		жимирадонирогум	K1000-K35000
\$	1K-2055	PACKING, 3/32 x 11/16 ''0'' Fing (Used with 1K-2011-B Guide)	Zh	(Y)	and the second s	(C)	K1000-K35000
88 80	1KS-2059-A	TUBE AND PLATE, Breather 908299 Cap Screw, $1/4 - 20 \times 1/2$ Hex Hd	overcodisco aktorizanda a		p-4 (V)	prof CS	K16078-K23976
<b>⊗</b>	1K-2064	LEVER, Manudi Valve Actuation	z(	post		NACO-RECOVER AND ASSESSED	K 1000-K2 3976
60	IK-2079	SHIM, Rellef Valve Adjusting	Req.	Reg	Req.	Веф.	K1000~K35000
83A	1K-2105-A	RESTRICTOR, Relief Valve	p	p-r)	p	-	K1000-K35000
83B 83C		S-1363 Pin, 3/16 x 1/2 Roll S-1378 Pin, 3/32 x 3/8 Roll	seed took	tond hard	Denif Seed	hone, hore,	
80	1K-2122	GASKET, Breather Tube Plate	ner nion miss		77	~	K 16 078 K2 3976
00 PL3	IK-2123	LINK, Manual Control Actuating	- Control of the Cont		64	p.m(	K16078-K23976
8 8 7 8 8 8 8	1K-2124	JOINT, Achading Link Ball 920154 Lock Washer, 1/4 Int Tooth 915000 Nut, 1/4 - 28 Hex	nggariosa na nagrena na arrendenci.		440	ପ୍ୟର	K16078-K23976
68	IKS-2125	LEVER Assembly, Manual Control Pivot		,	C/3	-	K16078~K23976
06	IKS-2126	PIVOT Assembly, Lever	ACOUNTING OF THE SECOND		63	prof	K16 078~K2 3976
6	1KS-2126-A	PIVOT Assembly, Lever	kiskosk-ik-Samariski kraji		~		K23977K35000
2002	1K-2128-A	SHAFT, Manual Control 920009 Washer, 3/8 SAE Plain 932001 Cotter Pin, 1/16 x 3/4	mh/martis Realth Mhofillen		000	-1 -1 -1	K16078-K23976
9 9 9 7 0 0 7	1K-2129	SUPPORT, Menual Control Shaft 908 333 Cap Serew, 3/8 - 16 x 1-1/4 Hex Hd 92 008 3 Lock Wesher, 3/8	rispinnali kilosoo ka kilosoo ka		~ Q Q	22.1	K 16 078-K2 3976
98	1K-2130-A	LEVER, Operating - Right 91508 5 Nut, 2/8 - 24 Hex Jam 93228 4 Groov-Pin, 1/8 x 3/4	instanten instanten son sen sie eine stelle sen sen sen sen sen sen sen sen sen se		p-i p-i	-t	K16078-K23976
100	1K-2131-A	LEVER, Operating - Left 91508 5 Nut, 3/8 - 24 Hex Jam 93228 4 Groov-Pin, 1/8 x 3/4	underwindelige einstelle heite einklichen		found hand bound		K 16 07 8-K2 3 976
102	1K-2132-A	COUPLING, Operating Lever	**********		C/s		K16078-K23976
103	1K-2133	PLUG, Reservoir Cover				-	K16078*K23976
							10 - 25

Ç.

## SECTION X OPTIONAL EQUIPMENT

Unit Serial Number	K20024~K35000	K 200249-K35000		K23977~K35000	K2 3977-K3 5000	K23977*K35000	K20452-K35000	K20 452-K3 50 00	K20452-K35000	K20 452-K3 50 00	K 20 452-K35000	K20452-K35000	K20452*K35000	K20452-K35000	K20452*K35000	
Hydraulle Cyl. 1 Cyl.	<b>~</b> 4 4	7 7	<b>.</b> →	~~~	~ ~		~	,t	-	p-l	_	~		<b>-</b>	H	
Hy dru 2 Cy L	8 8 7	C/ 4	-	2 2 2	2 4	64	1	1	-	-	-	,t		7	1	
ectric 1 Cyl.	~ 4 4	7 2		, he he	- 2	-	p-4	p-d	p=4		~	pé	prof	-	panel	
Hydra-Lectric 2 Cyl.  1 Cyl.	04 to to	0. 4		000	N 4	73	-	e-(	-	pro-t	-	~	-		prod,	
Description	PLATE, interlock End 908300 Cap Screw, 1/4 - 20 x 5/8 Hex Hd 92008 1 Lock Washer, 1/4	PLATE, Interlock End (Unit K20024-K23976 elght 9088 20 required) 9088 20 Screw, 1/4 ~ 20 x 5/8 Mach	PLUG, Reservoir (Used in replacement package 1KSR-2002-C)	PLATE Assembly, Bearing 932798 Groov-Pin, 3/32 x 5/8 S-138 3 Pin, 3/32 x 5/8 Roll	SUPPORT, Beating Plate Spting 908821 Screw, 1/4 - 20 x 3/4 Mach	WASHER, Bearing Plate	CARTRIDGE, Filteding	BODY, Filter	GASKET, Filter	SPRING, Filter	RETAINER, Filter Spring	CAP SCREW, Filter	GASKET, Filter Cap Screw	GASKET, Filtenng Carthage - Top	GASKET, Filtering Cartfidge - Bottom	
Port Number	1K-2137	1K-2137-A	1KR-2138	1KAS-2141	1K-2143	1K-2145	1LA-5351	IK-5353-A	1L-5356	1K-5361-A	1K-5362-A	1KA-5363-A	1K-5364	1L-5365	1K-5366	
Ref.	104 105 106	107	109	111	112	114	2,5	116	117	118	119	120	121	122	123	

HYDRA-LECTRIC AND HYDRAULIC PUMP



10 - 27

\*

## SECTION X OPTIONAL EQUIPMENT

## HYDRA-LECTRIC AND HYDRAULIC PUMP

Hef.	Part Number	Description	Hydra-Lectric	ectric	Hydra 2 Cvl. 1	Hydraulic Cvl. 11 Cvl.	Unit
H	1B-597	PIN, Dowel	64	23	63	8	K1000-K35000
7	IK-1115-B	STUD - $7/16 \times 2-1/16$ (See IK-2054 for Stud and Nit is an order to shown into tumber)	ო	ო	ю	ო	K28010-K35000
က		915636 Nut, 7/16 - 20 Self Locking	ო	ო	ღ	m	
4	1KA-2041	SHAFT, Pump Drive (Not required on tractors with Dower Trite-Off)	-		~		K1000-K35000
89	IK-2042-A	PLATE, Pump Front S-1922 Plug, 1/4 Std Hdless Slotted Steel		88			K4082-K35000
7	IK-2043-B	PLATE, Pump Center			pod		K7125-K35000
80	1KSB-2043-B	PUMP Assembly (Will replace any prior Pump)	~	-	rf	<del></del>	K1000 K35000
60	IK~2044	PLATE, Pump Recr	-	-	prod	-	K1000-K35000
10	1K-2045-A	DOWEL, Pump Housing	N	61	83	23	K7125-K35000
r-i r-i	IKS-2046-A	GEAR AND SHAFT Assembly, Pump Idler (Order IKSR-2049-B)	r-d	-	,I	H	K1101-K19090
#~i	1KS-2046-B	GEAR AND SHAFT Assembly, Pump Idler	H	-	-		K19091-K35000
12	1KS-2049-A	GEAR AND SLEEVE Assembly, Pump (Order IKSR-2049-B)	_	H	<del></del> 4	<b>-</b>	K1101-K19090
12	IKS-2049-B	GEAR AND SLEEVE Assembly, Pump	-1	-		-	K19091-K35000
. 1001/2014	IKSR-2049-B	GEAR Package (Replacement)	red		-		
13	1K-2052	SNAP RING, Pump (Not required on tractors with Power Take-Off)			p(	-	K1000-K35000
14	1K-2053	SEAL, Pump Oil	4	4	4	4	K1000-K35000
	1K-2054	STUD - 7/16 x 1-7/8 (Used prior to 1K-1115-B) S-892 Nut, 7/16 - 20 Castle S-2880 Wire, No. 16 - 14" Long	м м н	നന⊣	നനം	o en ⊢	K1000-K28009
r.	IK-2055	PACKING, 3/32 x 11/16 "0" Ring	p-d		-	-	K1000-K35000
16	1K-2056-A	CAP SCREW, 3/8 x 2-1/8 Drilled Head S-2880 Wire, 16 Ga Annealed - 42" Long	6 ∺	<b>о</b> г	6 17	6 -	K7125-K35000
17	IK-2056-B	CAP SCREW, $3/8 \times 2-3/4$ Drilled Head	P-4	, <u>-</u> -			K7125-K35000
<b>60</b>	1K-2264	PACKING, 1/8 x 1-1/8 "0" Ring	p-4	Н	-		K4082-K35000
19	1KS-5041	BEARING, Needle (Drive Sleeve) (Tornington GB-2212)	8	83	01	0	K1000-K35000
20	IKS-5042	BEARING, Needle (Idler Shaft) (Tortington GB-1616)	Ø	8	73	73	K1000-K35000
					in the state of th	The state of the s	
The state of the s				0778 6 1922 - my mys <sub>k</sub> a 1920 1	***************************************	<del></del>	
	urrasia viga 400katobra akira					<del>Orach Utelstein geseins geseine</del>	
<del></del>				Middle 493 in Albanian an Again.			
Marie de la composition della	Principal de la Companya de la Comp			***************************************			
	area como monto mo			- Acceptation with a visit of the second			
							:

CYLINDERS AND HOSE CONNECTIONS bl SSAND HYDRAULIC .82 ,9Z HVORA-LECTRIC £3 A1,8 

10 - 29

J

Ç

# HYDRA-LECTRIC AND HYDRAULIC CYLINDERS AND HOSE CONNECTIONS

	Walter de stade and the state of the state o						
Ref.	Port Number	Description	Hydra-] 2 Cyl.	Hydra-Lectric 2 Cyl.   1 Cyl.	Hydro 2 Cyl.	Hydraulic 2 Cyl.   1 Cyl.	Tractor Serial Number
7	1L-1080	SNAP RING, Restrictor Swivel (Only 1 used on Orchard)	4	7	4	8	RC 320001-6502 Std 269001-6502
73	1K-2027	PACKING, 1/8 x 7/8 "0" Ring (In Swivel Valves) (2 used on Orchard)	œ	4	∞	4	RC 320001-6502 Std 289001-6502
ო	1K-2029	PACKING, 3/32 x 1/2 "0" Ring (In Swivel Valves) (1 used on Orchard)	4	8	4	8	RC 320001-6502 Std 269001-6502
4	1K-2058	PIPE, Cylinder	2	prof			RC 320001-6502 Std 269001-6502
s &	1KS-2061-B	CYLINDER and Follow-Up Assembky, Hydra-Lectric (Order IKASA-2061-B) S-1943 Elbow, 1/2 x 45 <sup>o</sup> Galy Mall	0 0	,t ,			RC 341034-4503591 Std 272901-4503591
4		S-1944 Elbow, 1/2 x 45° Galv Mall Str	2	·	A-101-D/A		
	IKSA-2061-B	CYLINDER with Fittings and Pins, Hydra-Lectric (Order 1KASA-2061-B)	23	park			RC 341034-4503591 Std 272901-4503591
	1KAS-2061-B	CYLINDER and Follow-Up Assembly, Hydra-Lectric (Order IKASA-2061-B)	83	п			RC4503592-6502 Std4503592-6502
	1KASA-2061-B	CYLINDER with Fittings and Pins, Hydra-Lectric	87				RC4503592-6502 Std4503592-6502
7.A	IKSA-2061-C	CYLINDER with Pins, Hydraulic (Order IKSA-2061-L)			83	p(	RC 340547~350913 Std 272901-273774
7.A	1KSA-2061-D	CYLINDER with Pins, Hydraulic (Order IKSA-2061-L)	<del></del>	***************************************	7	_	RC 350914-6502 Std 273775-6502
œ	1KS-2066-A	BRACKET Assembly, Coupling	** Dingrapore			-	RC 341034-6502
0 1 1 1 1 1 3 1 3		(FOT Drawn Implements) 915006 Nut, 5.8 - 18 Hex 920087 Lock Washer, 5.8 - 12 Plain 908385 Cap Screw, 5.8 - 11 x 1-3/4 Hex Hd 932017 Cotter Pin, 1/8 x 1 908535 Cap Screw, 5/8 - 18 x 2 Hex Hd	an digit kilan mga mga agata gama gunugangga gar mga ganaganan kil			118831	Std 27290 1-6502
15	1MS-2066-A	BRACKET Assembly, Coupling - Orchard (Thattor Serial Number 272881-)	5	p4	**************************************	<i>p</i> −4	
16 17 18 19		920087 Lock Washer, 5/8 920011 Washer, 1/2 Plain 908384 Cap Screw, 5/8 - 11 x 1-1/2 Hex Hd 932017 Cotter Pin, 1/8 x 1	to an an annual state of the color	~~~	Omeganida da Aria anti-ay aga magaa	000-	
20	1K-2067-A	BOLT, Cable Clamp (For Drawn Implements) S-898 Nut, No. 10 - 32 Wing		p(	23-t-gamai-rintskin aksida asam	rd rd	RC 341035-6502 Std 272901-6502
22	1K-2071	PIN, Cylinder Mounting (3-7/16", Long) (2 used in 1KSA-2061-B, 1KSA-2061-C and 1KSA-2061-L) (1 used in 1KSA-2061-D)	4	23	4	84	RC 32000 1-6502 Std 26900 1-6502
22	1K-2071-A	PIN, Cylinder Mounting (3-11/16" Long) (1 used in IKSA-2061-D)	- w		8		RC 350914-6502 Std 273775-6502
23	1K-2072	CLIP, Cylinder End Pin (2 used on Orchard)	œ	*	œ	4.	RC 320001-6502 Std 269001-6502
24	1K-2073	CLAMP, Cylinder Wire - Small	7	p=={	***************************************		RC 320001-6502 Std 269001-6502
25	1K-2074	CLAMP, Cylinder Wire - Large	23	<del></del>			RC 32000 1-6502
26 27 28		920079 Lock Washer, No. 10 909022 Screw, No. 10 - 24 x 3/4 Mach 915538 Nut, No. 10 - 24 Hex	000			01	3td 26900 <b>1-</b> 650 2
29	1KS-2075-B	CABLE, Remote Cylinder (For Drawn Implements)		p		24 07	RC 341034-6502 Std 272901-6502
7	Angeleminania disebutak dia manana di massa di m						

# HYDRA-LECTRIC AND HYDRAULIC CYLINDERS AND HOSE CONNECTIONS

Ref. No.	Part Number	Description	Hydra- 2 Cyl.	Hydra-Lectric 2 Cyl.   1 Cyl.	Hydraulic 2 Cyl.   1 Cyl.	ulic 1 Cyl.	Tractor Serial Number
30	1KAS-2076-C	COUPLING Assembly, Self Sealing (For Drawn Implements)	COMMON CO	1		1	RC 341034-6502 Std 272901-6502
್ಷ.	1KS-2076-D	COUPLING, Self Sedling - Half (For Drawn implements)	and the first of t	2		73	RC 341034-6502 Std 272901-6502
33 33	IKS-2076-E	COUPLING, Self Sealing - Half with Nut (For Drawn Implements) S-1945 Nipple, 1/2 x 1-1/2 Galv Steel Pipe		2 2		04 04	RC 341034-6502 Std 272901-6502
& 4	1K-2084	BRACKET, Hose Clomp	63		23		RC 320001-6502 Std 269001-6502
35	1K-2085	BOLT, Hose Clamp Bracket	8		23		RC 320001-6502
36		915585 Nut, 5/16 - 18 Wing	2		23		
37	1K-2086	SPACER, Hose Clamp	63		8		RC 320001-6502 Std 269001-6502
38 39 410 411	IK-2092	SUPPORT, Hose (For Drawn Implements) 920081 Lock Washer, 1/4 909055 Screw, 1/4 - 20 x 3/4 Mach 915111 Nut, 1/4 - 20 Hex		- 222		- 000	RC 320001-6502 Std 269001-6502
4 4 4 4 0 2 4 10	1M-2092	GUIDE, Hose - Orchard 915005 Nut, 9/16 - 18 Hex 908333 Cap Screw, 3/8 - 16 x 1-1/4 Hex Hd 920083 Lock Washer, 3/8		panel panel problems		hard band band band	
46	IK-2093-A	HOSE Assembly - 48" Long	4	23	4,	82	RC 332451-6502 Std 271655-6502
46	1M-2093	HOSE Assembly - Orchard - 44" Long	ngganng an diddin	63		82	
47	IK 2094	HOSE Assembly - 84" Long (For Drawn Implements) (Also used with Hydraulic Side Hill Hitch)	garaine and the second and	C4		23	RC 320001-6502 Std 269001-6502
8	1K-2104	BODY, Restrictor (Order IK-2104-A and S-2031) (1 used on Orchard)	44	8	4	67	RC 332451-4502116 Std 271655-4502116
48A	1K-2104-A	BODY, Restrictor	4	8	4:	23	RC4502117-6502 Std4502117-6502
48B	escando en	S-1681 Nipple, 1/2 x 3-1/2 Steel Pipe	4	7	4,	8	novell'i sud tead o
94	1KS-2104	SWIVEL Assembly, Restrictor (Order IKS-2104-A) (Painted Red)	<i>α</i>		Ø		RC 332451-4502116 Std 271655-4502116
49	IKS-2104-A	SWIVEL Assembly, Restrictor (Pointed Red)	4	C/	4	2	RC4502117-6502 Std4502117-6502
50	1KSA-2104	SWIVEL Assembly, Free Flow (Order IKSA-2104-A) (Painted Green)	7		62	,	RC 332451-4502116 Std 271655-4502116
80	1KSA-2104-A	SWIVEL Assembly, Elbow	8		2	p(	RC4502117-6502 Std4502117-6502
ro Fo	1KSB-2104	SWIVEL Assembly, Momentary Restrictor (Order IKSE-2104-A) (Pain and Yellow)	<u></u>	e ya ay kan ya wa a	~ <del>-</del>	nanyanya sakan kanada kana	RC 332451-4502116 Std 271655-4502116
55	1KSB-2104-A	SWIVEL Assembly, Momentary Restrictor (Painted Yellow)		and the second s	p		RC4502117-6502 Std4502117-6502
52	1K-2105	PLUNGER, Restrictor	4		23	g-mil	RC 332451-4502116 Std 271655-4502116
53	1K-2106	GUIDE, Restrictor	4	63	4,	73	RC 332451-4502116
52		S-894 Palnut, 3/4 - 20 Reg Type S-1377 Groov-Pin, 1/8 x 5/8	4.0	2 -4	4.0	7 - 7	
ro ro	1K-2107	SWIVEL, Restrictor (Order 1KA-2107) (Only 1 used on Orchard)	4	Ø	4	Ø	RC 332451-4502116 Std 271655-4502118
ALTERNATIVE BATHERINGS		en e	1			-	10 91

# HYDRA-LECTRIC AND HYDRAULIC CYLINDERS AND HOSE CONNECTIONS

Description  PIN, Restrictor  SPRING, Restrictor  (For use with front end loaders with single a cylinders)  SPRING, Momentary Restrictor  (For use with single acting cylinders)  UNION, Straight Adapter  (Used with IK-2094 on Hydraulic Side Hill HH  CONNECTOR Assembly, Male Wire  CONNECTOR Assembly, Male Wire  CONNECTOR, External Thread  (Used with Swivels)  CLAMP, Hose  915585 Nut, 5/16 - 18 Wing  908321 Cap Screw, 5/16 - 18 x 2 Hex Hd	IK-2109  IK-2109  SPRING, Restrictor  IK-2114  PLUNGER, Momentary Restrictor  [For use with front end loaders with single of cylinders)  IK-2115  SPRING, Momentary Restrictor  [For use with single acting cylinders)  IK-2136  UNION, Strught Adopter  (Used with IK-2094 on Hydraultc Side Hill H  IK-2222-D  CONNECTOR Assembly, Femile Wire  IK-2222-D  CONNECTOR, External Thread  (Used with Swivels)  IEP-7868  915585 Nut, \$/16 - 18 x 2 Hex Hd  908221 Cap Screw, \$/16 - 18 x 2 Hex Hd
Pin, Restrictor Plunger   Pin, Restrictor   Pin, Restrictor Plunger   Pin, Restrictor   Pin, Restric	PIN, Restrictor Plunger  SPRING, Restrictor  PLUNGER, Momentary Restrictor  Fortures  Total and includers with single acting  SPRING, Momentary Restrictor  Fortures  SPRING, Momentary Restrictor  SPRING, Momentary Re
or s with single acting (For use with front g cylinders) lic Side Hill Hitch) e Wire  Wire	PIN, Restrictor Plunger  SPRING, Hestrictor  PLUNGER, Momentary Restrictor (For use with front end loaders with single acting cylinders)  SPRING, Momentary Restrictor (For use with front end loaders with single acting cylinders) UNDON, Strught Adopter (Used with 1k-2094 on Hydraulic Side Hill Hitch)  CONNECTOR Assembly, Female Wire  PROTECTOR, Extend Thread (Used with Swivels)  CLAMP, Hose  915585 Nut, 5/16 - 18 wing  908321 Cap Screw, 5/16 - 18 x 2 Hex Hd
or s with single acting (For use with front g cylinders) lic Side Hill Hitch) e Wire  Wire	PIN, Restrictor Plunger  SPRING, Hestrictor  PLUNGER, Momentary Restrictor (For use with front end loaders with single acting cylinders)  SPRING, Momentary Restrictor (For use with front end loaders with single acting cylinders) UNDON, Strught Adopter (Used with 1k-2094 on Hydraulic Side Hill Hitch)  CONNECTOR Assembly, Female Wire  PROTECTOR, Extend Thread (Used with Swivels)  CLAMP, Hose  915585 Nut, 5/16 - 18 wing  908321 Cap Screw, 5/16 - 18 x 2 Hex Hd
PIN, Restrictor Plunger  SPRING, Restrictor  PLUNGER, Momentury Restrictor (For use with front end loaders with single acting cylinders)  SPRING, Momentury Restrictor (For use with front end loaders with single acting cylinders)  UNION, Struight Adorier (Used with IK-2094 on Hydrulic Side Hill Hitch)  CONNECTOR Assembly, Femile Wire  PROTECTOR, External Thread (Used with Swivels)  CLAMP, Hose  915585 Nut, 5/16 - 18 Wing  908321 Cop Screw, 5/16 - 18 x 2 Hex Hd	V A
	Port Number 1K-2108 1K-2109 1K-2115 1K-222-C 1K-222-D 1K-222-D 1K-2282 1EP-7868

C.

Þ


## HYDRA-LECTRIC WIRING HARNESS

Ref. No.	Part Number	Description	Hydra 2 Cyl.	Hydræ Lectric 2 Cyl.   1 Cyl.	Tractor Serial Number
And,	1H-1273-A	CLJP (2-1/2" long, 5/8" wide, 9/32" hole)	p-1	-	RC 344802-6502 Std 273126-6502
73	IK-1273-D	CLIP, Warp Around (Fuse to Relay Wire) (3-1/4" long, 3/18" wide, slot)	_	p-4	RC 320001-6502 Std 289001-8502
ო	IKS-1356	WIRE, Fuse to R <sup>e</sup> lay (29-1/2" Long)	p=4	H	RC 344802-6502 Std 273126-6502
4	1BS-1358-B	WIRE, Switch to Hydra-Lectric Fuse (10" Long)	~1	<b></b> 4	RC 344802-6502 Std 273126-6502
w	IK-2062	BRACKET, Hand Switch	N		RC 32000 1-6502 Std 26900 1-6502
9	1K-2063	U-BOLT, Hand Switch	77	<b>—</b>	RC 320001-6502
8 /		915667 Nut, No. 10 - 32 Mex 920079 Lock Washer, No. 10	ਖਾ ਖਾ	22	Sta zasuu±0302
ο,	1K-2067	FASTENER, Cable	73	<b></b> 4	RC 320001-6502
10		920081 Lock Washer, 1/4 909052 Screw, 1/4 - 20 x 1/2 Mach 915111 Nut, 1/4 - 20 Hex	444	000	203 -1 00 520 Z G Z G Z G Z G Z G Z G Z G Z G Z G Z
13	IK~2068	GROMMET, Rubber (3/8" x 1-1/2" OD)	ო	63	RC 320001-6502 Std 269001-6502
4	IKS-2070-A	SWITCH Assembly, hand	83	p-4	RC 341034-6502
15		S-2564 Fastener, No. 10 - 32 x 7/16 Sems	æ	4.	Sta 27290 I=6502
16	1KS-2091-D	HARNESS, Control Wiring	-	-	RC 341034-6502
		908998 Screw, No. 8 - 32 x 3/8 (with Ground Wire) 920078 Lock Washer, No. 8 (With Ground Wire) 915537 Nut, No. 8 - 32 Hex (With Ground Wire)			Z 0 Z 3 Z 3 O 7 Z 5 O Z 0 Z 0 Z 0 Z 0 Z 0 Z 0 Z 0 Z 0 Z 0 Z
16	1MS-2091-A	HARNESS, Control Wiring - Orchard (Tractor Sental Number 271411-)		H	
17	1KS-2095	WIRE, Starter Switch to Combination Switch (12" Long) S-2553 Screw, No. 8 - 32 x 3/8 Sems			RC 320001-6502 Std 269001-6502
19	IK-2111	CLIP, Upper Control Wiring Hamess (3/8" wide, 5-1/4" long, two 13/32" holes)			RC 320001-344801 Std 269001-273125
20 21 22 23	IK-2112	CLIP, Lower Control Wiring Harness (3.4" wide, 1-3/4" Long, 7/32" hole) S-263 Lock Washer, No. 10 S-756 Screw, No. 10 - 24 x 1/2 Mach S-833 Nut, No. 10 - 24 Hex	يسم يسم يسم يسم	pd pd pd	RC 320001-344801 Std 269 001-273125
24	IK-2113-A	CLIP, Fuse	7	<b>-</b> -4	RC 320001-344801 Std 269001-273125
25	1KS-2116-A	WIRE Assembly, Fuse	grand,		RC 320001-344801
26		S-2553 Screw, No. 8 - 32 x 3/8 Sems	p(	-	Sta 28 900 I=2/3 125
27	IK A-2117	RELAY	~		RC 341034-6502
28 29 30 31		920152 Lock Washer, No. 10 Shakeproof 909019 Screw, No. 10 - 24 x 1/2 Mach 915538 Nut, No. 10 - 24 Hex S-2553 Screw, No. 8 - 32 x 3/8 Sems	4440	0004	
32	1K-2118	WIRE, Relay Jumper			RC 341034-6502 Std 272901-6502
				***************************************	

## HYDRA-LECTRIC WIRING HARNESS

	Tractor Serial Number	RC 351408-6502	7000.0500.77.000			RC 320001-6502 Std 269001-6502	RC 320001-6502 Std 269001-6502	10 - 35
	Hydra-Lectric 2 Cyl., 1 Cyl.	p4	2 2		e-mil	şamığ	<i></i> 1	
of the state of th	Hydra- 2 Cyl.	-	20 20			pront		
AND SECULATION OF THE PROPERTY	Description	BRACKET, Relay Mounting	909136 Screw, No. 10 - 32 x 1/2 Mach 920079 Lock Washer, No. 10	CONNECTOR Package, Wiring Harness (Can be used on IKS-2091-D)	CONNECTOR Package, Winng Hamess (Can be used on 1MS-2091-A)	GROMMET, Rubber	FUSE (30 Ampere) (1/4" × 1-7/16" Long)	
HOOMOOLAADA ABBADKI OA MARKI A ALALADAMAA MINOO OA MALIJAAD	Part Number	1K-2119		IKSR-2246	IKSR-2246-A	1CD-7364	1K-7371	A THE STATE OF THE PROPERTY OF
dept pas y suparancijo sejimeji sa	Ref. No.	33	8. 8. 4. rc	aproxylik wenikeryymunum wyfeli	en e	36	2,5	ngennamen opticiplisity and conve

### HYDRA-LECTRIC CYLINDER



 $\mathbb{Q}$ 

### HYDRA-LECTRIC CYLINDER

Ref. No.	Part Number	Description	Hydro- 2 Cyl.	Hydra-Lectric 2 Cyl., 1 Cyl.	Tractor Serial Number
Åran E entre entre en	IKS-2061-B	CYLINDER Assembly, Magnetic Type (Has straight bracket)	8	-4	RC 341034-4503591 Std 272901-4503591
danife.	1KAS-2061-B	CYLINDER Assembly, Magnetic Type (Has angle bracket)	2	proof	RC4503592-6502 Std4503592-6502
Ref. No.	Part Number	Breakdown For One Cylinder Assembly	IKS	1KS-2061-B	IKAS-2061-B
7	1K-2027	PACKING, 1/8 x 7/8 ''0", Ring		8	က
n	1KS-2201	BARREL Assembly, Cylinder (Has Straight Bracket)	PANCENS	provid	us neller mosmocimi
m	IKS-2201-C	BARREL Assembly, Cylinder (Has Angle Bracket)	en ar a secondario de la companya d		gumij Bundalandarvaran
4 N	1K-2202-A	HEAD, Cylinder S-1184 Set Screw, 1/4 ~ 20 x 1/4 Cup Point	OF EN EAR SUMMAN AND AND AND AND AND AND AND AND AND A	Cl	tomi CA
· · · · · · · · · · · · · · · · · · ·	IKSR-2202-A	HEAD Assembly, Cylinder (Includes Ref. No. 2, 4, 5, 8, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 26, 27, 31, 32, 33, 34, 35, 36, 37, 38)	PODOWOWSKI waa deed who y hyggag	poof	The same and the second
9	1K-2203	PISTON, Cylinder	W-0702-W0-101	p(	grow]
7	1KS-2204	ROD Assembly, Cylinder Piston	Printed production as pro-	•4	princif
90	IKS-2206-A	SOLENOID Assembly, Cylinder	nasildirmasiasias	<b></b>	pm)
9	1KS-2207-B	TERMINAL, Cylinder S-897 Nut, No. 4 - 40 Hex	endetergyere (Treigne) Anistosi	proof proof	tweet better
F 7	IKSA-2207-B	STUD Assembly, Cylinder S-897 Nut, No. 4 - 40 Hex	PPT-MOVES-MAZZY-MOVEMONTON-AC	prod prod	hand land
<del>1</del>	1KS-2209-A	ARM Assembly, Cylinder Contact	to more eigenvectors	1	growij.
4	1KS-2210-C	STOP, Cylinder	T. Aserban Sugara	~-	grandj
in	1K-2211	SPRING, Cylinder Contact Arm Retaining	and the second second	prod	gens (
14 5	1K-2213-A	COVER, Cylinder S-2575 Screw, 1/4 * 20 x 1/2 Mach	(Markey of the American Control	₩ 4º	₩ <b>₩</b>
60 1-1	IK-2219	RING, Cylinder Head Snap	MSMS 1 Selvago assignica	p4	proof.
22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1KS-2221-B	CABLE Assembly, Cylinder S-899 Nut, No. 6 - 32 Hex S-2574 Screw, No. 6 - 32 x 3/16 Mach S-2575 Screw, $1/4$ ~ $20 \times 1/2$ Bind Hd Mach	GNAMINEN ER MASSER OFFIELD WEST AND	bred freel bred land	<b>, , , , , , , , , , , , , , , , , , , </b>
23	1K-2223-A	SPRING, Cylinder Stop		g-mit	prof.
22	1K-2226-A	PACKING, 1/16 x 1/8 "0" Ring	orthody stering	2	CQ.
25	IK-2227	PACKING, 3/16 x 2-5/8 ''0" Ring	***************************************		part
26	1K-2228	GASKET, 1/8 x 2-3/4 "0" Ring	******************************	1	<b>3—</b> 8
27	1K-2229-A	GASKET, Cylinder Cover	~~~~	<b>⊷</b>	pun}
28	IK-2231	NUT, Cylinder Piston Lock	DATES OF SOME OF SOME	1	g-mark
29	1K-2233-A	INSULATOR, Cylinder Terminal		1	oppolity and provide a supplemental suppleme
30	1K-2236	SLEEVE, Cylinder Terminal		,t	P-90/HSINGHA
50) 5-4	1K-2237	SHAFT, Cylinder Contact Arm Outer		1	provid
32	1K-2238	SHAFT, Cylinder Contact Arm Inner	D+124+4428-075		
60 60	1K-2239	NUT, Cylinder Micro Switch	incom) orposponososososos	r=4	•
A THE PROPERTY OF THE PROPERTY	A de la constitución de secto de está de la constitución de la constit				
					1

Ö

### HYDRA-LECTRIC CYLINDER

***************************************	)61-B							**************************************
and the termination of the termi	IKAS-2061-B	-		p-4 p-4	<u>~</u>	<b>-</b>	· · · · · · · · · · · · · · · · · · ·	
Name of the other districts of the other designation of the other desig	1KS-2061-B	-		<b>,</b>		-		
		<u> </u>			ever-comp-	<del></del>		
4	er en							
	Assembly							-
	Breakdown For One Cylinder Assembly			ω	" Long			
7.4	own For On	tch Nut		WIRE, Cylinder Jumper S-2587 Screw, No. 6 - 32 x 5/16 Sems	TUBING, Cylinder Vamished - 1-1/2" Long			
	Breakd	r Micro Swi	der Micro	Jumper No. 6 - 32	ıder Vamis	ider Stud	ng Nylon	
		BOOT, Cylinder Micro Switch Nut	SWITCH, Cylinder Micro	E, Cylinder 2587 Screw,	sing, Cylld	WASHER, Cylinder Stud	PIN, Stud Locking Nylon	-
			LIMS	WIRI S-2	TUE	WAS	A LANGE CONTRACTOR OF THE CONT	
	Part Number	IK-2240-A	IKS-2241	1K-2242	1KA-2243	1K-2244	IK-2247	
						oodeelsee iv Attilitie		
	Ref. No.	34	35	36	38	39		-

### HYDRAULIC CYLINDER


1858-2016-10   COLLINGUES Assembly, Patherina   2   1   1   10   2010   10   10   10	Ref. No.	Port Number	Description	Hydr 2 Cyl.	Hydraulic Oyl.   1 Cyl.	Tractor Serial Number
HEK-206-D  CCYLINDER Assembly, Price incident of LIK-2079 Momentary Plan   Fig.   Fi	- Chandral photograph (Annie	1KSA-2061-C	CYLINDER Assembly, Hydraultc (Can be identified by cylinder including 2 IK-2071 Mounting Pins 3-7/16" Long)	2		RC 340547-350913 Std 272901-273774
S-1900   Puro, 1/2 Std Pipe (Order IK-2283)   2   2   2   2   2   2   2   2   2		IKSA-2061-D	CYLINDER Assembly, Hydraulic (Car be identified by cylinder including 1 1K-2071 Mounting Pin 3-7/16" Long and 1 1K-2071-A Mounting Pin 3-11/16" Long)	8	<b>-</b>	RC 350914-6502 Std 273775-6502
\$1900         PLUG, 12 Std Pipe (Order IK-2283)         2           \$1904         ELBOW, 1/2 x 45° Mall Street         2           IK-2014         PACKING, 1/2 x 45° Mall Street         2           IK-2015         PACKING, 1/18 x 97° Hing (Replaces IK-2283)         1           IK-2016         PW, Cylinder Mounting (b-7/16" Long)         2           IK-2017         PW, Cylinder Mounting (b-7/16" Long)         2           IK-2018         PR. Cylinder Mounting Pin         4           IK-2016         PRENE (10-1/4" Long) (Order IKSA-2061-L)         1           IK-2026-B         READ         IR-2026-L         1           IK-2027-B         ROD Assembly, Pieton (1P-1/4" Overall Longth)         1           IK-2028-B         PACKING, 1/5 x 2-3/4 "0" Ring         1           IK-2027-B         ROD Assembly, Pieton (1P-1/4" Overall Longth)         1           IK-2028-B         ROCKING, 1/5 x 2-3/4 "0" Ring	Ref. No.	Part Number	Breakdown For One Cylinder Assembly	IK	SA-2061-C	1KSA-206 I-D
11.7-2029-A   ELEGOW, 1/2 x 45° woll Street   11.7-2045   11.7-2	۶ <del>–</del> 1	S-1900	PLUG, 1/2 Std Pipe (Order IK-2283)		2	2
1K-2026-A PACKING, V/8 x 3/8 "0" Flag (Feel Cace it K-2285)   1   1   1   1   1   1   1   1   1	7	S-1944	ELBOW, 1/2 x 45° Mall Street	<del>1/2/-7-1-4</del> -4	83	83
11K-2055   PACKRING, 3A2 x 11/16 "10" Ring (Replaces 1K-2263)   1   11K-2074   PIN, Cylinder Mounting (3-1/1g" Long)   2   11K-2074   PIN, Cylinder Mounting (3-1/1g" Long)   3   11K-2074   PIN, Cylinder Mounting Plin   4   11K-2014   PIN, Cylinder Mounting Plin   4   11K-2014   PIN, Cylinder Mounting Plin   4   11K-2014   PIN, Cylinder Mounting Plin   1   11K-2014   PARREL (10-1/4" Long) (Order 1K3A-2061-L)   1   11K-2014   PARREL (10-1/4" Long) (Order 1K3A-2061-L)   1   11K-2016   PARREL (10-1/4" Long) (Order 1K3A-2061-L)   1   11K-2017   PARREL (10-1/4" Coercil Length)   1   11K-2018   PARREL (10-1/4" Pargel 1	30	1K-2029-A	PACKING, 1/16 x 3/8 "0" Fing (Replaces 1K-2265)		p=4	<b>,</b>
IK-2071   PIN, Cylinder Mounting (3-71/6", Long)   IK-2074   PIN, Cylinder Mounting (3-11/16", Long)   IK-2074   PIN, Cylinder Mounting Pln   IK-2074   PIN, Cylinder Pln   PIN, Cylinder Mounting Pln   PIN, Cylinder Mounting Pln   PIN, Cylinder Mounting Pln   PIN, Cylinder Mounting Pln   PIN, Cylinder Pln   PIN, Cylind	28	1K-2055			-	p-n-d
IK-2074   PIN, Cylinder Mounting (9-11/16" Long)   IK-2072   IK-2074   IK-2074   ARREL (10-3/32" Long) (Order IKSA-2061-L)   IK-200-B   BARREL (10-1/4" Long) (Order IKSA-2061-L)   IK-200-B   READ   IK-200-B   IK	ю	1K-2071			23	Ħ
IK-2072         CLIP, Cyllnder Mounting Pin         4           IK-2020+A         BARREL (10-3/32" Long) (Order IKSA-2061-L)         1           IK-2020-B         BARREL (10-1/4" Long) (Order IKSA-2061-L)         1           IK-2020-B         BARREL (10-1/4" Long) (Order IKSA-2061-L)         1           IK-2020-B         BARREL (10-1/4" Long) (Order IKSA-2061-L)         1           IK-2020-B         PISTON         1           IK-210-B         POR Assembly, Piston (19" Overall Length)         1           IK-2210-B         ROD Assembly, Piston (19" Overall Length)         1           IK-2210-B         SCOKING, 1/8 x 2-5/8 "O" Ping         1           IK-2210-B         PACKING, 1/8 x 2-3/4 "O" Ping         1           IK-2224         PACKING, 1/8 x 2-3/4 "O" Ping         1           IK-2251         BASE         IK-2254         INT. Piston Lock           IK-2254         TUBE Assembly         2           IK-2254         TUBE Assembly         1           IK-2255         POPPET         1           IK-2256         TUBE         1           IK-2258         POPPET         1           IK-2258-A         ROD, Stop         1           IK-2258-A         ROD Assembly, Stop (Includes IK-2259-A and S-1776)	4	IK-2071-A				prof
IK-220-A         BARREL (10-3/92" Long) (Order IKSA-2061-L)         1           IK-220-B         BARREL (10-1/4" Long) (Order IKSA-2061-L)         1           IK-220-B         HEAD         1           IK-220-C         HEAD         1           IK-220-B         PISTON         1           IK-220-B         STOP         1           IK-2210-B         STOP         2           IK-221-B         STOP         2           IK-222-A         ROD Assembly, Platon (19" Overall Length)         1           IK-221-B         STOP         2           IK-222-B         STOP         2           IK-223-B         PACKING, 1/8 x 2-5/9 "0" Flang         1           IK-223-B         PACKING, 1/8 x 2-5/9 "0" Flang         1           IK-223-B         PACKING, 1/8 x 2-5/9 "0" Flang         1           IK-225-B         TUBE Assembly         2           IK-225-A         TUBE Assembly         1           IK-225-A         TUBE         1           IK-225-A         TUBE         1           IK-225-A         TUBE         1           IK-225-A         POPPET         1           IK-225-A         POPPET         1           IK	r.	1K-2072	CLIP, Cylinder Mounting Pin	***	4	4
IK-220-B     BARREL (10-1/4" Long) (Order IKSA-2061-L.)       IK-220-B     HEAD       IKS-220-C     HEAD       IKS-220-C     HEAD       IKS-220-C     HEAD       IKS-220-A     ROD Assembly, Platon (17-1/4" Overcil Length)     1       IKS-220-B     ROD Assembly, Platon (17-1/4" Overcil Length)     1       IK-2210-B     STOP     S-25/8 Screw, 1/4 - 20 x 1 Mach     2       IK-222-B     PACKING, 3/16 x 2-5/8 "10" Fing     1       IK-223-B     NUT, Piston Lock     1     1       IK-225-B     AND     Packing, 1/8 x 2-3/4 "0" Fing     1       IK-225-A     BASE     1     1       IK-225-A     BASE     1     1       IK-225-A     TUBE     2     2       IK-225-B     TUBE     3/10 x 2-5/8 "10" Fing     1       IK-225-A     TUBE     1     1       IK-225-A     TUBE     1     1       IK-225-B     TUBE     1     1       IK-225-B     TUBE     1     1       IK-225-B     TUBE     1     1       IK-225-B     RETAINER AND BUSHING Assembly, Poppet     1     1       IK-225-B     ROD, Slop     1     1       IK-225-B     ROD, Slop     1     1 <td>9</td> <td>IK-2201-A</td> <td></td> <td>***************************************</td> <td>~</td> <td></td>	9	IK-2201-A		***************************************	~	
1K-2203-B         HEAD           1KS-2204-C         HEAD           1KS-2204-B         PISTON           1KS-2204-A         ROD Assembly, Piston (1/r-1/4" Overdil Length)           1K-2210-B         STOP           S-2278 Screw, 1/4 - 20 x 1 Mach           1K-2210-B         STOP           1K-221-A         NUT, Piston Lock           1K-221-A         BASE           1K-221-A         TUBE Assembly           1K-222-A         TUBE Assembly           1K-223-A         TUBE           1K-223-A         TUBE           1K-223-A         TUBE           1K-223-B         POPPET           1K-223-A         ROD, Stop	φ	IK-2201-B		<del></del>		
IKS-2205-C         HEAD           IK-2203-B         PISTON           IKS-2204-A         ROD Assembly, Piston (17-1/4" Overall Length)           IKS-2204-B         ROD Assembly, Piston (17-1/4" Overall Length)           IK-2210-B         STOP           S-2578 Screw, 1/4 - 20 x 1 Mach         1           IK-2221-A         STOP           IK-2231-A         NUT, Piston Lock           IK-2251-BASE         PACKING, 3/18 x 2-3/4 "0" Ring           IK-2251-A         BASE           IK-2251-A         BASE           IK-2251-A         BASE           IK-2251-A         BASE           IK-2251-BASE         IK-2254-A           IK-2255-BASE         PACKING, 1/8 x 2-3/4 "0" Ring           IK-2256-A         BASE           IK-2257-BASE         PASE           IK-2258-A         PASE           IK-2254-A         TUBE           1K-2254-A         TUBE           1K-2254-A         TUBE           1K-2255-B         POPPET           IK-2255-A         POPPET           IK-2255-A         POPPET           IK-2258-A         ROD, Slope           2         2           1         1           1	7	1K-2202-B	HEAD	······································	-	
1 KS-2208-B         PISTON           1 KS-2208-A         ROD Assembly, Piston (19" Overdil Length)         1           1 KS-2204-B         ROD Assembly, Piston (17-1/4" Overdil Length)         1           1 KS-2204-B         STOP         9-2578 Screw, 1/4 - 20 x 1 Mach         2           1 K-2227         PACKING, 3/16 x 2-5/8 """ Ping         1           1 K-2234-A         NUT, Piston Lock         1           1 K-2251-B         BASE         1           1 K-2252-A         NUT, Piston Lock         1           1 K-2251-A         BASE         1           1 K-2251-A         BASE         1           1 K-2252-A         TUBE Assembly         2           2 CAP, Stop         920083 Lock Wesher, 3/8         1           1 K-2254-A         TUBE         920083 Lock Wesher, 3/8         1           1 K-2255-A         TUBE         1           1 K-2255-A         TUBE         1           1 K-2255-B         POPPET         1           1 K-2256-A         RETAINER AND BUSHING Assembly, Poppet         1           1 K-2256-A         ROD Assembly, Slop         1           1 K-2258-A         ROD, Slop         1           1 K-2258-A         ROD Assembly, Slop (includes 1K-2238-	7	IKS-2202-C	HEAD	<del></del>		gand.
IKS-2204-A         ROD Assembly, Platon (18" Overdil Length)         1           IKS-2204-B         ROD Assembly, Platon (17-1/4" Overdil Length)         1           IK-2210-B         STOP         2           STOP         25-25 78 Screw, 1/4 - 20 x 1 Mach         1           IK-2223         PACKING, 3/18 x 2-5/8 "0" Fling         1           IK-2234-A         NUT, Pleton Lock         1           IK-2255-B         PACKING, 1/8 x 2-3/4 "0" Fling         1           IK-2256-A         BASE         1           IK-2257-B         CAP, Stop         1           IK-2258-A         CAP, Stop         1           IK-2254-A         TUBE         2           IK-2255-A         TUBE         2           IK-2256-A         TUBE         2           IK-2256-A         TUBE         2           IK-2256-A         TUBE         2           IK-2256-A         RUBE         3/8         1           IK-2256-A         RUB Assembly, Sup (includes IK-2258-A and S-1378)         1           IKS-2258-A         RUD Assembly, Sup (includes IK-2258-A and S-1378)         1           IKS-2258-A         RUB Assembly, Sup (includes IK-2258-A and S-1378)         1	<b>6</b> 0	1K-2203-B	PISTON			pri
IKS-2204-B       ROD Assembly, Piston (17-1/4" Overdil Length)       1         IK-2210-B       STOP       2         IK-2227       PACKING, 3/16 x 2-3/4"0" Ping       1         IK-2238-A       PACKING, 1/8 x 2-3/4"0" Ping       1         IK-2231-A       NUT, Piston Lock       1         IK-2251-BASE       BASE       1         IK-2251-BASE       1       1         IK-2251-BASE       1       1         IK-2254-A       1       2         IK-2254-BASE       1       1         IK-2254-A       1       1         IK-2254-BASE       1       1         IK-2255-BASE       1       1         IK-2254-BASE       1       1         IK-2255-BASE       1       1         IK-2256-BASE       1       1         IK-2258-BASE       1       1         IK-2258-BASE       1       1         IK-2258-BASE       1       1	0	IKS-2204-A	ROD Assembly, Piston (18" Overall Length)			RAID VA
IK-2210-B       STOP       5-2578 Screw, 1/4 - 20 x 1 Mach       1         IK-2223       PACKING, 3/16 x 2-5/8 "0" Fling       1         IK-2231-A       NUT, Platon Lock       1         IK-2251       BASE       1         IK-2251-A       BASE       1         IK-2251-A       BASE       1         IK-2251-BASE       1       1         IK-2251-BASE       1       1         IK-2251-BASE       1       1         IK-2251-BASE       1       1         IK-2252-BASE       1       1         IK-2253-BASE       1       1         IK-2254-BASE       1       1         IK-2255-BASE       1       1         IK-2256-BASE       1       1         IK-2256-BASE       1       1         IK-2258-BASE       1       1	6	1KS-2204-B	ROD Assembly, Piston (17-1/4" Overall Length)	C.T. Bulger sport		provid
IK-2237       PACKING, 3/16 x 2-5/8 "0" Ping         IK-2228       PACKING, 1/8 x 2-3/4 "0" Ring         IK-2231-A       NUT, Piston Lock         IK-2251       BASE         IK-2251-A       BASE         IKS-2251-A       BASE         IKS-2251-A       BASE         IKS-2252       TUBE Assembly 920083 Lock Washer, 3/8         IK-2253       CAP, Stop         IK-2254       TUBE         IK-2254-A       TUBE         IK-2255       POPPET         IK-2256       RETAINER AND BUSHING Assembly, Poppet         IK-2258-A       ROD, Stop         S-1378 Pin, 3/32 x 3/8 Roll       1         IKS-2258-A       ROD Assembly, Stop (Includes IK-2258-A and S-1378)       1         IK-2259-WIPER, Piston Rod       1	110	IK-2210-B	STOP S-2578 Screw, 1/4 - 20 x 1 Mach		~ N	- 2
IK-223 k-A       PACKING, 1/8 x 2-3/4"0" Ring       2         IK-225 L-A       NUT, Piston Lock       1         IK-225 L-A       BASE       1         IK-225 TUBE Assembly       2       2         IK-225 TUBE Assembly       2       2         IK-225 TUBE Assembly       2       2         IK-225 TUBE ASSEMBLY       3/8       1         IK-225 TUBE ASSEMBLY       1       1         IK-225 TUBE ASSEMBLY       1       1         IK-225 ATUBE ASSEMBLY       1       1         IK-225 ATUBE ASSEMBLY       1       1         IK-225 AS	12	1K-2227	PACKING, 3/16 x 2-5/8 "0" Fing		1	r
1K-2251       BASE       1         IK-2251       BASE       1         IKS-2252       TUBE Assembly 920083 Lock Washer, 3/8       2         IK-2253       CAP, Stop       1         IK-2254       TUBE 920083 Lock Washer, 3/8       1         IK-2254A       TUBE 920083 Lock Washer, 3/8       1         IK-2255A       TUBE 1       1         IK-2255B       RETAINER AND BUSHING Assembly, Poppet       1         IK-2256A       ROD, Stop Stop Stop Stop S-1378 Phi, 3/32 x 3/8 Roll       1         IK-2258A       ROD Assembly, Stop (Includes IK-2258-A and S-1378)       1         IK-2259A       RUD Assembly, Stop (Includes IK-2258-A and S-1378)       1         IK-2259B       RUD Assembly, Stop (Includes IK-2258-A and S-1378)       1         IK-2259B       RUD Assembly, Stop (Includes IK-2258-A and S-1378)       1	13	IK-2228	PACKING, 1/8 x 2-3/4 "0" Ring	······································	2	8
IK-2251         BASE           IKS-2251-A         BASE           IK-2252         TUBE Assembly           IK-2253         CAP, Stop           IK-2254         TUBE 920083 Lock Washer, 3/8           IK-2254-A         TUBE 700083 Lock Washer, 3/8           IK-2254-B         TUBE 700083 Lock Washer, 3/8           IK-2254-A         TUBE 700083 Lock Washer, 3/8           IK-2255-A         RETAINER AND BUSHING Assembly, Poppet 7           IKS-2256-A         ROD, Stop 7           S1378 Pin, 3/32 x 3/8 Roll 7         1           IKS-2258-A         ROD Assembly, Stop (Includes IK-2258-A and S-1378) 7           IK-2259         WIPER, Piston Rod 7	14	1K-2231-A	NUT, Piston Lock	- Control of the Cont	-	p+4
IKS-2251-A       BASE         IKS-2252       TUBE Assembly       1         920083 Lock Washer, 3/8       1         IK-2254       TUBE       1         IK-2254-A       TUBE       1         IK-2255       POPPET       1         IK-2256       RETAINER AND BUSHING Assembly, Poppet       1         IKS-2256       RETAINER AND BUSHING Assembly, Poppet       1         IK-2258-A       ROD, Stop       1         IKS-2258-A       ROD Assembly, Stop (Includes IK-2258-A and S-1378)       1         IK-2259       WIPER, Piston Rod       1	15	1K-2251	BASE		-	
IKS-2252       TUBE Assembly       1         920083 Lock Washer, 3/8       1         IK-2253       CAP, Stop       1         IK-2254       TUBE       1         IK-2254A       TUBE       1         IK-2255 POPPET       1         IK-2256 RETAINER AND BUSHING Assembly, Poppet       1         IK-2258-A       ROD, Stop (Includes IK-2258-A and S-1378)       1         IK-2259 WIPER, Piston Rod       1	1.5	IKS-2251-A	BASE	··· • · · · · · · · · · · · · · · · · ·		1
IK-2253       CAP, Stop         IK-2254       TUBE         IK-2254-A       TUBE         IK-2255       POPPET         IK-2256       RETAINER AND BUSHING Assembly, Poppet         IK-2258-A       ROD, Stop         IK-2258-B       ROD Assembly, Stop (Includes IK-2258-A and S-1378)         IK-2259       WIPER, Piston Rod	16	IKS-2252	TUBE Assembly 920083 Lock Washer, 3/8		7 2	7 7
IK-2254         TUBE         1           IK-2255AA         TUBE         1           IK-2255         POPPET         1           IK-2256A         RETAINER AND BUSHING Assembly, Poppet         1           IK-2258A         ROD, Stop         1           IK-2258A         ROD Stop         1           IKS-2258A         ROD Assembly, Stop (Includes IK-2258-A and S-1378)         1           IK-2259         WIPER, Piston Rod         1	18	1K-2253	CAP, Stop		-	H
IK-2254-A         TUBE           IK-2255         POPPET           IKS-2256         RETAINER AND BUSHING Assembly, Poppet           IK-2258-A         ROD, Stop           S-1378 Pin, 3/32 x 3/8 Roll           IKS-2258-A         ROD Assembly, Stop (Includes IK-2258-A and S-1378)           IK-2259         WIPER, Piston Rod	19	1K-2254	TUBE 920083 Lock Washer, 3/8	<del></del>	7 7	
IK-2255       POPPET       1         IKS-2256       RETAINER AND BUSHING Assembly, Poppet       1         IK-2258-A       ROD, Stop       1         S-1378 Pin, 3/32 x 3/8 Roll       1         IKS-2258-A       ROD Assembly, Stop (Includes IK-2258-A and S-1378)       1         IK-2259       WIPER, Piston Rod       1	19	IK-2254-A	TUBE	***************************************		pro-4
IKS-2256       RETAINER AND BUSHING Assembly, Poppet       1         IK-2258-A       ROD, Stop       1         S-1378 Pin, 3/32 x 3/8 Roll       1         IKS-2258-A       ROD Assembly, Stop (Includes IK-2258-A and S-1378)       1         IK-2259       WIPER, Piston Rod       1	20	1K-2255	POPPET			<b></b>
IK-2258-A       ROD, Stop       1         S-1378 Pin, 3/32 x 3/8 Roll       1         IKS-2258-A       ROD Assembly, Stop (includes IK-2258-A and S-1378)       1         IK-2259       WIPER, Piston Rod       1	77	1KS-2256	RETAINER AND BUSHING Assembly, Poppet	·	-	•—i
IKS-2258-A ROD Assembly, Stop IK-2259 WIPER, Piston Rod	23	IK-2258-A	ROD, Stop S-1378 Pin, 3/32 x 3/8 Roll		~ ~	
IK-2259		1KS-2258-A		·		<b></b>
	\$	1K-2259	WIPER, Piston Rod	w*** *********	~	<b>p—)</b>

### YDRAULC CYLINDER

100	Derné		Action and the appropriate property of the contract of the con	
No.	Fari Number	Breakdown For One Cylinder Assembly	1KSA-2061-C	1KSA-2061-D
25	IK-2260-A	BOLT, Barnel (12" Long)	4,	44
20	IK-2261	PACKING, 1/16 x 3/16 ''0'' Ring		I
27	1K-2262	PACKING, 3/32 x 9/16 ''0'' Ring	63	63
an an	IK-2263	PACKING, 3/32 x 11/16 "0" Ring (Order 1K-2055)	post	-
29	1K-2264	PACKING, 1/8 x 1-1/8 "0" Ring	62	2
30	1K-2265	PACKING, 1/16 x 3/8 "0" Fing (Order 1K-2029-A)	H	ï
17	1K-2283	PROTECTOR, Internal Thread (This replaces S-1900 Plug)	8	2
anadaman and a same a same and a	Medical desiration desiration des constitution des constitutions de constitution des constitutions des constitutions des constitutions de constitution de constitu		The second secon	10 - 41

1,3

## HYDRA-LECTRIC HAND SWITCH



•

Sec.


## HYDRA-LECTRIC HAND SWITCH

ractor	Serial Number	RC 341034-6502 Std 272901-6502	No. Req.	L.	emi	r-1 -4/1			Ω	r	p-1	α	_	တတ	grand		N	tend.	gered	gran(*	
F	Seri	RC 34		dentano propres accumunado,																	
Lectric	2 Cyl.   1 Cyl.	gunij	Sand Brook and David Barriage																		
Hy dra-I	2 Cyl.	O <sub>1</sub>	-	THE STATE OF THE PROPERTY OF THE STATE OF TH																	
Description		SWITCH Assembly, Hond	Breakdown For One Hand Switch Assembly	BLOCK With Inserts, Hand Switch Base (Order IKS-2301-A)	BLOCK Assembly, Hand Switch Base (Includes Ref. No. 2, 12, 13 and 15)	PLATE, Hand Switch Cover and Mounting S-2576 Screw, No. 8 - 32 x 1-3/8 Mach	BLOCK, Hand Switch Actuating	BLADE, Hand Switch Pivot	SPRING, Hand Switch Slider	HANDLE, Hand Switch Actuating	SPRING, Hand Switch Handle Actuating	HOLDER, Hand Switch Contact	BLOCK, Hand Switch Sliding	TERMINAL, Hand Switch Contact S-2572 Screw, No. 8 - 32 x 1/4 Mach	PIN, Hand Switch Actuating	BAR, Hand Switch Contact Terminal Buss (Order 1KS-2301-A)	RING, Retaining (W-K) Type E No. 5133-15	NIPPLE, Rubber - Cole Hersee 1134-22	PLATE, Hand Switch Nipple	GASKET, Hand Switch Cover And Mounting Plate	
Dart Nimber	TAUM DESCRIPTION OF THE PROPERTY OF THE PROPER	IKS-2070-A	Part Number	IK-2301-A	IKS-2301-A	IK-2302-A	1K-2303	1K-2304	1K-2305	IK-2306	IK-2307	IK-2308	IK-2309	1K-2310	IK-2311	IK-2312	IK-2313	1K-2314	1K-2315	1R-2316	
Hef.	7000		Ref. No.	64	e Antonio de Antonio d	(h) stip.	W)	vo	P~	¢¢	Ø1	0	dan) Sanj	25	ini A	ful fil)	16	4-4 [	200 00	61	

0

10 - 43

# HYDRA-LECTRIC AND HYDRAULIC BREAKAWAY COUPLING



Çi.

# HYDRA-LECTRIC AND HYDRAULIC BREAKAWAY COUPLING

вен в при венения венения в	Drawn Implement	Table of the Control	\$ p	· 4	* c	N C	4 -		<b>-</b>	¢ p	<b>-</b>			* 4	F <	r 4	, 4	4 4	F 4	, 4	F 4	bi C	1 4		ď		₹ gow	×	• ,	+ 0	3 4	, } D	•ba H	
THE THE PREAFANT COOFING	Description	COUPLING Assembly, Breakaway	REPAIR Package, Breakaway Coupling	COUPLING HALF, Self Sealing "Threaded (2 Included in 1KAS-2076-C)	COUPLING HALF With Nut, Self Sealing	COUPLING HALF, Self Sealing " Less Nut and Snop Ping	FRAME, Breakaway - Latch Half (Order 1KSB-2361)	FRAME, Latch and Couplings Sub Assembly, Breakaway	FRAME And Latch Sub Assembly, Breakaway	FRAME And Hinge Snap Ring Assembly, Breakaway (Includes Ref No. 5, 21 and 27)	FRAME, Breakaway	FRAME Sub Assembly, Breakaway	BODY, Self Sexling Coupling "Threaded	SPRING, Self Sealing Coupling (in 1KS-2076-D)	RING, Self Sedling Coupling "0"	SLEEVE, Self Sealing Coupling (Includes IK-2381 Washer)	VALVE, Self Sealing Coupling Tubular	ADAPTER, Self Sealing Coupling	SPRING, Self Sealing Coupling (in 1KSA-2076-E)	VALVE, Self Sealing Coupling Poppet	BODY, Self Sealing Coupling	NUT, Self Sealing Compling Union	SNAP RING, Self Sealing Coupling	SNAP RING, Hinge	SPRING, Breakaway	COVER, Breakaway Spring	LATCH, Breakaway	PIN, Breakaway Latch	BAR, Breakaway Draw	P IN, Hinge	WASHER, Self Sedling Coupling Rubber	CAP, Coupling Dust		
\$4PG	Number	IKAS-2076-C	IKSR-2076-C	UKS-2076-D	IKS-2076-E	1KSA-2076-E	1K-2361	IKS-2361	IKSA-2361	1KSB-2361	1KA-2362	IKAS-2362	1K-2363	IK-2364	IK-2365	1KA-2366	IK-2367	1K-2368	1K-2369	1K-2370	IK-2371	IK-2372	1K-2373	1K-2374	1K-2375	1K-2376	1K-2377	IK-2378	1K-2379	IK-2380	IK-2381	IK-2382		
Hef	No.	temil .	TO FROM A March Lands	Ø	(1)	dig.	rt.)	Ç	F	***************************************	60	Ø,	9	q={ p=d	12	h-1 5,2	tod, filip	87	16	7.	18	0,	20	64	23	64 63	24.	25	36	27	28	TO STORY OF SHAPE OF		

P

## HYDRA-LECTRIC AND HYDRAULIC LIFT

SECTION III

The Hydra-Lectric and Hydraulic Control units are divided into Sections I, II and III.

Tractor serial numbers or unit serial numbers (identified by prefix letter K) as well as parts shown may be duplicated in all three sections.

Section III covers the Hydra-Lectric and Hydraulic Control units starting with Super 77 tractors.


Check all three sections before ordering repair parts.

4,5

#### 9 2 2 HYDRA-LECTRIC AND HYDRAULIC BASIC UNIT 8 12 <u>8</u> $\tilde{S}$ <u>0</u> の の 26 8 2 99 32 30 23 8 23 <u>2</u> 33 33 33 20 Q) 0 (C) 10 4.

10 - 47

# HYDRA-LECTRIC AND HYDRAULIC BASIC UNIT



			and the second s	-	***************************************			
Ref. No.	Part Number	Description	Hydra-Lectric 2 Cyl.   1 Cyl.	Hydra-Lectric 2 Cyl.   1 Cyl.	Hydraulic 2 Cyl.   1 Cyl.	ulic 1 Cyl.	Unit Serial Number	100
1	1CA-297	CAP, Filter	p4	П	p-4	н	K35001.	
. 64	1C-298	GASKET, Filler Cap	-	-	-	-	K35001-	
	1B-597	PIN, Pump To Base Plate Dowel (3/8 x 1-1/8)	α	63	63	63	K35001~	
4	1A-628-A	SPRING, Special Adjustable Relief Valve	-	-		-	K35001-	
īv	1KS-841-B	FILTER, 011	-	7	-		K35001-	
8 4 Q	1K-914-A	SOCKET, Shift Lever 908333 Cap Screw, 3/8 - 16 x l-1/4 Hex Hd 920083 Lock Washer, 3/8	7 7 7	7 5 7	- 88	- 77	K35001~	
6	1K-915-A	GASKET, Shift Lever Socket		-	н	-	K35001-	
10	IK-1115-B	STUD, Pump To Base Plate (7/16 x 2-1/16) 915636 Nut, 7/16 - 20 Self Locking	ოო	ოო	ოო	ოო	K35001=	
12	1B-1527	PIN, Base Plate To Rear Main Frame Dowel (15/32 x 13/16)	-	<b>-</b>	<b>-</b>	-	K35001-	

\$,8

# HYDRA-LECTRIC AND HYDRAULIC BASIC UNIT

Number	Description	(		7		_
		2 Cy1.	2 Cyl. 1 Cyl.	2 Cyl.	2 Cyl. 1 Cyl.	Serial Number
IK- 1527	PIN, Base Plate To Rear Main Frame Dowel (11/16 x 3/4)	yanej hari alako Talifornipon	p-vi	Annual An		K35001~
IK- 200 1-C	BASE, Control Mounting (Order IKS-2001-C) 908332 Cap Screw, 3/8 - 16 x I Hex Hd 908335 Cap Screw, 3/8 - 16 x I-3/4 Hex Hd 908340 Cap Screw, 3/8 - 16 x 3 Hex Hd 920083 Lock Washer, 3/8	proof (20 (20 proof proof	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	T 00 07 T T	112881	K350014.
IKS-2001-C	BASE And Relief Valve Assembly, Control Mounting S-1900 Plug, 1/2 Std Pipe (Sq Hd) S-1917 Plug, 1/2 Std Pipe (Ctsk Hd) S-1919 Plug, 3/8 Std Pipe (Ctsk Hd)	p-1 end 41 end	~ ~ ~ ~ ~ ~	band hand All band	H - 4 -	K35001-
IK- 2002-F	HOUSING, Reservoir S-1930 Plug, 1-1/4 Pipe (Sq Hd) 908333 Cap Screw, 3/8 - 16 x 1-1/4 Hex Hd 920083 Lock Washer, 3/8 S-1919 Plug, 3/8 Std Pipe (Cisk Hd)	~ ~ 0 0 ~	~ ~ ∞ œ ~	~~ & & ~	~ ~ ~ ~ ~	K 35 001-
IKA-2003-A	GASKET, Reservoir Housing	<b>-</b>	r=1	persol.	prod.	K35001-
IK-2004-D	COVER, Reservoir Housing 908317 Cap Screw, 5/16 - 18 x 1 Hex Hd 908322 Cap Screw, 5/16 - 18 x 2-1/4 Hex Hd 920155 Lock Washer, 5/16 Internal Tooth	0.04	01 01 4	- 004	-1 0 0 d	K35001-
1K-2005-B	GASKET, Reservoir Cover	gue!	-	Н	-1	K35001-
IK-2006-A	BREATHER		proof	<b>~</b>	p1	K35001-
1K-2007-C	BODY, Selector Valve S-1919 Plug, 3/8 Pipe (Ctsk Hd)	8 2	r-4 44	8 73	H 4	K35001-
IKSA~2007-D	VALVE Assembly, Selector - FH 908342 Cap Screw, 3/8 - 16 x 4 Hex Hd 920156 Lock Washer, 3/8 Internal Tooth	su 4. 4.	~ 4 ₹	44 As	~ 4 4	K35001-
1KSB-2007-D	VALVE Assembly, Selector - LH 908342 Cap Screw, 3/8 - 16 x 4 Hex Hd 920156 Lock Washer, 3/8 Internal Tooth	~ <del>~</del> ~	POSIT HADITORIO DISCONO PORTUGICA NEL ESCANA	~ 4 4	99 Ta 90 Still Analika di Banga kibasan mejadi	K35001-
1KS-2008-D	SPOOL Assembly, Selector Valve	23	pand	23	<i></i> <	K35001-
IK-2009-A	PLUNGER, Interlock	7	<u>~</u>	23	н	K35001
IK-2010-A	SEAT, interlock Valve	4	72	4.	Ø	K35001-
IK-2011-B	GUIDE, Interlock Valve S-3735 Ball, 3/4 Dia	4 4	02 03	4 4	0.0	K35001-
IK-2012	SPRING, interlock	4	Ø	4	73	K35001-
IK-2013	PLATE, Vaive Splash	r-t	,(	-		K35001-
1K~2014	COVER, Base Plate Valve Port 908333 Cap Sarew, 3/8 - 16 x 1-1/4 Hex Hd 920156 Lock Washer, 3/8 Internal Tooth	militaria in malini qua aquespaga (gra	석· 석·	A CANADA TOTAL MANAGEMENT	~ 4 4	K35001-
IKS-2015-C	LEVER Assembly, Valve Spool	01	prof	23	prof	K35001
1K-2019	PLUNGER, Relief Valve	year)			mi	K35001-
1K-2019-A	PLUNGER, Special Adjustable Relief Valve	r	e(	prof	~	K35001-
IK-2020	GUIDE, Relief Valve	p=d	r[		~	K35001~
1K-2020-A	NUT, Special Adjustable Relief Valve	yand		, <del>,</del>	+=4	K 35 00 1-
1K-2021	WASHER, Relief Valve Crush	Req.	Req.	Req.	Req.	K35001-
IK-2021-A	WASHER, Rellef Valve Seat Crush	,(	pand	rd	prod	K35001-
IK-2021-B	WASHER, Special Adjustable Relief Valve Crush			1	p-4	K35001-

# HYDRA-LECTRIC AND HYDRAULIC BASIC UNIT

Ref.	Port Number	Description	Hydra-Lectric 2 Cyl.    Cyl.	ectric I Cy I.	Hydraulic 2 Cyl.   1 Cyl.	ulle l Cyl.	Un1t Serial Number
57	IK-2022	SPRING, Relief Valve	<b></b>	p==4		<b>;</b>	K 35 00 1.
58	IK-2023-B	SEAT, Relief Valve		,(	-	. ~	K35001-
59	1KS-2024-B	VALVE Assembly, Thernal Relief	82	<b>-</b>	.81	_	K35001-
09	1K-2026	PACKING, 3/32 x 5/8 "0" Ring (In Base Plate)	00	4	80	4	K35001-
61	1K-2028	PACKING, 1/8 x 3/4 ''0'' Ring	4	83	4	23	K35001-
62	IK-2029	PACKING, Special Adjustable Relief Valve ''0" Ring (3/32 x 1/2 ID)	pant.	p4	-	p-4	K35001-
63	1K-2030-A	SNAP RING, Selector Valve Spool (Small)	82	_	23	<i></i> 4	K35001-
64	1K-2030-B	SNAP RING, Selector Valve Body (Large)	8	H	7	m	K35001-
65	1K-2031-B	RING, External Retaining	2		7	<b>;</b>	K35001-
99	1KS-2032-D	FRAME And Top Plate Assembly, Schenold And Switch - RH (Included in 1KSA-2032-D)	-	~	<b>,</b>		K35001-
99	1KS-2032-E	FRAME And Top Plate Assembly, Solenoid And Switch - LH (Included in IKSA-2032-E)	~		н		K3500 1-
49	1KSA-2032-D	SOLENOM And Switch Assembly - RH (For breakdown see parts starting with IKS-2317-A)	-	-	~	•	K3500F
67	1KSA-2032-E	SOLENOID And Switch Assembly - LH (For breakdown see parts starting with 1KS-2317-A)	г		,1		K35001-
68	IK-2033-B	SPRING, Control Valve Centering	23		2	,I	K 35 00 1-
69	IK-2034-A	WASHER, Valve Spool	4	2	4	64	K35001-
02	1K-2035-D	LEVER, Control Operating - RH	,(			_	K35001-
7.1	1K-2035-E	LEVER, Control Operating - LH	<del></del>		-		K35001-
72	1K-2036-A	JOINT, Ball Socket - Threaded 915083 Nut, 1/4 - 28 Hex Jam	2.2	,, , <u>-</u>	2 2		K35001-
74	1KA-2041	SHAFT, Pump Drive (Not required on tractors with Power Take-Off)	p(			p-4	K35001-
75	1K-2042-A	PLATE, Pump Front S-1922 Plug, 1/4 Hdless Pipe		~ ~			K35001•
7.7	IK-2043-B	PLATE, Pump Center		<b>-</b>		-	K35001-
78	1KSB-2043-B	PUMP Assembly	,,	<b></b>			K35001-
79	1K-2044	PLATE, Pump Recr	p-4	<del></del> t	-		K35001-
80	1K-2045-A	DOWEL, Pump Housing	~3	83	7	83	K35001-
81	IKS-2046-B	GEAR And Shaft Assembly, Pump Idler	-	-		p=4	K35001
82	1KS-2049-B	GEAR And Sleeve Assembly, Pump Drive		-	7	-	K35001-
80 83	1K-2052	SNAP RING, Pump (Not required on tractors with Power Take-Off)	-		-		K35001~
25	1K-2053	SEAL, Pump Oil	4	4,	4.	4	K35001-
85	1K-2055	PACKING, 3/32 x 11/16 "0" Ring	S	ю	ស	ო	K35001-
86	IK-2056-A	CAP SCREW, 3/8 x 2-1/8 DHilled Head	თ	თ	6	on .	K35001"
87	1K-2056-B	CAP SCREW, 3/8 x 2-3/4 Dulled Head	-	-		-	K35001-
88	IK-2060-A	BOOT, Control Lever	63	-	8	-	K35001-
8 8	1K-2079	SHIM, Relief Valve Adjusting	Req.	Req.	Req.	Req.	K35001-

31

# HYDRA-LECTRIC AND HYDRAULIC BASIC UNIT


Ref.	Part	Description	Hydra-Lectric 2 Cyl. 11 Cyl.	ectric 1 Cyl.	Hydra 2 Cvl. 1	Hydraulic Cvl. 11 Cvl.	Unit Serial Number
06	IK-2088	SPRING. Control Lever	0				VOE OO 1
5	1K-2105-A	RESTRICTOR, Special Adjustoble Relief Valve	) r	4 4-4	·	-1 ,	K35001=
92	2 MASA BO (250)	\$-1363 Pin, 3/16 x 1-1/2 Roll \$-1378 Pin, 3/32 x 3/8 Roll	and had	proof proof	tern) prod	. ~ ~	
94	IK-2134-A	KNOB, Control Operating Lever	N	punt.	63	-	K35001-
900	1K-2137	PLATE, Valve Interlock End - Front 908300 Cap Screw, 1/4 - 20 x 5/8 Hex Hd 920081 Lock Washer, 1/4	000	w 4 4	7,00	~ 4. 4.	K35001~
86 66	1K-2137-A	PLATE, Valve Interlock End - Rear 908820 Screw, 1/4 - 20 x 5/8 Mach	0.00	V	8 %	ti	K35001"
100 101 102	IK-2156	PLATE, Control Lever Boot Hold Down 908300 Cap Screw, 1/4 - 20 x 5/8 Hex Hd 920081 Lock Washer, 1/4	Cl All A	7 7 7	C3 44 A4	~ 0 0	K35001.
103 104 105	1K-2156-A	COVER, Control Lever Opening 908300 Cap Screw, 1/4 - 20 x 5/8 Hex Hd 920081 Lock Washer, 1/4	ne and a few and	- 22	An Complete Commence of the Co	Q Q	K35001**
106	1K-2156-B	GASKET, Control Lever Opening Cover				p-4	K35001.
107 108 109	1K-2157-A	COVER, Winng Harness Connector Opening S-3161 Cap Screw, No. 10 - 24 x 5/8 Hex Hd 920079 Lock Washer, No. 10		мой му му композителений избидуе в рем	0.44	01 As As	K35001-
1.10	1K-2157-B	GASKET, Wiring Hamess Connector Opening Cover	ecerciya Ciraber Mada M		23	83	K35001.
122	1K-2158-A	RAIL, Solenoid - RH S-1971 Pin, 5/16 x 1-3/4 Roll S-1384 Pin, 1/8 x 3/4 Roll	pm == (V)	c	P4 P4 (V)	N	K35001.
2004 And 2004 And And 445 2004 CA (A)	1K-2158-B	RAIL, Solenoid - LH S-1371 Pin, 5/16 x 1-3/4 Roll S-1384 Pin, 1/8 x 3/4 Roll	the true CS	elitare militeratura proprieta (il proprieta de la compositor de la compos	O	- Marie M	K35001-
tool tool tool	1K-2264	PACKING, 1/8 x 1-1/8 ''0" Ring (Pump to Base Plate)	p{		t-ml		K35001-
n o	1KS-2317.A	SWITCH And Covers Assembly, Solenoid And Switch - RH (Included in IKSA-2032-D) S-2539 Screw, No. 10 - 32 x l-1/2 Mach	fund hand		2	hand hand	K35001~
and had and had FU CO	IKS-2317-B	SWITCH And Covers Assembly, Solenoid and Switch - LH (Included in 1KSA-2032-E) S-2539 Screw, No. 10 - 32 x 1-1/2 Mach	year) penny	and the state of t		A Company of the Comp	K35001-
\$~ **i **i	1K"2318	LEVER, Solenoid and Switch - RH (included in IKSA-2032-D)	provide the second seco	p-m3	pomij	et	K 35 00 1-
English and a second	IK-2319	LEVER, Solenoid And Switch - LH (Included in 1KSA-2032-E)	grand .	Secretaria de la composição de la compos		nemerim in meneral property	K35001~
60 #4 #4	IK~2320	SPRING, Solenoid and Switch Lever (included in 1KSA-2032-D and 1KSA-2032-E)	Ci	<b></b> i	63	hand.	K35001-
54 07	1KS-2321	COIL Assembly, Solenoid and Switch (included in IKSA-2032-D and IKSA-2032-E)	63	gand	Ø	prof	K35001~
120	IK-2322	PLUNGER, Solenoid and Switch (Included in IKSA-2032-D and IKSA-2032-E.)	03	part)	23	proof.	K35001~
F=1	IKS-5041	BEARING, Pump Drive Sleeve Needle	7	63	23	C)	K35001*
122	1KS-5042	BEARING, Pump Idler Shaft Needle	63	23	23	27	K35001~
123	1LA-5351	CARTRIDGE, Oil Filtering	prod	-		-	K35001-
124	1K-5353-A	BODY, Off Filter	gand.	_	y==(		K3500 l=
Anni, CA FA FA Carrier on a substitution of the substitution of th	11.5356	GASKET, Oil Filter	Secured,		provide construction of the construction of th	,	K35001~

# HYDRA-LECTRIC AND HYDRAULIC BASIC UNIT

***************************************	er	Principal						1
ļ	Unit Serial Number	K35001-	K35001-	K35001-	K35001-	K3500 1-	K35001-	
onbegonamentomentomentomentomentomentomentomento	2 Cyl.   1 Cyl.	1		7			-	
en y a se de la constante de l	2 Cyl.	П	,(	-		~	-	
	1 Cy 1.	-		<b>—</b>		-	-	
Hydra Late	2 Cyl. 1 Cyl.	~	П	r-4	-	p=4		
		<del>Production (agreed)</del>			-	***************************************		ne commente apparation accuses
Suicuritivoqueiqueiqueiqueiq	Printernal and American Services							
ACTINOPHINATION CONTRACTORS	nei (mediconi de constanti de c					ď	ottom	of well-wind and the second and the
	Des cription		יס		Me.	dge - Tr	dge - Bo	Vindipal and vindi
- International Control of the Contr	Desc		RETAINER, Oil Filter Spring	lter	GASKET, Oil Filter Cap Screw	GASKET, Oil Filtering Cartidge - Top	GASKET, Oil Filtering Cartridge - Bottom	
the strain and the st	Ментерия (перементика)	l Filter	OII FIL	, Oil Fi	l Filter	l Filteri	l Filterb	
NISTEROCORPORAÇÃO	GE CONTRACTOR OF THE SECOND SE	SPRING, Oil Filter	AINER,	CAP SCREW, Oil Filter	ket, oi	ket, o	KET, OI	1
	_	SPR	RET	CAP	GAS	GAS	GAS	
Part	mber	IK-5361-A	IK-5362-A	IKA-5363-A	1K-5364	1L-5365	1K-5366	
H	Ž	Ħ	M	IKA	11.	크	1K	10-52
Ref.	No.	126	127	128	129	130	131	10-

\$<sup>100</sup>

HYDRA-LECTRIC AND HYDRAULIC CYLINDERS AND HOSE CONNECTIONS



# HYDRA-LECTRIC AND HYDRAULIC CYLINDERS AND HOSE CONNECTIONS


Ref. No.	Port Number	Description	Hydm- 2 Cyl.	Hydm-Lectic 2 Cyl.   1 Cyl.	Hydre 2 CyL	Hydraulic Cyl.  1 Cyl.	Tractor Serial Number
<b>~</b>	1L-1080	SNAP RING, Restrictor Swivel	61	1	2	1	6503-
7	IK-2027	PACKING, 1/8 x 7/8 "0" Ring	44	23	4	77	6503-
ന	1K-2029	PACKING, 3/32 x 1/2 "0" Ring	87	p=4	61		6503-
4	1K SA- 2061-K	CYLINDER, Pins And Fittings, Hydra-Lectnic	2		**************************************		6503-
ស	IKSA-2061-L	CYLINDER, Pins and Fittings, Hydraulic			2	H	6503-
2 2 8 9 0 2 4 6	IKS-2066-B	BRACKET Assembly, Remote Coupling (For Drawn Implements) 908535 Cap Screw, 5/8 - 18 x 2 Hex Hd 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex 90838 Cap Screw, 5/8 - 11 x 1-3/4 Hex Hd 920011 Washer, 1/2 Plan.					6503~
13 14 15	IK-2067	FASTENER, Hydra-Lectric Wiring Hamess 909052 Screw, 1/4 - 20 x 1/2 Mach 920081 Lock Washer, 1/4 915111 Nut, 1/4 - 20 Hex	0.444	~ ~ ~ ~			6503-
17	1KS-2075-D	CABLE, Remote Control Cylinder (For Drawn Implements)		p-v4			6503-
18	IKAS-2076-C	COUPLING Assembly, Breakaway (For Drawn Implements)				· 	650 3-
19	IKS-2076-D	COUPLING HALF, Self Sealing - Threaded (For Drawn Implements)		7		63	6503-
2 %	IKS-2076-E	COUPLING HALF With Nut, Self Sealing (For Drawn Implements) S-1945 Nipple, 1/2 x 1-1/2 Pipe	OMANO PROTOS - ES EN EN ES ANCORAS ESPA	04 0	- Control of the Cont	89 6	6503~
22	1K-2084	BRACKET, Hose Clomp	7	-	83		6503-
23	IK-2085	BOLT, Hose Clamp Bracket 915585 Nat, 5/16 - 18 Wing	0 0	tend kend	20		6503-
25	1K-2086	SPACER, Hose Clamp	64	e-4	64	p4	6503-
26 27 28	1KS-2091-G	HARNESS, Hydra-Lectric Wining S-3159 Cap Screw, No. 10 - 24 x 7/8 Hex Socket Hd 920079 Lock Washer, No. 10	C. 44 44	- N N	nan akhangan saraha di da	<del></del>	Š503 <del>-</del>
29 32 32	1K-2092	SUPPORT, Remote Hose 909055 Screw, 1/4 - 20 x 3/4 Mach 920081 Lock Washer, 1/4 915111 Nut, 1/4 - 20 Hex	ern controlore Landschaft (Landschaft) en general (Landschaft) en general (Landschaft) en general (Landschaft)	P 0 0 0		- 22 22 23	6503-
33	IK-2093-A	HOSE 'Ass embly - 48" Long	4.	83	4	N	6503~
34	1K-2094	HOSE Assembly - 84" Long (For Drawn Implements)	31 - S C130/12/22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8		23	6 50 3-
35	IK-2104-A	BODY, Restrictor S-1680 Nipple, 1/2 x 3-1/2 Pipe	01 00		2 2		6503-
37	IKS-2104-A	SWIVEL Assembly, Restrictor	8	_	73	~	6503-
38	IKSA-2104-A	SWIVEL Assembly, Elbow	04	-	2	~	6503~
39	IKSB-2104-A	SWIVEL Assembly, Momentary Restrictor (Painted Yellow) (For use with front end loaders with single acting cylindrs)	7	<b>—</b>	8		6503~
40	1K-2105	PLUNGER, Restrictor	73		63		6503-
444	1K-2106	GUIDE, Restrictor S-894 Pahut, 3/4 = 20 S-1377 Groot-Pin, 1/8 x 5/8	000		000	m = 1	6503-

# HYDRA-LECTRIC AND HYDRAULIC CYLINDERS AND HOSE CONNECTIONS

Tractor	Sental Number	6503~	6503**	6503~	6503-	65 03÷	6503-	6503~		10 55
ılic	i cyr.	man gang mengangkan	,	provid		gger ggynngg manganang an highel (Sid Historical)	CONTRACTOR OF THE PARTY OF THE	8	·	devertise entrementation.
Hydraulic	4 Cy 1.	2.0	N	Ø	23	Musel and Trapper agreempt my first sind all and COV	DAMEST TO STANK STANK	400		-
ectric		greed pend	y mel	genor).	Among.	h-mi Good, b-reij	p10	03 ml ml		
Hydra-Lectric	2 2	8 8	Ø	CV			62	400		-
Description	SWIVEL, Restrictor	SWIVEL, Elbow S-1680 Nipple, 1/2 x 3-1/2 Pipe	SP RING, Restrictor	PLUNGER, Momentary Restrictor (For use with front end loaders with single acting cylinders)	SPRING, Momentary Restrictor (For use with front end loaders with single acting cylinders)	BRACKET, Remote Cable (For drawn implements) 908449 Cap Screw, 1/4-28 x 5/8 Hex Hd 920081 Lock Washer, 1/4	FUSE, Hydra-Lectnic	CLAMP, Hose 908321 Cap Screw, 5/16-18 x 2 Hex Hd 915585 Nut, 5/16-18 Wing		
Port	1KA-2107	1K-2107-A	1K-2109	1K-2114	1K-2115	IK-2167-B	1B-7371	1EP-7868		
Ref.	**	4 4 2 0	7,	4, 00	Q.	3.51 00	ro m	4 22 22 4 25 25		erishmusion/clinical/dame however/jer

. Ö

### HYDRA-LECTRIC CYLINDER



Ĝ.


### HYDRA-LECTRIC CYLINDER

	ee ma siit ean heidiseeld marksis ee salka kiid kiisjaan maasaasin kan is ee keele ka					
Ref. No.	Part Number	Description	Hy dra-	Hy dra-Lectric 2 Cyl. 1 Cyl.	Tractor Serial Number	)df
	IKSA-2061-K	CYLINDER, Pins And Fittings Assembly, Hydra-Lectic	C C	Level .	6503-	***************************************
Ne f.	Part Number	Breakdown For One Cylinder Assembly	The second party and the secon	no egyprosace sautosace de protector de la capacidad de la cap	No. Req.	* * *
Anny	1K-2027	PACKING, 1/8 x 7/6 "0" Ring	Parkantana and parkantana and calculate and	en Berfeitenannen an berfeiten Gante	60	the and the second second
K	1K-2058	जनार			genef	
(7) 44	1KS-206 FK	CYLINDER Assembly (Order 1KSA-2061-K) S-1943 Elbow, 1/2 x 45° Mall S-1944 Elbow, 1/2 x 45° Mall Street			Sparing Sparing Sparing	
in	1K-2071	PIN, Mounting			inacerarce consta	
6	IK- 2072	CLIP, Mounting Pin			Alexandrian de la constitue de	
£	IKS-2201-G	BARREL Assembly			print	
80 Ø1	1K-2202-A	HEAD \$\\$\1184 \text{Set Screw}, 1/4 - 20 x 1/4 \text{Cup Pt Socket Hd}\$			antimuses opposite equipment of the second o	
QĮ.	IK~2203	PISTON			gwed	
tong though	IKS-2204	ROD Assembly, Piston			generiji Selektiva karatus reta	
7.7	1KS-2206-A	SOLENOID Assembly				
24 24 E3 24	1KS-2207-B	TERMINAL S-897 Nut, No. 4 - 40 Mach Screw Hex			emit soni	
10 9 14 14	1KSA-2207-B	TERMINAL Assembly, Stud S-897 Nut, No. 4 - 40 Mach Screw Hex			and had	
17	IKS-2209-A	ARM Assembly, Contact			junt	
00	IKS-2210-C	STOP Assembly			enns f	
O)	1K-2211	SPRING, Contact Arm			çand	
22 23	1K-2213-A	COVER S-2575 Screw, $V4 - 20 \times 1/2$ Bind Hd Mach S-292 Lock Washer, $1/4$ External Tooth			end At At	
23	LK-2219	SNAP RING, Head				
42222	1KS-2221-D	CABLE Assembly S-2575 Screw, 1/4 - 20 x 1/2 Bind Hd Mach S-2574 Screw, No. 6 - 32 x 3/16 Bind Hd Mach S-899 Nut, No. 6 - 32 Hex			pers pers and pers	
28	IK-2223-A	SPRING, Stop			****	
29	IK-2226-A	PACKING, 1/16 x 1/8 "0" Ring			77	
30	1Ec. 2227	PACKING, 3/16 x 2-5/8 ''0'' Fing			gen;	
\$7) \$7)	IK- 22.28	GASKET, $1/8 \times 2$ -3/4 ID "0" Ring			:	
32	1K-2229-A	GASKET, Cover				
67 67	1K-2231	NUT, Piston Lock			end endergoven	
6.5 A.	1K-2233-A	INSULATOR, Temningl			v-ref	
ti)	IK-2236	SLEEVE, Termind			produktivnskie	
36	1K-2237	PIVOT, Contact Arm ~ Outer			gang.	
3,7	IK-2238	PIVOT, Contact Arm - Inner			g-Marif	
					т	

### HYDRA-LECTRIC CYLINDER

IK-2240-A   BOOT, Marm Switch     IKSA-2241   SWITCH Adambly , Marm Switch     IKSA-2241   SWITCH Adambly , Marm     IK-2242   SWITCH Adambly , Marm     IK-2243   TUBING, Pisute - 1-1/2"   Lang     IK-2245   TUBING, Pisute - 5/9"   Lang     IK-2247   WASHER     IK-2247   PRV, Shal Locking Mylan     IK-2247   PRV, Shal Locking Mylan     IK-2247   SWIM Locking	Ref. No.	Part Number	Breakdown For One Cylinder Assembly	Š
SWITCH Assumbly, Marro WIEE, Junpor PIEE, Junpor TUBING, Ploast c - 1-1/2" Long  TUBING, Ploast c - 5/8" Long  A TUBING, Ploast c - 5/8" Long  MASHER  PDR, Stud Locking Mykin	1	IK-2239	NUT, Micro Switch	neq.
SWITCH Assembly, Macro WIRE, Juners TUBING, Picsute - L/Z", Long  A TUBING, Picsute - S/S", Long  PIN, Stud Locking Mylon		IK-2240-A	BOOT, Micro Switch	
WIRE, busser  TUBING, Plant c - 1-1/2" Long  TUBING, Plant c - 5/8" Long  WASHER  PIN, Shal Locking by lon  ***		IKSA-2241		T panag Gartingsantersession
TUBING, Plostic - 1-1/2" Long WASHER PIN, Stud Locking Nylon  *		1K-2242		
WASHER PIN, Shud Locking Ny lon		1KA-2243	TUBING, Plastic - 1-1/2" Long	g good
WASHER PIV, Stud Locking Nylon		IK-2243-A	TUBING, Plostic - 5/8" Long	o-4
PIM, Stud Locking Nylon		IK-2244	WASHER	paq appropriate
		1K-2247	PIN, Stud Locking Nylon	,~·i
		accuracy www. Or healthroad roops a 20 to each		ooo caaraa Afficia waa kaa kaa kaa kaa kaa kaa kaa kaa ka
				S SIA Society on the acquary of
		Alta Int <u>антастина с</u> емеровани		<del>\$124539************************************</del>
		AMARAN AMARA		
		PROPADINO PER		
			₩.	
		Rain de Lande (Carleiro esse		
		MELP Michigan dependence		
		Marmarmet Collaboration		
		SPANISH MENTAL SPANISH SAN		
		and the second s		
		1964 година до подова в подов		
		MASS-Astronomorphises		
		(American Control of C		
		**************************************		
		PMBORICIER INCOMPLETE		
		alling kingan gan gan gan gan gan		
		annen de apopular de de la major que muje		
	10			

 $\zeta_{i}$ 



 $\sigma$ .

10 - 59

2/4

### HYDRAULIC CYLINDER

- Bandon and an and a good						
Ref.	Port Number	Description	Hy drau 2 Cyl.	Hydraulic 2 Cyl. J Cyl.	Tractor Senal Number	per
marketissa kemahandapa p	1KSA- 206 F.L	CYLINDER, Pins And Fittings, Hydraulic	2	p=4	6503-	
Ref.	Part Number	Breakdown For One Cylinder Assembly			No. Rea.	I
<del></del>	1K-2027	PACKING, 1/8 x 7/8 "0" Fling	Andrew Street and Street Stree			1
7	1K-2055	PACKING, 3/32 x 11/16 ''0" Ring			7 r	
ო	1K-2058	PIPE			<b>-</b> √	
₩.	1KS-206 L-L	CYLINDER Assembly (Order IKSA-2061-L.) S-1943 Elbow, 1/2 x 45°				
S	1K-2071	PIN, Mounting			<i>y</i> 4 (	
٥	1K-2072	CLIP, Mounting Pin			01 -	
N 00	1KS-2201-F	BARREL Assembly S-1931 Plug, 1/8 Ctsk Hd Pipe			<b>4</b> □ ·	
σ	IK-2202-E	HEAD			<b>→</b>	
10	1K-2203	PISTON				
<del></del>	IKS-2204	ROD Assembly, Piston			,-	
12	IK-2210-D	STOP, Rod				
13	1K-2212	SEAL, Piston Rod			<b>~</b> ,	
#** #**	IK-2219	SNAP RING, Head			r	
5	1K-2227	PACKING, 3/16 x 2-5/8 "0" Ring				
16	IK-2228	GASKET, 1/8 x 2-3/4 ID ''0'' Ring			ــر 4 پير	
11	IK-2231	NUT, Piston Lock			-	
18 19 20	1KS-2252-A	TUBE Assembly, Depth Stop Push Rod 908300 Cap Screw, 1/4 - 20 x 5/8 Hex Hd 920081 Lock Washer, 1/4			1 100	
222	1K-2253-A	CAP, Rod Sbp $909059$ Screw, 1/4 - $20 \times 1$ -1/4 Hd Hd Mach $920154$ Lock Washer, 1/4 Internal Tooth			v = 000	
24	IKA-2255	POPPET, Depth Stop			٧ -	
23	1KAS-2256	RETAINER Assembly, Depth Stop Push Rod				
26	1K-2258-B	ROD, Depth Stop Push S-1378 Pin, 3/32 x 3/8 Roll			4	
28	1K-2261	PACKING, 1/16 x 3/16 "0" Fing				
$\dashv$	And the state of t				er graden	
10 - 60	50				-	


级

7.3

### SECTION X OPTIONAL EQUIPMENT

# HYDRA-LECTRIC AND HYDRAULIC BREAKAWAY COUPLING


Re f. No.	Port Number	Description	Drawn Implement
	1KAS-2076-C	COUPLING Assembly, Breakaway	
**************************************	1KSR-2076-C	REPAIR Package, Breakaway Coupling	prof.
Ø	1KS-2076-D	COUPLING HALF, Self Sealing - Threaded (2 included in 1KAS-2076-C)	4
r)	IKS-2076-E	COUPLING HALF With Nut, Self Sedling	Ø
4	1KSA-2076-E	COUPLING HALF, Self Seding - Less Nut and Snap Ring	C/
'n	1K-2361	FRAME, Breakaway - Latch Half (Order 1KSB-2361)	gend <sup>*</sup>
٥	IKS-2361	FRAME, Latch And Coupling Sub Assembly, Breakaway	
	IKSA-2361	FRAME And Latch Sub Assembly, Breakaway	prod
	1KSB-2361	FRAME And Hinge Snop Ring Assembly, Break away (includes Ref. No. 5,21 and 27)	<b>~</b>
8	IKA-2362	FRAME, Breakaway	
Ø.	1KAS-2362	FRAME Sub Assembly, Breakaway	<b>~</b>
10	IK-2363	BODY, Self Sealing Coupling - Threaded	4
<del>디</del>	1K-2364	SPRING, Self Sealing Coupling (in 1KS-2076-D)	4
12	1K-2365	RING, Self Seding Coupling "0"	₹
113	1KA-2366	SLEEVE, Self Scaling Coupling (Includes 1K-2381 Washer)	de de
14	IK-2367	VALVE, Self Seating Coupling Tubular	4
##I	1K-2368	ADAPTER, Self Sealing Coupling	4.
16	1K-2369	SPRING, Self Sealing Coupling (in 1KSA-2076-E)	₹*
17	IK-2370	VALVE, Self Sealing Coupling Poppet	44
28	1K-2371	BODY, Self Sealing Coupling	4.
6	IK-2372	NUT, Self Seding Coupling Union	Ø
20	1K-2373	SNAP RING, Self Sealing Coupling	44
21	1K-2374	SNAP RING, Hinge	64
22	IK-2375	SPRING, Breakaway	···¢
23	1K-2376	COVER, Breakaway Coupling	
24	1K-2377	LATCH, Breakaway	genet
25	1K-2378	PIN, Breakow oy Latch	<b></b> 4
26	1K-2379	ВАК, Вгеакамау Dтам	epitaanaaninin
27	1K-2380	PIN, Hinge	CI
28	IK-2381	WASHER, Self Sealing Coupling Rubber	4
	1K-2382	CAP, Coupling Dust	Req.
			and a second of the least
	<u>adernograma</u> eronovavy		- Para Marijan da Santana (Santana (Santana (Santana (Santana (Santana (Santana (Santana (Santana (Santana (Sa
	and the second s		ionale statulos tur-
	- goodeen concentrate		N <sub>O</sub> Avagencean de melo
	and passon to the second		
			adam and all control membranes of persons and all disciplines property of the set




Manada and particular of the district of the same of t					
Part Number	Description	No. Req.	Row Crop Serial Number	Standard Serial Number	Industrial Serial Number
1.A. 398	<b>STUD,</b> Drive Bearing Cover (3/8 x 1-1/2) 915002 Nut, 3/8 - 24 Hex 920083 Lock Washer, 3/8	222	320001~	269001~	403001-
IB-597	DOWEL PIN, Camer	73	320001-	269001-	403001-
1K-620	OIL SEAL, Input Shaft Front Bearing	p(	320001-	269001-	403001-
1K-620-A	WASHER, Input Shafi Front Beaning Felt		320001+	269001-	403001-
IH-637	SHIM, Drive Rear Bearing (007")	Req.	320001-	269001-	403001-
IH-638	SHIM, Drive Rear Bearing (.0156")	Req.	320001-	269001-	403001-
IF-639	SHIM, Drive Recr Bearing (,004")	Req	320001-	26900 J~	403001-
IK-664	SHIM, Dive Shaft Front Bearing (.007")	Req.	320001-	269001-	403001-
1K-665	SHIM, Drive Shaft Front Bearing (.0149'')	Req	3 2000 1-	269001-	403001**
IK-666	SHIM, Dive Shaft Front Bearing (.004")	Req.	320001-	269001~	403001~
IK-668	SHAFT, Duve 937026 Key, 1/4 x 1-1/8 Woodruff	parel game	320001=	269001	4 03 00 1~
IK-669	GEAR, Duve Bevel (19 Teeth)	grad	320001-	269001-	403001-
IKSR-669	GEAR SET Package, Bevel Gear And Bevel Pinion Matched	g\$	320001~	269001	403001-
1K-670	GEAR, Drive Sliding (28 Teeth)	-	320001-	269001-	403001-
IK-674	CAGE, Drive Shaft Front Bearing S-3071 Cap Screw, 3/8 - 16 x 1-1/8 Hex Hd 920083 Lock Washer, 3/8	L 4 4	320001-	26900 1-	403001-

Ref.	Part Number	Description	No.	Row Crop	Standard	Industrial
16	1K-678-A	SHAFT, Pulley 937041 Key, 174 v 1-03/20 WG-3- K	-		``	4 03001.
18	1K-680	CARRIER (Order 1 KS-680)			·	Michanophika a
	7		<b>-</b>	320001-	269001-	403001-
19 20 21 22 23 24	200	CARRIER With Oil Seal 9208340 Cap Screw, 3/8 - 16 x 3 Hex Hd 920083 Lock Washer, 3/8 5-3126 Cap Screw, 5/8 - 11 x 3-1/4 Hex Hd 920087 Lock Washer, 5/8 5-1900 Plug, 1/2 Std Pipe S-1904 Plug, 1/4 Std Pipe	~ 0 0 M M M	320001-	269001-	403001-
25	1K-686	GASKET, Comter	prof	320001=	00000	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
26	1K-690	GASKET, Curtler Cover	-	320001-	Z63001=	403001-
27 28 29	1K-691-A	PULLEY, Belt (11-7/8" Dia., 7-1/4" Face) 908524 Cap Screw, 9/16 - 18 x 1-3/4 Hex Hd 920086 Lock Washer, 9/16	4 4	320001-	269001-	403001- 403001-
30	1K-692	ARM, Shifter	-	32000I-	269001~	
31	1K-693	OIL SEAL, Shaft	~	320001*	700000	4 03 00 1-
32 33 35 36	IKS-694-A	COVER Assembly 908332 Cap Screw, 3/8 - 16 x 1 Hex Hd 920083 Lock Washer, 3/8 908333 Cap Screw, 3/8 - 16 x 1-1/4 Hex Hd 915236 Nut, 3/8 - 16 Hex Jam	~ ~ ~ ~ ~	320001-	269001-	403001-
37	1K-695	SHIM, Shaft Bearing (.004")	Req.	320001-	269001	40300
37	1K-696	SHIM, Shaft Bearing (.007'')	Req.	320001-	269001-	4 00 00 1
38	1K-848	GROMMET, Rubber	p=4	320001-344801	266001-03910#	403001
38	1K-848-A	GROMMET, Rubber	-	344802-	273196-	403001-403240
39	1B-909-A	KNOB, Shifter Lever	part (	32000 1-344801	2690 01-273105	403241*
40	1K-930	SEAL, Dave Shifter Am	pani	320001-	269001-	4 03 001-40 324 0
4 4 2 2	IKA-931	LEVER, Shifter 932304 Grov-Pin, 3/16 x 1	PT PT	320001-	269001-	403001-
**************************************	1K-932	FORK, Shifter Rod (Used With 1K-1025)	g-mil	320001-325600	269001~270565	403001=403105
***************************************	1K-933	PIN, Shifter 932008 Cotter Pin, 3/32 x 3/4	~ ~	320001-325600	269001-270565	403001-403185
£ 8	IK-1004	GEAR, Dave Stationary (22 Teeth)		320001-	269001-	403001-
Markowski (g. myoras	1K-1025	ROD, Pulley Shifter (Order IK-1025-B & 932019) 915003 Nut, 7/16 - 20 Hex	p=4 p=4	320001~325600	269001-270565	403001-403185
	1K-1025-A	ROD, Shifter (Order 1K-1025-B & 932019) 932008 Cotter Pin, 3/32 x 3/4	proj proj	325601-331053	270566~271409	4 03 1 86-4 03 240
4 4 5 2 5	1K-1025-B	ROD, Shi fter 932019 Cotter Pin, 1/8 x 1-1/2	, me	331054-344801	27 14 10-273125	
44	1K-1025-C	ROD, Shiffer 93 2017 Cotter Pin, 1/8 x 1	r-ii	344802-	273126-	403241-
46	IH-1029-B	COVER, Drive Bearing	p(	320001-	249001-	. 000
47	1K- 10 38	NUT, Shaft Bevel Gear	r(	320001-	253 COT 269 DU 1-	40300 I=
8	1K-1066	PINION, Drive Bevel (15 Teeth)	<b>,</b> -		26900 1-	403001=
49 50	III- 1574	SPRING, Drive Silding Gear Poppet S-2454 Ball, 5/16 Dia Hardened Steel	P-1	320001-	269001-	403001-
-				Per and any sea		

	Flow Crop Standard Industrial Serial Number Serial Number	320001- 269001- 403001-	320001- 403001-	320001- 269001- 403001-	en est en
	No. Req. Ser	320	Thirth-e-morrowania	00 00 00 00 00 00 00 00 00 00 00 00	Market and American Company of the C
a Gas F	ŽŽ	ent enne en e	CA CA	iperiof	en sendanten en santanten en s
100 CON CONTROL OF THE CONTROL OF TH	Description	BEARING, Drive Shaft - Front (Timken 31594-31520)	BEARING, Shaft (Timken 33890-33821)	BEARING, Drive Shaft - Rear (Timk en 12580-12520)	
Francisco de la constantia del constantia de la constantia de la constantia della constantia della constanti	Part Number	1BS-5008-B	1KS-5008	.HS-5026	
Western designation of the second	No.	n) Li	es es	n)	



77 PARTS BOOK



### TOWER TAKES

Ref. No.	Part Number	Description	No. Req.	Row Crop Serial Number	Standard Serial Number	Industrial Serial Number
y-4	1B-473-A	COVER, Grease Hole	~	320 00 1*	269001~	403001-
М	1B-583	KEY, Clutch Release Fork (1 used Row Crop 320001-325600) (1 used Stendard 269001-270565) (1 used Industrial 403001-403185)	-64	320001-	269001-	403001~
m	1K-635-A	GASKET, Housing	~	320001-	269001~	403001-
4	1B-909-A	KNOB, Shift Lever		320001-	269001-	403001-
ν	1B-1071	SNAP RING, Shaft Front Beaning Retainer	-	320001-	269001~	403001-
9	1L-1072	SNAP RING, Shaft Front Bearing	p=={	3 20 00 1-	269001-	403001-
7	1B- 1073	SNAP RING, Drive Shaft	8	320001-	269001-	403001-
00	11. 1075	SNAP RING, Clutch Mounting Sleeve and Power Take-Off Shaft - Rear	2	320001-	269001-	403001-
6	1K-1200	SHAFT, Power Take-Off	7	320001-	269001~	403001-
10	1K-1204	COVER, Front Beoming	-	320001-	269001-	403001~
- Z &	1K-1205	COVER S-3071 Cap Screw, 3/8 - 16 x 1-1/8 Hex Hd 920083 Lock Washer, 3/8	- 4 <del>4</del>	320001-325600	269001-270565	403001-403185
125	1K-1205-A	COVER S-3071 Cop Screw, 3/8 - 16 x 1-1/8 Hex Hd 920083 Lock Wosher, 3/8	~ 4 4	325601-3502149	270566-3502149	403186-3502149
~ CV 60	1K- 1205-B	COVER S-3071 Cap Screw, 3/8 - 16 x 1-1/8 Hex Hd 920083 Lock Washer, 3/8	L 4 4	3502150-	3502150-	3502150~
204 44	1K-1206	SEAL, Cover	h	320001-	269001-	403001-
2 5 M	1KS-1208	SHELD 908330 Cap Screw, 3/8 - 16 x 3/4 Hex Hd 920083 Lock Washer, 3/8	- v v	320001-	269001-	403001-
18	1B-1381-A	SPRING, Grease Hole Cover	proof.	320001-	269001-	403001-
6	IK-1562	SUPPORT, Dave Shaft (Order 1KS-1562)	beed	320001-	269001-	403001-
2 7 W	IKS-1562	SUPPORT (1K-1562) with Bushing (1K-1583) and Dowels (1K-1584), Drive Shaft 908356 Cap Screw, 1/2 - 13 x 1-1/4 Hex Hd 920158 Lock Washer, 1/2 Internal Tooth		320001-	26 900 1-	403001-
22 23 24 25	1K-1570	HOUSING 908364 Cap Screw, 1/2-13 x 3-1/4 Hex Hd 920085 Lock Washer, 1/2 5-1901 Plug, 3/4 Std Plpe	- 4 4 -	320001-	269001-	403001-
26	1MA-1571-A	SHAFT, Dhve	F-1	320001-	269001-	403001-
27	IK-1572	PINION (19 Teeth)		320001-	269001-	403001-
28	IK-1573	GEAR (57 Teeth)	F	320001-	269001-	403001-
29	IK- 1582	OIL SEAL, Shaft		320001.	269001-	403001-
30	1K-1583	BUSHING, Drive Shaft	pred	320001-	269 001-	403001-
6.2) Amil	1K-1584	DOWEL PIN, Shaft (3/8 x 5/8)	23	3 2000 1-	269001-	403001-
32	IK-1585	SLEEVE, Clutch Mounting	~	320001-	269001-	403001-
33	1K-1586	RETAINER, Clutch Mounting Sleeve Bearing (Order IKS-1586)	-	320001-	269001-	403001
12.000				Поп основного попосомо	eth disroundurer desean	

100
5 5 5 5
0
簽
115
×
<b>E</b>
gamen
œ
0.,

	Industad	d Number			1	E	‡ vont	-T		\$ 8	â		8	a																		€ 2, 199	* * *			
			THE POST & BUTCHES	403001-	403001-	403001-	403001-	403001,	Planting Street Street Street	403001-	403001-	Open the colonia	403001-	403001~	403001-	40300 I-	403001-	403001-	403001-	403001-	403001~	403001~	403001-	403001	403001-	403001~	403001~	403001-	6	4 03 0 0 J~	403001-	40300 I~	403001-	403001-	403001-	403001-
	Standard	269001	2000 Salah S	269 001	269001-	269001~	269001-	269001.		269001-	26 90 01-			26900 1	* 100802	Z69001~	269001-	269001	269001-	289001-	269001**	269001-	26 900 J.~	269001-	269001-	268001-	269001-	269001~	989001		200012	70000	Marie Michael generation per			26 90 0 1~
	Row Crop Sedal Number		000000000000000000000000000000000000000	3200025	320001-	320001-	320001-	320001**	50	320 001-	320001-	000000		30001		\$ 7000 0000 0000 0000 0000 0000 0000 000	32000 %	320001	32000 I**	320001-	Militar kimmune ya ga ya	320001-	320001-	320001-	320001-	320001*	320001-	320001-	320001-	E-mayon	**************************************	Ministrava.	Filinfrygare had negygydd	119686000.00	320001	And the Control of the Land of
L C	No. Reg.		)	-d	proof.	(men)	g-d Maradonnada		. tres	mild	4	4 +	t ,	nd you		3 -	٠ (	0	7)	co.	m	o	m	ര	n	(7)	, mg	~ o o	on production of the same of t	~ ~	~~ ~~	~ (r)	· · · · · · · · · · · · · · · · · · ·	o 0	, e	; 
	Description	RETAINER With Oil Seal (IK-1588), Clutch Mounting Sleeve Bearing 908331 Cap Screw, 3/8 - 16 x 7/8 Hex Hd 920083 Lock Washer, 3/8	GASKET, Clutch Mounting Sleeve Beating Retainer	OIL SEAL, Clutch Mounting Sleeve	SPACER, Drive Shaft Rearing	OIL SEAT. Detro chang	CONTRACTOR OF THE PROPERTY OF	908330 Cap Screw, 3/8 = 16 x 3/4 Hex Hd 920083 Lock Washer, 3/8	GASKET, Lower Cover	LOCK WASHER, Mounting Screw (Replaces 920156 Shok eproof Lock Washer with IKS-1650)	CLUTCH Assembly 90.8479 Cap & rew, 3/8 - 24 x 3/4 Hex Hd	HOUSING, Clutch	PLATE, Clutch Pressure	PLATE With Lever, Clutch Pressure	PLATE With Facings, Clutch Drive	PLATE, Clutch Center	LEVER, Clutch Pressure Plote	PIN, Clutch Pressure Plote Lawrer	ROLLER, Cluich Lever	M. C. Land	RING, Clutch Description	PIN Clubb December 1 1010 Hemining	DIN Clima Connecting Link (Short)	SDDING Connecting Link (Long)	CALING CAUCHT PESSIFE		Thir, Clumb Book (Order 1KS-1887)	PLATE Assembly, Clutch Back 908463 Cap Screw, 5/16 ~ 24 x 5/8 Hex Hd 920082 Lock Washer, 5/16	WASHER, Clutch Pressure	PLATE, Clutch Washer	SNAP RING, Clutch Washer Plate	SLEEVE, Clutch Release Beating (Order 1KS-1671)	SLEEVE (1K-1671) and Bearing (1KS-1673), Clutch Release Bearing	BEARING, Clutch Release - RH (Order 1853-1472)	BEARING, Clutch Release - L.H (Order 1 KS - 1673)	
hanturing the state of the second	Part	IKS-1586	IK-1587	IX-1588	IK-1589	1K-1590	IK-1592		1K-1593	1K-1649	1KS-1650	IK-1651	MS-1655	1KSA- 1655	IKS-1656	IK-1657	lK-1659	1K-1660	1K-1661	IK. 1662	IK-1663	IK-1664	IK. 1664. A	IK-1665-A	259 T - CS X	1K. 1667	170 37.6	1007	1K-1668-B	IK-1669	IK-1670	IK-1671	1KS-1671	1K-1672	IK-1673	Pilling server and an army are probably after a brook and an appearing
Season and Seasons of Contractions	Ref.	45 E	38	37	38	39	40	4 4 4 5	873 987	4.	4). FJ	24	Sp.	484 QQ	4	20	504 200	N N	87) V)	ιυ 4.	in Vi	96	l)	00 03	Ç,	09	AMERICA AND STREET	24 Cl O O	es 8	64	25	99	modernie og en eggs bo	29	88	The state of the s

### POWER TAKE-OFF


Ref. No.	Part Number	Description	No. Reg.	Row Crop Serial Number	Ston dard Seria 1 Number	Industrial Setial Number
69 70 71	IKS-1673	BEARING, Clutch Release 908469 Cap Screw, 5/16 - 24 x 1-3/4 Hex Hd 915364 Nut, 5/16 - 24 Elasta Sbp 939017 Fitting, 1/8 PT x 87-1/2 Pydr Alemite	- 00 -	320001-	269001-	403001-
73	1K-1681	SHAFT, Clutch Release	prof.	320001-325800	269001-270565	403001-403185
73	IK-1681-B	SHAFT, Clutch Release	,—I	325601-	270566~	403186-
7.4	1M-1681-A	SHAFT, Clutch Release - Orchard	<b>~</b> 1			
76 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1K-1682	FORK, Clutch Helease 90833 Cap Screw, 3/8 - 16 x 1-1/4 Hex Hd 920083 Lock Washer, 3/8	-00	320001-325600	269001-270565	403001~403185
75 77	IK-1682-A	FORK, Clutch Release 908333 Cap Screw, 3/8 = 16 x 1-1/4 Hex Hd 920083 Lock Wusher, 3/8	885	325601-	270566	403186-
7 7 8 6 7	1K-1683	PIVOT, Clutch Release Yoke 920089 Lock Washer, 3/4	, pad pad	3 20001-32 5600	269001-270565	40:3001-403185
80	IK-1683-A	PIVOT, Clutch Release Yoke	p-4	325601-	270566-	403186~
00 00 00 H C1 00 4	1KS-1686	LEVER With Latch, Clutch Release S-1364 Pin, L/4 x 1-1/4 Roll 908333 Cap Screw, 3/8 - 16 x 1-1/4 Hex Hd 915236 Nut, 3/8 - 16 Hex Jam	and and and and	320001-325600	26 900 1-27 0565	403001-403185
8 8 8 8	1KS-1686-B	LEVER Assembly, Clutch Release 932555 Grow-Pin, 5/16 x 1-1/2 908336 Cap Screw, 3/8 - 16 x 2 Hex Hd 915236 Nut, 3/8 - 16 Hex Jam	, may are pro-	325601-	270566-	403186~
818 A	1LS-1686	LEVER Assembly, Clutch Release (When Three Point Hitch is used)	<b>~</b>	ernamen ejemanigun.		
	1KSR-1686-B	LEVER Fleld Change-Over Package (Replacement package for 1K-1205 Housing)		oons a mysteriaansa ee		addige-savenghill reve
88 85 0	1MS- 1686-A	SHAFT Assembly, Clutch Release Lever - Orchard 932555 Grow-Pin, 5/16 x 1-1/2				
87	1K-1687	LATCH, Clutch Lever	prof.	320001~	269001-	403001-
87A	1L-1687-A	BRACKET, Clutch Release Lever (When Three Point Hitch is used)	p1	we government from		
	1K 1688	PIN, Clutch Lever Latch	g=4	320001-325600	269001-270565	403001-403185
8 8 9 8 9 0	IK-1688-A	BOLT, Clutch Lever Latch 920083 Lock Washer, 3/8 915085 Nut, 3/8 - 24 Hex Jan	, , , , , , , , , , , , , , , , , , ,	325601-	270566-	403186*
902	1K-1689	ROD, Clutch Lever 932000 Cotter Pin, 1/16 x 1/2	, ,	320001-325600	269001-270565	403001-403185
9 2 2	IK-1689-A	ROD, Clutch Lever 932008 Cotter Pin, 3/32 x 3/4	7 7	325601-	270566	403186~
93	1K-1690	SPRING, Clutch Release Lever	~	320001~	269001-	403001~
93A 93B 93C 93D	11-1690	SPRING, Clutch Release Lever (When Three Point Hitch is Used) 908300 Cap Screw, 1/4 - 20 x 5/8 Hex Hd 920081 Lock Washer, 1/4 915111 Nut, 1/4 - 20 Hex				
94	IK-1691	PLUNGER, Clutch Lever	prof.	320001-	269001=	403001-
95 96 97	1K- 1692	PIN, Grease Hole Cover 920008 Washer, 5/16 Plain 932008 Cotter Pin, 3/32 x 5/8		320001-	269001-	403001-

### POWER TAKE-OFF

Industrial Serial Number	403001-	4 03 001	4 03 00 1~	403001-	403001~	elles (paris episelle edit estimate es anas papa
Standard Serial Number	269001.	269001~	269001-	269001~	269001	
Row Crop Senal Number	320001-	320001*	320001.	320001-	3 20 00 1	
No. Req.	prod	;—i	ive(	r=(	pont	_
Description	BEARING, Drive Shaft Ball (SKF 6205-Z)	BEARING, Shaft Rear (Tornington BH-2216-OH)	BEARING, Shaft Front (SKF 6206NR)	BEARING, Clutch Mounting Sleeve Bdl - Front (ND-93L07) (SKF 6007-XARS)	BEARING, Clutch Mounting Sleeve Ball - Rear (SKF 6208ZNR)	
Port Number	1CS-5010	IKS-5016	1KS-5026	1KS-5030-A	IKS-5031	-
nef. No.	g0 O	66	100	F. C.	10 20 20	adabas de proposition de la constitución de la cons

O

10 - 71



#### 

Bof	\$-0.5.2 C.			The state of the s		Michael Cherology (And Spire of the Spire of
No.	Number	Description	Red.	Senai Number	Standard Seri al Number	In dus triai Seriai Number
u ciu a	1L~785~A	BRACKET, Drawbor Support - Right 908535 Cap Screw, 5/8 - 18 x 2 Hex Hd 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex		320001~	269001~	
ທ	1K-790	WASHER, Steel (With 1MS-3334 and 1M-3340)	03	320001~		
10 Fr 90 Or	ILS792B	DRAWBAR Assembly 900884 Bolt, 1/2 - 13 x 2-1/2 Mach 920085 Lock Washer, 1/2 915115 Nut, 1/2 - 13 Hex	entransportunista est est contrator est cont	320001~	269001~	
er e samme et til til til til til til til til til ti	IK-872	SPACER, Wheel Gaund Support 908363 Cap Screw, $\mathcal{V}2$ = 13 x 3 Hex Hd 920085 Lock Wosher, $1/2$		3 20 001~		
orana erreya eta da 1960 eta 1964 eta 1964 eta 1964 eta 1966 eta 1966 eta 1966 eta 1966 eta 1966 eta 1966 eta 1	1M-872-A	SPACER, Wheel Guard Support 908357 Cap Screw, $1/2 - 13 \times 1 - 1/2$ Hex Hd 908355 Cap Screw, $1/2 - 13 \times 1$ Hex Hd 920085 Lock Washer, $1/2$	4460		269001~	
07	1B-1074	SNAP RING, Rocker Shaft - Small	Service Services	320 00 1~	269001	
ha4 hu4	1H-1074	SNAP RING, Leveling Gear	(ev.)	14129**	14129	
~	114 1142	SNAP RING, Rocker Shaft - Large		320001-	269001-	
24	1MA-3301	SHAFT, Rocker		320001-	26 90 0 1-	
And And	1MA-3302	ARM, Hocker - Right	prof	320001-	269 001~	
ru ru	1MA-3303	ARM, Rocker - Left	prof	320001~	269001~	
9 5	1MS-3306	ARM Assembly, Rocker Shaft Cylinder 939001 Fitting, 1/8 PT Str Gease	mad soci	320001	26 90 0 1~	
18 20 20 22 22 24 25 26 27	1MS-3308	SUPPORT Assembly, Rocker 908534 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 908537 Cap Screw, 5/8 - 18 x 2-1/2 Hex Hd 908539 Cap Screw, 5/8 - 18 x 3-1/2 Hex Hd 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex 908506 Cap Screw, 1/2 - 20 x 1-1/2 Hex Hd 920085 Lock Washer, 1/2 - 20 x 2 Hex Hd 920085 Lock Washer, 1/2 - 20 Hex Hd 930005 Lock Washer, 1/2 - 20 Hex Hd 930005 Fitting, 1/8 PT Strt Grease	- CC - 4 4 CC C 4 4 CC	3 20001~	269001-	
28	IE-3314-A	PIN, Upper Link	<i>C4</i>	320001-	269001~	
29	11.3318	PIN, Linch (For 11/32" Hole)	Ø	320001-6502	269001-6502	
29	1E-3318	PIN, Linch (For 15/32" Hole)	Đ	6503**	6503	
8	1LS-3320	SCREW Assembly, Upper Link - RH Thread 915244 Nut, 1-1/8 - 7 Hex Jam		320001-	269001~	
e5	1LS-3321	SCREW Assembly, Upper Link - L.H Thread	H	320001~	26 900 1-	
32	1E-3322	TURNBUCKLE	p~4	320001-	26900I~	
33	1MS-3323	LINK Assembly, Lower	8	320001-	269001~	
ευ 4.	1LS-3326	LINK Assembly, Left Lifting	p	320001~	269001~	
33	1L~3329.B	GUSSET, Recker Support	7	3 20 001-	269001-	
36	IL-3330	CHAIN, Sway (1/4" Link Matedal)	63	320001-14128	269001-14128	
36	1L~3330-A	CHAIN, Sway (5/16" Link Material)	23	14129~		
36	1L-3330-B	CHAIN, Sway (5/16" Link Material)	C4	mgakana Migaka gari kaligi jaka kalifu	14129-	
Conditional conditions of the Lagran			and the second s		de single distribution of the state of the s	10 - 73

Ö

## SECTION X OPTIONAL EQUIPMENT

ILSR-3330-A SWAY   ILSR-3330-B SWAY   ILS-3332 SHAC   ILS-3333 PIN, 9320   9200   92	SWAY CHAIN Field Change-Over Package SWAY CHAIN Field Change-Over Package CLEVIS, Sway Chain SHACKLE And Pin Assembly, Sway Chain FIN, Sway Chain Clevis 932016 Cotter Pin, L8 x 3/4 BRACKET, Rocker Support 908385 Cap Screw, 5/8 - 11x 1-3/4 Hex Ha 908401 Cap Screw, 3/4 - 10 x 1-3/4 Hex Ha 920897 Lock Washer, 5/8 910099 Lock Washer, 3/4 SHAFT Assembly, Lower Hitch 920899 Lock Washer, 3/4 920089 Lock Washer, 5/8 910089 Lock Washer, 5/8 910087 Lock Washer, 5/8	च च्या का का का का ८४ ८	320001-14128	26900 1-14128	
	VCHAIN Field Change-Over Package VIS, Sway Chain.  SKLE And Pin Assembly, Sway Chain.  Sway Chain Clevis  Sway Chain Clevis  1016 Cotter Pin, 1/8 x 3/4  CKET, Rocker Support 1385 Cap Screw, 5/8 - 11 x 1-3/4 Hex Ha 1087 Lock Washer, 5/8 400 Cap Screw, 3/4 - 10 x 1-3/4 Hex Ha 401 Cap Screw, 3/4 - 10 x 2 Hex Ha 401 Cap Screw, 3/4 - 10 x 2 Hex Ha 402 Cap Screw, 3/4 - 10 x 2 Hex Ha 403 Lock Washer, 3/4  77 Assembly, Lower Hitch 77 Assembly, Lower Hitch 673 Cap Screw, 3/4 - 10 x 2 Hex Ha 689 Lock Washer, 3/4 689 Lock Washer, 3/4 689 Lock Washer, 3/4 689 Lock Washer, 3/4 689 Lock Washer, 5/8 680 Nut, 5/8 - 18 Hex	म्य क्षा क्षा क्षा क्षा क्षा क्षा क्षा क्षा	14129~	269001-14128	
	VIS, Sway Chain.  SKLE And Pin Assembly, Sway Chain.  Sway Chain Clevis  1016 Cotter Pin, 1/8 x 3/4  CKET, Rocker Support  1385 Cap Screw, 5/8 - 11 x 1-3/4 Hex Ha  1087 Lock Washer, 5/8  7T Assembly, Lower Hitch  401 Cap Screw, 3/4 - 10 x 1-3/4 Hex Ha  401 Cap Screw, 3/4 - 10 x 2 Hex Ha  1089 Lock Washer, 3/4  7T Assembly, Lower Hitch  7T Assembly, Lower Hitch  187 Cap Screw, 5/8 - 18 x 1-3/4 Hex Ha  188 Cap Screw, 5/8 - 18 x 1-3/4 Hex Ha  189 Lock Washer, 5/8  18 Hex Ha	च च चच ८४ ८	14129-		_
	Sway Chain Clevis  Sway Chain Clevis  1016 Cotter Pin, 1/8 x 3/4  CKET, Rocker Support 1385 Cap Screw, 5/8 - 11 x 1-3/4 Hex Hd 1087 Lock Washer, 5/8  7 T Assembly, Lower Hitch 400 Cap Screw, 3/4 - 10 x 1-3/4 Hex Hd 401 Cap Screw, 3/4 - 10 x 2 Hex Hd 401 Cap Screw, 3/4 - 10 x 2 Hex Hd 57 T As sembly, Lower Hitch 77 As sembly, Lower Hitch 87 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 1089 Lock Washer, 5/8 1087 Lock Washer, 5/8 1087 Lock Washer, 5/8 1088 Nut, 5/8 - 18 Hex	यः यः यः ८४ ८		14129-	
<u> </u>	Swoy Choin Clevis 016 Cotter Pin, 1/8 x 3/4  CKET, Rocker Support 138 5 Cap Screw, 5/8 - 11 x 1-3/4 Hex Hd 1087 Look Washer, 5/8 400 Cap Screw, 3/4 - 10 x 1-3/4 Hex Hd 401 Cap Screw, 3/4 - 10 x 2 Hex Hd 401 Cap Screw, 3/4 - 10 x 2 Hex Hd 1089 Lock Washer, 3/4 57 As sembly, Lower Hitch 673 A Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 1087 Lock Washer, 5/8 1087 Look Washer, 5/8 1087 Look Washer, 5/8 1087 Look Washer, 5/8	44 (16	320001-14128	269001-14128	
A	CKET, Rocker Support  385 Cap Screw, 5/8 - 11 x 1-3/4 Hex Hd  087 Lock Washer, 5/8  7 Assembly, Lower Hitch  400 Cap Screw, 3/4 - 10 x 1-3/4 Hex Hd  401 Cap Screw, 3/4 - 10 x 2 Hex Hd  401 Cap Screw, 3/4 - 10 x 2 Hex Hd  009 Lock Washer, 3/4  57 Assembly, Lower Hitch  534 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd  008 Lock Washer, 5/8  006 Nut, 5/8 - 18 Hex	01 0	14129-	14129	
m w w m	*T Assembly, Lower Hitch 400 Cap Screw, 8/4 - 10 x 1-3/4 Hear Hd 401 Cap Screw, 3/4 - 10 x 2 Hear Hd 1089 Lock Washer, 3/4  *T Assembly, Lower Hitch 534 Cap Screw, 5/8 - 18 x 1-3/4 Hear Hd 1087 Lock Washer, 5/8 1087 Lock Washer, 5/8 1087 Lock Washer, 5/8	4 63	320001~	. 269001.	
o m	7T As sembly, Lower Hitch 534 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 087 Lock Washer, 5/8 006 Nut, 5/8 - 18 Hex	-d	320 001-		
<u> </u>		~000		269001=	
	BRACKET, Lower Hitch 908534 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex	7000		269001-	
1E-3336 COUI 9084   S-205	COUPLING, Sway Chan 908535 Cap Screw, 5/8 - 18 x 2 Hex Hd - Row Crop S-2058 Mat, 5/8 - 18 Self Locking - Row Crop	4 m m	14129~	14129**	
1E-3337 BOL7 S-20 9200	BOLT, Lift Link S-2056 Nut, 1/2 - 20 Self Locking 920013 Washer, 5/8 Plain	004	14129-	14129~	
11_3337 PIN, 19200 9200 9200 9200 9200 9200	920011 Washer, 1/2 Plain 920011 Washer, 1/2 Plain 920085 Lock Washer, 1/2 915004 Nut, 1/2 - 20 Hex	2000	320001-14128	269001-14128	
1L-3338 KNUC	KNUCKLE, Lifting Link	23	320001-	269001-	
1LA-3339 PIN, 9320	PIN, L1fting Link 932017 Cotter Pin, 1/8 x 1	ক ক	320001~	269001-	
IM-3340 BRAC 9084 9084 9084 9200	BRACKET, Lower Hitch 908400 Cap Screw, 3/4 - 10 x 1-3/4 'Hex Hd 908401 Cap Screw, 3/4 - 10 x 2 Hex Hd 920089 Lock Washer, 3/4	0	320001~	MANA MANA MANA MANA MANA MANA MANA MANA	
1L-3340-A BRAC 9084 9201	BRACKET, Lower Support 908400 Cap Screw, 3/4 - 10 x 1-3/4 Hex Hd 92089 Lock Washer, 3/4	८४ ४		269001-	
1M-3341 END,	END, Lifting Link 939001 Fitting, 1/8 PT Strt Grease	22	320001-	9. Aktivist davaly kuman ayva	
1LS-3341-A LINK 9390	LINK As sembly, Lifting 939001 Fitting, 1/8 PT Strt Grease	2 2	об-той-той-той-той-той-той-той-той-той-той	269001~	
IL-3342 PIN,	PIN, Sway Chain Anchor	prod	320001-14128	erita de la companya	
IMS-3344 BR AC 9083 9200 9083 9083	BR ACK ET As sembly, Cylinder 908391 Cap Screw, 5/8 - 11 x 3-1/2 Hex Hd 920087 Lock Washer, 5/8 908365 Cap Screw, 1/2 - 13 x 3-1/2 Hex Hd 920085 Lock Washer, 1/2	-0000	3 2000 !•		


A COMPANY AND	Industrial Serial Number																			
	Standard Serial Number		269001		269001-	and a proportion of the second	269 001-	269001-14128	289001=14100	14129-14120	14129~	269001-14128	14129-	26 900 1-1 41 28	14129**	269001-14128	14129	269001-14128	4. 4. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	14129
Security of the security of th	Row Crop Serial Number	320001-	The second secon	320001-		320001-		320001-14128	320001-14128	4, 14, 15, 16, 16, 16, 16, 16, 16, 16, 16, 16, 16	4.2	320001-14128	14129**	320001-14128	14129-	320001-14128	14129-	320001-14128	**************************************	14129-
	N N N N	0000		and had and C/ C/A had	and and and and CA CA and	~ Q Q Q ~	and and and and O and	Sound have bound forms	port	the state of the s	proj	band mentananco-mann	y-1	provide Schoolstones	Second Leaved	mand.	have breef and	t-m/	heij	
etrikaniskiskiskistorotopulasetetrikuskistopulasetetrikuskistopulasetetrikuskistopulasetetrikuskistopulasetetr	Description	BRACKET Assembly, Cylinder (For 100" Rear Tread) 908391 Cap Screw, 5/8 - 11 x 3-1/2 Hex Hd 920087 Lock Washer, 5/8 908857 Cap Screw, 1/2 - 13 x 1-1/2 Hex Hd 920 085 Lock Washer, 1/2 - 13 x 1-1/2 Hex Hd	BRACKET Assembly, Cylinder 908391 C & Screw, 5/8 - 11 x 3-1/2 Hex Hd 920087 Lock Washer, 5/8 908357 C Screw, 1/2 - 13 x 1-1/2 Hex Hd 920085 Lock Washer, 1/2	BRACKET Assembly, Depth. Control - Right 908534 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 908535 Cap Screw, 5/8 - 18 x 2 Hex Hd 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex 939001 Fitting, 1/8 PT Strt Grease	BRACKET Assembly, Depth. Control - Right 908534 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 908535 Cap Screw, 5/8 - 18 x 2 Hex Hd 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex 939001 Fitting, 1/8 PT Strt Grease	BRACKET Assembly, Depth Control - Left 90834 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex 939001 Fitting, 1/8 PT Strt Grease	BRACKET Assembly, Depth Control - Left 908534 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 908535 Cap Screw, 5/8 - 18 x 2 Hex Hd 9200 87 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex 939001 Fitting, 1/8 PT Strt Greese	HOUSING, Leveling Gear 939001 Fitting, 1/8 PT Srt Grease 935026 Plug, 1-3/4 Dia Exp S-1376 Plu, 3/16 x 7/8 Roll	GEAR Assembly, Leveling (Order 1L.S-3351-A)	HOUSING, Leveling Gear 939049 Fitting, 1/4 - 28 90° Elbow Grease S-1187 Sæew, 3/8 - 18 x 1 Set 915267 Nut, 3/8 - 16 Hex Jam	GEAR Assembly, Leveling	GEAR AND SHAFT, Leveling	SHAFT, Leveling Gear	PINION, Leveling	PINION, Leveling S-1387 Pin, 3/16 x 15/16 Roll	WASHER, Thrust	PLATE, Leveling Gear Shaft Thu st \$-1188 Screw, 1/2 - 13 x 1 Set 915238 Nut, 1/2 - 13 Hex Jam	CRANK Assenbly, Leveling	CRANK, Leveling	GEAR, Leveling 937082 Key, 1/8 x 1/2 Woodmff
	Number	1MS-3344B	IMS-3344-A	ILS-3346-A	1LS-3346-C	1LS-3346-B	ILS-3346-D	ent 10 00 1	ILS-3351	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1LS-3351-A	IL-3352	<	00 00 00 00 00 00	II.3353-A	85 85 85 84 84	11.0354.A	LS-3355	1L-3355A	11.v.3357 C
Pefs.	No.	P	8777 80 00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 m; 64 65 44 75 70	00 00 00 00 00 00 mg (7, 12) ag, 12, 10	00 00 00 00 \$- 63 4 10 10	00 00 00 00 00 00 F- 64 60 4 10 10	00 O) () Tri	ritina kater kayan kalan	0 0 0 0 0 0 4 10	тост 4 сталаничну дого	96	60 6	\$ C	2001 2000	pol C	2 1 1 2 2 0 0 0 2 8 4	20.5	900	10.7 10.8

77 PARTS BOOK

# SECTION X OPTIONAL EQUIPMENT

	Industrial Serial Number	oo ad waxay salaa	non-hilloonaan 162 Au	nggan neuskus nikeli (n	and National Association				and the second second			<b>тагамган</b> ара <b>т</b> мг				
	Standard Serial Number	14129-	14129-		269001~	269001~			269001-	269001-	269001~	26900 1-	269001-	269001-		
	Row Crop Sert al Number	14129-	14129-	320001-		320001-		320001-		3 2000 1	32000 1-	320001-	3 20 00 1-	3 20 00 1-		
	No. Req.	p(		,q	p=4	prod prod prod prod	ç-1				had had had		00000			
	Description	WASHER, Leveling Gear Retaining	BUSHING, Leveling Crank	LINK Assembly, Depth Control	LINK Assembly, Depth Control	SHAFT Assembly, Depth Control 908534 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex 937027 Key, 5/16 x 1-1/8 Woodm ff	STOP, Depth Control	LEVER Assembly, Depth Control Shaft 932061 Cotter Pln, $5/16 \times 3$	LEVER Assembly, Depth Control Shaft 932061 Cotter Pin, $5/16 \times 3$	PIN, Depth Control Link 932017 Cotter Ptn, 1/8 x 1	PIN, Depth. Control Shaft Lever 9200 89 Lock Washer, 3/4 915007 Nut, 3/4 - 16 Hex	BAR, Hitch Support	SLEEVE, Hitch Support Bar 908337 Cap Screw, 5/8 - 18 x 2-1/2 Hex Hd 920013 Washer, 5/8 Plain 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex	STABILIZER BAR, Hitch 908534 Cap Screw, 5/8 - 18 x 1-3/4 Hex Hd 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex	(Timk en. T=88)	
Онимпененто систем напридори «пережда в девейство поставорищена пережда поставорищения пережда поставорищения п	Port Number	1L-3358	1L-3359	ILBS-3361-B	ILAS-3361-C	1LS-3363-C	1L-3365-A	1LS-3366	1LS-3366-A	11.3371	IL-3372	1L-3373	1L-3374	1LA-3375		
	Ref. No.	109	710	11.1	 보다 보다	111111111111111111111111111111111111111	1.17	118	118	120	122 123 124	125	126 127 128 129 130	13.1 13.2 13.3		


#### KI AK WATINI S



The state of the s	The state of the s	***************************************	Interviewed and annual columns of the columns of th			
Ref. No.	Part Number	Description	No. Req.	Row Crop Sert of Number	Ston dard Seri al Number	In du stri al Se n'al Number
2=(	1F-704-F	HUB, Rear Wheel	2		2690016	Biologica de La Company de La
64	IM-704-B	HIB. Berr Wheel (4 need with Durels)	C		5000	
77	1M-704-C	HUB, Rear Wheel (4 used with Ducks)	ч с	320001-0502		
m	1KA-705	WHEEL, Rear (Heavy cast iron wheel)	1 (3	32000		
т	1L-705-B	WHEEL, Rear (Light cast iron wheel)		320001-		
4	1MS-705	DISC And Rim Assembly, RecarWheel (10-38 Tires) (4 used with Ducks)	73	320001-		
	Transfer of the Confedence of	ANTINE TO ANTINE	decementary.		Terres Proposition of the Control of	


Œ

#### REAR WHEELS




Ref. No.	Part Number	Description	No. Req.	Row Crop Serial Number	Strndard Serial Number	In dus tri al Se ri al Number
4	1MS-705-B	DISC And Rim Assembly, Rear Wheel (11-38 and 12-38 Tires)(4 used with Duals)	23	320001-		
ις	1M-705-C	WHEEL, Rear (12.00-24 Tires)	8			403001*
9	1MS-705-D	DISC And Film Assembly, Rear Wheel (11-26 Tires)	83		269001-	
9	1MS-705-F	DISC And Rim Assembly, Rear Wheel (12-26 and 13-26 Tires)	N		269001-	
Ø	1MS-705-H	DISC And Rim Assembly, Rear Wheel - Orchard (12-26, 13-26 and 14-26 Tires)	Ø			
7	1M-705-J	WHEEL, Rear - Orchard (13-26 and 14-26 Tires)	23		остольно в почетов в	
<b>∞</b>	1H-706-A	BOLT, Rear Wheel Hub (With Pressed Steel Wheel) (9/16 - 18 x 1-19/32) (16 used with Standard) (36 used with Row Crop Duals)	8	32 co 01-	269001-	
ō.	1K-706	BOLT, Rear Wheel Hub (With cost fron wheel) (9/16 - 18 x 2-1/16)	80	320001-		
0 1 2	1K-1225	RING, Rear Wheel Rim Support S-3118 Cap Screw, 3/4 - 10 x 3-1/2 Hex Hd 920089 Lock Washer, 3/4 S-3119 Cap Screw, 3/4 - 20 x 4-3/4 when used with Duals)	20 20 20 20 20		riget on the management of the party of the	403001-
					and the second s	

#### RAR WHEELS




Ref. No.	Part	Description	No. Req.	Row Crop Serial Number	Standard Senal Number	Industrial Serial Number
0 = 0	1K-1225-A	SUPPORT, Rear Wheel Rim (Outer) (With Dunls) S-3119 Cap Screw, 3/4 - 10 x 4-3/4 Hex Hd 920089 Lock Washer, 3/4	20 20 20			403001-
derif Ap	IK-1228	RING, Rear Wheel Rim Locating (4 used with Duals)	Ø			403001-
25.0	1.W. 145 L	U-BOLT, Rear Wheel Hub (12 used with Duals) 920089 Lock Washer, 3/4	0 Cl	320001-6502		
10 90 ri ri	IM-1451-B	U-BOLT, Rear Wheel Hub (12 used with Duals) 920089 Lock Washer, 3/4	© 27	6503-		
E.	1K-1452	NUT, Rear Wheel U-Bolt (24 used with Duals)	12		острониций деле	
\$0) \$0	IKS-7002-A	KIM, Rear Wheel (11-38 and 12-38 Tires) (With 1KA-705 and 1L-705-B)	61	320001-		
CC) ywl	IMS-7002	RIM, Rear Wheel (10-38 Tires) (With IKA-705 and IL-705-B)	CV.	320001=		
6	1KS-7002-E	RIM Assembly, Rear Wheel - Orchard (13-26 Thres) (With 1M-705-J)	73	overaciones de la constanción de la co	na darwick-sections gas existence (in the	

#### REAR WHEELS



Ref. No.	Port Number	Description	No. Req.	Row Crop Sert al Number	Standard Serial Number	Industrial Serial Number
19	1KS-7002-K	RIM Assembly, Rear Wheel - Orchard (14-26 Tires) (With 1M-705-J)	62			
20	IK-7002-F	RIM, Tiptoe Rear Wheel (With 1KA-705 & 1L-705-B) (55" outside Diameter) (With 1BA-1225 Extension Rims)	23	320001~		
20	1K-7002-L	RIM, Tiptoe Rear Wheel (With 1KA-705 & 1L-705-B) (53" outside Diameter) (With 1K-1225-B Extension Rims)	Ø	320001~		
2	1DS-7002-C	RIM Assembly, Rear Wheel (12.00-24 Tires) (4 used with Dudis)	23			403001
21	IKS-7002-J	RIM Assembly, Rear Wheel (14-26 Tires)	2			403001-
22	1D-7006-A	STUD, Rim Clamp - Rear (32 used with Duals)	16			403001~
23	1B-7011-B	CLAMP, Rear Rim (With IKA-705, 1L-705-B and 1M-705-J) (12 used with Orchard Wheel 1M-705-J)		320001-344664		
2 2 2 2 2 4 4 5		90086 Bolt, 1/2 - 13 x 3 Mcch (With IL-705-B) 900886 Bolt, 1/2 - 13 x 3 Mcch (With IL-705-B) 900888 Bolt, 1/2 - 13 x 3-1/2 Mach (With IM-705-J) 915437 Nut, 1/2 - 13 Hex	16 16 16 16			
23 24 25	1K-7011-B	CL AMP, Rear Rim S-1547 Bolt, 1/2 - 13 x 3-1/4 Mach 915115 Nut, 1/2 - 13 Hex	16 16 16	344665		
26 27	1D-7011-B	CLAMP, Rim - Recr (32 used with Duals) 915115 Nut, 1/2 - 13 Hex	16			403001~
ada ay a da ay a ay a ay a ay a ay a ay						
10 - 80	80	Bertermenterpretationer des	J			



In dus trial Sent al Number								
Standard Serial Number								
Row Crop Serial Number	320001-	320001-	320001-	32.00 01.	320001-	3 200 01-	- COT CO-TOTO SOCIO MALIO ANI ARROPATA MALIA MANAGAMA	
No. Req.	8 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	9 9 9 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	24 9 9 8 8 8 8	24 98 98	24 98 98	et demokratyr meneteri (Statelland Limmenseur) et stanovene eg m	ent Company and ESS processing the CENTRIC Security of the State of CENTRIC Security of CENTRIC Securit
Description	LUG, Cast Offset (With 1K-7002F) S-1350 Bolt, 5/8 - 18 x 2 Mach 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex	LUG, Cast Offset (With 1K-7002-L) S-1530 Bolt, 5/8 - 18 x 2 March 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex	LUG, Forged Offset (With IK-7002-F or IK-7002-L) S-1530 Bolt, 5/8 - 18 x 2 Mach 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex	LUG, Cast Extension (With 1BA-1225) S-1530 Bolt, 5/8 - 18 x 2 Mach 920087 Lock Washer, 5/8 915006 Nut, 5/8 - 18 Hex	LUG, Cast Extension (With IK-1225-B) S-1530 Bolt, 5/8 - 18 x 2 Mrch 920087 Lock Washer, 6/8 915006 Nut, 5/8 - 18 Hex	LUG, Forged Extension (With 1BA-1225 or 1K-1225-B) S-1530 Bolt, 5/8 - 18 x 2 Mach 920087 Lock Washer, 5/8 915006 Nut, 6/8 - 18 Hex		
Part Number	1B A-956-B	IK.956-A	1CA-956-E	1B-1227-A	IK-1227-A	1C-1227-A	anne photos (Cristiania) and an Bul	
Ref. No.	4 (7 (1) A	~ C1 C2 C4	N CA W Ab	10 Cd Cd At	0 N W 4	\$ \$7 P) ~3	Prillerina Santa Granisa and America Assaulta and America Assaulta and America Assaulta and America Assaulta a	

#### EXTENSION RIMS



,	٠.								1
	In dus tri al Serial Number								***************************************
	Standard Sertal Number								POSTER PROPERTY OF THE PROPERT
	Row Crop Serical Number	320001-	320001-						Ange enqueron aprilage parameter aprilamental de la company de la compan
	No. Req.	7	7				CLANCE Constitution for the constitution of th		Arrest de la company de la com
	Description	RIM, Extension - Typtoe (With 1K-7002-F) (55" outside Diameter)	RIM, Extension - Tippoe (With 1K-7002-L) (53" outside Diameter)						
	Part Number	1BA-1225	IK-1225-B						
	Ref. No.	<del>*-</del> 1	y-4	manana attivista katika ka	900-10000000000000000000000000000000000	and the second s			

Q

### REAR WHEEL WHICH IS

Industrial	Sedal Number	403001-	403001~						
Standard	sendi Number						269001-	269001	
Row Crop					1 0 0 0 0 0 0 0 0	320 00 1-	e ethan Cotton ann ann ann ann ann ann ann ann ann a		1998-1998-1998-1998-1998-1998-1998-1998
N N		All managements	2 0 0	(A) 44 44 44 44 44 44	T	(C) 4x 4x 4x 60 60 4x 4x 60 60	C1 de de de	4 4 0 0	© 4 4 00 00
Description		WASHER, Recr Wheel Weight Steel	RING, Rear Wheel Rim Support (271 lb, per wheel) (Used as wheel weight for single rear wheels) \$3119 Crp Screw, 3/4 - 10 x 4-3/4 Hex Hd 920089 Lock Washer, 3/4	WEIGHT, Rear Wheel (One weight per wheel) For pressed steel wheel use the following hardware material. 908385 Cap Sarew, 5/8 - 1i x 1-3/4 Hex Hd 920013 Washer, 5/8 Plain. 920087 Lock Washer, 5/8 Plain. 915439 Nut, 5/8 - 11 Hex For cast iron wheel use the following hardware material. 900925 Bolt, 5/8 - 11 x 2-1/2 Mach. 920087 Lock Washer, 5/8 915439 Nut, 5/8 - 11 Hex	WEIGHT, Rear Wheel (Two weights per wheel) For pressed steel wheel use the following hardware material. 908385 Cap Screw, 5/8 - 11 x 1-3/4 Hex Hd 920013 Washer, 5/8 - 11 x 3-1/2 Mach 920097 Lock Washer, 5/8 915439 Mut, 5/8 - 11 Hex For cast iron wheel use the following hardware material. 900925 Bolt, 6/8 - 11 x 2-1/2 Mach 900932 Bolt, 6/8 - 11 x 2-1/2 Mach 9200972 Lock Washer, 5/8 915439 Nut, 5/8 - 11 Hex	WEIGHT, Rear Wheel (Three weights per wheel) For pressed steel wheel use the following hardware material, 908385 Cap Screw, 5/8 - 11 x 1-3/4 Hex Hd 920013 Washer, 6/8 Plain, 900935 Bolt, 6/8 - 11 x 5 Mach 9200 87 Lock Washer, 6/8 915439 Nut, 5/8 - 11 Hex For cast iron wheel use the following hardware marterial, 900938 Bolt, 6/8 - 11 x 2-1/2 Mach 900938 Bolt, 5/8 - 11 x 2-1/2 Mach 920097 Lock Washer, 5/8 915439 Nut, 5/8 - 11 x 6-1/2 Mach 920093 Bolt, 6/8 - 11 x 6-1/2 Mach 920097 Lock Washer, 5/8 915439 Nut, 5/8 - 11 Hex	WEIGHT, Rear Wheel (One weight per wheel) For pressed steel wheel on Standard and Orchard, 908390 Cap Screw, 5/8 - 11 x 3 Hex Hd 920087 Lock Washer, 5/8 - 11 Hex	WEIGHT, Rear Wheel (Two weights per wheel) For pressed steel wheel on Standard and Orchard, 908390 Cap Screw, 5/8 - 11 x 3 Hex Hd 900935 Bolt, 5/8 - 11 x 5 Mach 920087 Lock Washer, 5/8 915439 Nut, 5/8 - 11 Hex	WEIGHT, Rear Wheel (Three weights per wheel) For pressed steel wheel on Standard and Orchand. 908390 Cap Screw, 5/8 - 11 x 3 Hex Hd 900940 Bolt, 5/8 - 11 x 7-1/2 Mach 920087 Lock Washer, 5/8 915439 Nut, 5/8 - 11 Hex
Part	endary il color principal establishes de la color de l	1K-790	IK- 1225	1HA-1235-B	IHA- 1235-B	IHA-1235-B	1] A-1235	1JA-1235	1JA-1235
Ref,	Propositionally likely and villand-	ika da ya mgo ya jili gan	egyption of the first state of the state of	THE PART OF THE PA	reference program and this control and the control and the control and the control and the control and an accumulate and the control and accumulate	BOTO O MONTH OF THE OWN AND AND AND AND AND AND AND AND AND AN	- migammannyy nyytäää 2:344 kirjantyy riittäväää käheki kirjantyk		earl a march an Arch ann ann ann an Antainn ann an Antainn ann an An

Ö

### REAR WHEEL WHIGHTS


In du strial Seri al Number	403001-											
Standard Sent al Number									PP 4 1900 (A) A Paristina (A)			
Row Crop Serial Number			PPERSONAL SERVICE SERV									
No. Reg.	0.4.4	CA As As As	in die de	. 0 444						general automorphic de de grant (an aigh agus ag de grant (an aigh agus ag de grant (an aigh agus ag de grant a		in dur were the first successful and the successful
Description	WEIGHT, Rear Wheel (Che weight per wheel) \$3120 Cap Screw, 3/4 - 10 x θ-3/4 Hex Hd 920089 Lock Washer, 3/4	WEIGHT, Rear Wheel (One weight per wheel) For carst from wheel on Orchard. 900938 Bolt, 6/8-11 x 6-1/2 Mach 920087 Lock Washer, 6/8 915439 Nut, 5/8-11 Hex	WEIGHT, Rear Wheel (Two weights per wheel) For cast Iron wheel on Orchard, 900942 Bolt, $5/8 - 11 \times 8 - 1/2 \text{ Mach}$ 920087 Lock Washer, $5/8$ 915439 Nut, $6/8 - 11 \text{ Hex}$	WEIGHT, Rear Wheel (Three weights per wheel) For astiron wheel an Orchard, 900947 Bolt, 5/8 - 11 x 11 Mach 920097 Lock Washer, 5/8 915439 Nut, 5/8 - 11 Hex								
Number	1K-1235-B	IK-1235-C	IK-1235-C	1K-1235-C		**************************************	n en					
Ref. No.		- COMPLETE LES ELEMENTS (CONTINUED LES PROPERTIES L		THE PARTY TO THE P	TEMPERS A finite windows or communication to the property of the communication of the communi		ethankommunessig krilj-vadeskomozionaar	193 (19 may 25 18 may 25 1		ng the management of the manag	МАН, болоски в сем году в прикай национару править в семператор	Photographic contact dense con-

0

**;** 3

10 - 84

### TOOLS AND TOOL BOX



Indistrial Serial Number	4,030.01.	403001-403185	4 031 86°		<b>Příkář</b> řízní na prospíra	403001~	403001~	403001~	403001-403185	403186-	403001-			403001-	
Standard Serial Number	269001-	26900 F-27 0565	270566-			269001-	289001-	269001-	269001-270565	270566	269001-			269001~	
Row Crop Serial Number	320001-	320001-325600	325601-			320001°	320001~	320001-	320001-327900	327901-	320001~	3 20001-	320001-	320001-	
No. Req.		;d	zent		p==1	63 44 44	Ø	,I	part)	pmg	Beenly CORNER PROPERTY AND STREET STREET	eres and a second	tord municipality	part)	***************************************
Description	COVER, Tool Box	BOX Assembly, Tool (Less Cover)	BOX Assembly, Tool (Less Cover)	BOX Assembly, Tool (Less Cover) (When Three Point Hitch is used)	BOX Assembly, Tool (Less Cover) - Orchard	U-BOLT, Tool Box Support 920082 Lock Washer, 5/16 915112 Nut, 5/16 - 18 Hex	SPRING, Tool Box Cover	HANDLE, Spork Plug Wrench	WRENCH, Spark Plug " 1-1/32" Opening	WRENCH, Spork plug - 29/32" Opening	WRENCH, Wheel and Fim (49/64" and 29/32" Opening)	WRENCH, Rear Wheel	EXTENSION, Rear Wheel Wrench Handle	GUN, Alemite Hydr Hond No. 6556	
Part	1K-805	IKS-876	1KS-876-A	1LS-876-B	IMS-876-B	7. C.	IK-878	1C-988-A	1B-989-A	1K-989	114-995	1K-995	1K-996	S- 1661	
Ref.	y.c.	N	(4	4	69	4 N O	<u>F</u>	80	C)	0	god and	S	6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0	de A	

O.

ć,

Ú.

( Jih

## DETAILS OF ASSEMBLY

No. Reg.	10000000000000000000000000000000000000
Description	HEAD With Valves Assembly Head Gasket Valve Spring Cell Body Plug Cell Body Plug Coll Body Calve Spring Lock Retainer Gadak HEAD With Valves Assembly Head Coll Body Colve Spring Cock Retainer Seal HEAD With Valves Assembly Head Colve Colk Spring
Part Number	IMSB- 180-A IMS-180-A IMS-180-A IM-196-A IM-196-A IM-196-A IM-197-A IM-199-B IM-1731 IMS- 180-B IM-199-B IM-199-B IM-199-B IM-197-B IM-199-B IM-199
No. Req.	
Description	CRANKCASE Assembly Crankcase Plug Plug Plug Plug Plug Plug Cap Cap Cap Cap Cap Cap Cap Cap Screw Garsket Bushing Sleeve CRANKCASE Assembly Crankcase Plug Plug Plug Plug Plug Plug Plug Plug
Part Number	IMS-100-A  S-1908 S-1908 S-1918 S-1921 S-1922 S-1922 S-1922 S-1922 S-1922 S-1922 IM-10-A  IM-10-A  IM-10-B  S-1908 IM-10-B  IM-10-A  IM-19-A  IM-17-3  IM-17-3  IM-17-3  IM-17-3  IM-17-3

Ö

No. Req.	0 - 0 0 4 0 4	0 L 0 0 4 4 4	0 - 0 0 4 0 4	ω ⊢ ω ω <i>4 4 4</i> .	0 1 9 9 4 8 4				<b></b>
Description	SHAFT With Rocker Arms Support Shaft Arm Arm Spring Washer Cotter Pin	SHAFT With Rocker Arms Support Shaft Arm Arm Spring Washer Cotter Pin	SHAFT With Rocker Arms Support Shaft Arm Arm Spring Washer Cotter Pin	SHAFT With Rocker Arms Support Shaft Arm Arm Spring Washer Cotter Pin	SHAFT With Rocker Arms Support Shaft Arm Arm Spring Washer Ootter Pin	ROCKER ARM Assembly Screw Arm Nut Wick Bushing	ROCKER ARM Assembly Screw Arm Nut Wick Bushing	ROCKER ARM Assembly Screw Nut Arm ROCKER ARMAssembly	Nut Arm ROCKER ARMAssembly Screw Nut Arm
Part Number	1MSB-204-A 1M-203 1M-203 1KS-204-A 1KS-206-B 1K-210 1K-210 1H-211	1MS C- 204-A 1MS-203 1MS-204-A 1MS-206-D 1KS-206-E 1K-210 1K-211	1MSD-204-A 1MS-203 1MS-204-A 1KS-206-D 1KS-206-E 1K-210 1H-211	1MSA-204-B 1M-203-B 1MS-204-A 1KS-206-E 1KS-206-D 1K-210 1H-211	1MSB-204-B 1M-203-B 1MS-204-A 1KS-206-D 1KS-206-E 1K-210 1H-211	IKS-206 1B-205-A 1K-206 1B-208-A 1H-213-A 1H-214	1KS-206-A 1B-205-A 1K-206-A 1B-208-A 1H-213-A 1H-214	1KS-206-B 1K-205 915085 1K-206-B 1KS-206-C	915085 1K-206-C 1KS-206-D 1K-205 915085 1K-206-D
No. Req.	12 0 12 12 12 12 12	0000 HHH	· — — — — — — — — — — — — — — — — — — —	- w		we w	004440	004040	0 - 6 6 4 4 4
Description	HEAD With Valves Assembly Head Gaard Gasket Valve Valve Spring Retainer Lock	Spacer Cell Body Plug Cap GASKET SET Gasket Gasket	Gasket Gasket Gasket GASKET SET Gasket Gasket Gasket	Gasket Gasket Gasket GASKET SET Gasket Gasket	Gasket Gasket Gasket GASKET SET Gasket Gasket	Gasket Gasket Gasket SHAFT With Rocker Arms Shaft	Arm Arm Spring Washer Cotter Pin Support	SHAFT With Rocker Arms Shaft Arm Arm Spring Washer Cotter Pin	SHAFT With Rocker Arms Support Shoft Arm Arm Spring Washer Cotter Pin
Part Number	IMS A- 180-H IMS- 180-H IH- 188 IH- 194 IM- 196-B IM- 197-C IK- 198 IH- 199 IH- 200-A	1M-1731 1MS-1732 1M-1734 1M-1735 1MSB-181 1H-139 1M-1816 1M-181-C	1M-192 1K-387 1MA-422 1MSA-181-A 1H-139 1M-166 1M-186	IK-387 IK-422 IM-426-A IMSA-18-B IH-139 IM-166 IM-181-C	IM-312-A IM-422-A IM-422-B IM-18-C IH-139 IM-166 IM-166 IM-191-B IM-161	IN-192 IK-A-182 IM-426-A IMSA-204 IMS-204 IMS-204	1KS-200-A 1KS-200-A 1H-211 1H-213 1M-203	IMSB-204 IMS-204 IKS-206 IKS-206-A IK-210 IH-211 IH-213	1MSA-204-A 1M-203 1M-203 1MS-204-A 1KS-206-C 1K-210 1H-211 1H-213

Ĭ.

## DETAILS OF ASSEMBLY

	No. Req.	
	Description	Gauge Washer Nut Cap Garge Washer Nut Cap Garsket PUMP, Oll - Less Screen Body Shaft Gear Vane Cover Pum Syning Cap Screw Lock Washer Pulley ANNIFOLD - Complete Manifold Manifold Gasket Cap Screw Lock Washer Nut  MANIFOLD - Complete Manifold Gasket Cap Screw Lock Washer Plug  MANIFOLD - Complete Manifold Gasket Cap Screw Lock Washer Plug  Gasket
A. 45 C. Hon 178 & J. Hon 18	Part Number	IKS-292 IK-292 IK-292 IH-294 IH-294 IH-294 IH-295 IH-295 IH-295 IH-297 IK-332 IK-332 IK-331 IK-331 IK-331 IK-331 IK-331 IK-332 IK-331 IK-331 IK-331 IK-331 IK-332 IK-331 IK-331 IK-332 IK-331 IK-331 IK-332 IK-331 IK-332 IK-331 IK-332 IK-331 IK-332 IK-331 IKS-5500-A IK-374 IK-374 IK-374 IK-374 IK-374 IK-374 IK-370-A IK-379 IMS-399-C IKS-5500-C IMS-399-C IK-371 IMS-399-C IK-371 IMS-406-C IK-183 IM-5507 IK-550 IK-550 IK-373 IM-5507 IK-550 IK-374 IK-550 IK-374 IK-371 IMS-406-C IK-183 IM-415 IM-425 IK-425 IK-425 IM-425-E 920083 S-1921 IK-426
	No. Req.	
	Description	ROCKER ARM Assembly Screw Nut Arm  CONNECTING ROD Assembly Bolt Nut Bushing  CONNECTING ROD Assembly Rod Bolt Nut Bushing  CONNECTING ROD Assembly Rod Bolt Nut Bushing  CABLE SET, Iquitton Cable Soran Sorol Washer Bearing Matsher Bearing
And the state of t	Part	1KS-206-E 1K-205 915085 1K-205 915085 1K-205 1MS-216 1M-216 1M-220 1H-220 1H-220 1H-220 1K-230 1K-230 1K-230 1K-230 1K-250 1K-230 1K-250 1KS-250 1KS-250 1KS-250 1KS-250 1KS-250 1KS-250 1KS-250 1KS-250 1KS-260 B 1KS-200-B

Ó

ij.

No. Req.		2 1 1 1 2 2 6 1 1 1 1 1 1 1 1 1 1 1 1 1	,	·	
Description	Continued Gasket	GASKET And Oil Seal Set Gasket Seal Seal Gasket Seal Gasket	Gasket Gasket Gasket Gasket Gasket Gasket Gasket Gasket	Gasket Gasket Gasket Gasket Gasket Gasket Felt Seal	Gasket
Part Number	1MS-499 1H-305-A 1H-354 1H-384 1K-387 1B-396 1K-400 1K-422 1K-426 1K-426 1K-477 1A-526 1C-5304 1B-5505-B 1K-7329 1H-7655	1MS-499-A 1K-113 7K-123 1K-126 1K-126 1K-139 1M-139 1M-166 1M-166 1M-194 1M-194 1H-213-A 1H-213-A 1H-213-A 1H-213-A 1H-213-A 1H-213-A 1H-213-A 1H-213-A 1H-213-A 1H-213-A	1H-354 1H-384 1K-387 1B-396 1K-400 1M-422-A 1M-422-B 1M-426-B 1K-477 1A-5304	1B-5505-B 1K-7329 1H-7655 1MS-499-B 1K-113-A 1K-123 1K-126 1K-126	1K-130 1H-139 1M-166 1F-139 1M-166 1K-181-A 1M-192 1H-194 1H-213-A 1H-236 1H-36-A 1H-36-A 1K-400-A 1K-420-A 1K-471 1K-471 1K-477 1K-479 1K-479
No. Req.				065 - U	
uo	e fe	e).	old old	i Intake	Intake Set
Description	MANIFOLD - Complete Manifold Washer Valve Bushing Shaft Manifold Gasket Stud Stud Stud Stud Stud Stud Stud Nut Groov-Pin Set Screw Nut	MANIFOLD - Complete Manifold Washer Valve Bushing Pin Shaft Set Screw Nut Manifold Gask et Stud Stud Stud Nut Stud Nut Nut Nut Nut Nut Nut Stud Nut Nut	GASKET SET, Manifold Gasket Gasket Gasket GASKET SET, Manifold Gasket Gasket Gasket	GASKET SET, Manifold Gasket Gasket Gasket MANIFOLD, Assembly, Intake Manifold Plug	MANIFOLD Assembly, Intake Manifold Plug  GASKET And Oil Seal Set Gasket Felt Seal Gasket Seal Gasket Seal Gasket Seal Gasket Seal Gasket

O

## DETAILS OF ASSEMBLY

No.		ତଳ୍ପରେଟନ୍ଟେଟ ଲେନ୍ନେନ୍ନେଟ ଜଳନ୍ଦେନ୍ତଳର <b>ଜ</b>	) ~ · · ·
Description	RADIATOR Package Radiator Gauge Cap COVER - Complete, Clutch Eyebolt and Nut Plate Spring Spring Plut Lever COVER - Complete, Clutch Eyebolt and Nut Lever Spring	COVER - Complete, Clutch Eyebolt and Nut Plate Spring Spring Spring Plan Lever Cover Spring Clip Plan Lever Cover Washer Screw Nut COVER Assembly, Clutch Plate Spring Clip Pin Lever Cover Screw Nut Cover Spring	Shaft Hub
Part Number	1MSR-513-G 1MS-513-G 1MS-513-G 1KS-569 1BS-553-B 1K-559 1B-559-A 1B-560 1B-559-A 1B-560 1B-559-A 1B-550 1B-559-B 1K-569 1B-559-B 1K-569 1B-570 1B-559-A 1B-559-A 1B-559-A 1B-559-A 1B-559-A 1B-560 1B-559-A	1MS-569 1BS-553-A 1B-555-A 1M-559 1B-560 1B-569-A 1B-569-A 1M-558-C 1M-558-C 1M-559-C 1M-559-C 1M-559-C 1M-569-A 1M-569-A 1M-569-A 1M-569-A 1M-569-A 1M-570 1M-569-A 1M-559-A 1B-550-A 1B-560-A 1B-660-A	IKS-633-A
No. Req.		тпп	
Description	Continued Gasket	Gasket	
Port Number	1MS-499-B 1K-1742 1K-1742 1K-1757 1K-1758 1K-5304-A 1K-536-A 1R-5356-A 1R-5356-B 1MS-499-C 1MS-499-C 1MS-499-C 1MS-4139 1K-139 1K-234 1K-234 1K-336 1K-305-A 1M-354 1K-336 1K-400 1MA-422 1K-426 1K-400 1MA-422 1K-426 1K-426 1K-477 1A-526 1C-5304	IK-7329 IK-7329 IK-7329 IK-7329 IK-113-A IK-113-A IK-126 IK-126 IK-126 IK-129 IK-130 IH-189 IH-189 IM-182 IH-194 IH-194 IH-305-A IM-354 IM-354 IM-426-A IK-477 IK-478 IK-477 IK-477 IK-477 IK-477 IK-477 IK-477 IK-477 IK-477 IK-477	

.

# SECTION XII GENERAL INFORMATION

### DETAILS OF ASSEMBLY

No. Req.	000		one proc proc prod prod (	N C C C C C C C C C C C C C C C C C C C	and sind	genety group	~ ~ ~ ~ ~ ~ ~	N per per (V per (	N=Q=C	4 4 4 4 4 5	D == 0, == 0	3 Q	0.40	p-1 p-1 p		400	иии	The state of the s
Description	Continued Pedal Pedal Cotter Pin Latch Cop Screw	Pin Pin Rod Pin Cotter Pin	Lever Lever Bor Pin Cotter Pin	Broke Rod Pin Cotter Pin Nut	FRAME With Pivot Pins, Rear Main Franc Pin	FRAME With Pivot Pins, Rear Main Frame Pin	FRAME Repair Package Frame Extension Set Screw Spindle	Nut Nut Cotter Pin Pin Pin	Cup Link Cotter Pin Specer Specer	roussing Sedi Cover Cap Screw Lock Washer	Stud Seddl Cotter Pin Peddl Pin	Washer Cotter Pin Cap Screw	Link Cotter Pin Pin	Lever Lever	Calp Shaft Rmaket	Cap Screw Lock Washer	Spring Brake Rod	
Part Number	1MSR-596-H 1M-1119-A 1M-1120-A 9320-45 1KS-1121-C 908321	1K-1124-C 1K-1124-C 1MS-1125-C S-1365 932008	10-11-12-1 10-11-1413-A 10-11-13-B 10-13-B	1KSF-2000-A 1K-2615 932124 932016 1K-2617 915087	1MS-596-J 1M-596-D 1M-902	1MAS-596-J 1MA-596-D 1M-902	1MSR-596-J 1MAS-596-J 1MR-645 5-1185 1MR-646 1KR-647	1KS-899-A 932017 1K-901 1MR-902-C	1M-906-A 1M-906-A 932016 1MR-939-A	1M-1110-4 1M-1112-A 908358 920085	10.81119-B 10.82037 10.85-1120-B 5-1371 10.83121-83	920015 932008 1M-1122-A	1M-1125-B 932016 932122	IM-1413-C IM-1413-D	IMS-1421-A	920084	1H-1507 1KSR-2600-A 1K-2615	And the second s
No. Req.	N N N ~ ~	wareness and the second	Apple and the Advantage of the Apple and the	Market and the Control of the Contro	To produce the constitution of the constitutio													
Z H		<b>⊣</b> 67 67	froof head head brook	≈ 67 C1 C1	pard poor	pred gard gard p	C7	Ci	prof prof	~~~	~ ~ ~	hant CA	400	02 mm r	< 00 €	10101	8 8 5	
Description Re	FRAME With Pivot Pins, Rear Main Frame Pin Pin Pin	FRAME With Pivot Pins, Rear Main Frame Pin Pin 2	FRAME With Pivot Pins, Rear Main Frame Pin Pin Pin Pin	FRAME With Pivot Pins, Rear Main Frame Pin Pin Pin Pin 2	FRAME Replacement Package, Rear Main Frame Brake Package 1	ME With Pivot Pins, Rear Main ne	Pin Pin Pin 2 FRAME Replacement Package, Rear Main Frame Brake Package	FRAME With Pivot Pins, Rear Main Frame Pin Pin 2	FRAME With Pivot Pins, Rear Main Frame Plan Pla	FRAME With Pivot Pins, Rear Main Frame Pin Pin Pin	FRAME With Pivot Pins, Rear Main Frame Pin Pin Pin	pair Package	Mo.		Correct Pin 2 Pin	ang gunanahan-kapa-és	Washer 1	the second secon

## Details of Assembly

ANO.	Heg.	~ co co ca	CV 4 4 4 C	1000000000	7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Allendokkad dippa 1930-ti Sauragen ett allen makketi kepansa 1991 ill ausget	· 复言 (2) 是 (2) 是 (2) 是 (2)	000-000-000	20000000000000000000000000000000000000
Description	Continued Fitting Plug Arm Arm	Cap Screw Lock Washer Gasket	Cotter Pin Fitting Rod Lock Washer	Nut Spoilt Spoilt Spindle Wheel Nut Cotter Pin Seci	Bearing Stud Clamp Nut AXLE Assembly Ath Pin Pin	Bearing Bearing Pin Pin AXLE And Wheel Change-Over Package Plrot Plrot	Cotter Pin Geor Cap Screw Cap Screw Lock Washer Arm Shaft Axle Fitting Plug Am	Lock Washer Arm Gasket Rod Cotter Pin Fitting Rod Lock Washer	Spindle Wheel Wheel Nut Cotter Pin Sed Cup Bearing Bearing Stud Clamp
Part	IKSRA-712-J S-1853 S-1805 IK-715-F IK-717-F	908360 920085 IK-718-A IK AS-724-H	932009 S-1652 IKS-741*F 920097	1K-706 1K-713-G 1K-713-G 1K-731-A 932048 1K-737-A 1K-738-A 1KS-5013	1KS-5014 1K-7016 1K-7011-C 915439 1KSA-712-M 1KS-712-M 1K-714-C 1K-720-A 1K-720-B	IKSRA-713-M IK-50-C IK-502-C IK-503- IK-503-C	1K.S-750-B S-3150 90836 92085 1K-6772-B 1KAS-712-M S-1853 S-1853 S-1905 1K-715-F	920085 IK-717-F IK-718-A IKAS-724-N 932009 S-1652 IKS-741-F 920097 915011	1K-713-G 1K-729-F 1K-729-F 1K-731-A 932048 1K-737-A 1K-738-A 1KS-5014 1LS-7006 1K-7011-C 915439
No.	NONN	Service Services		and and and an	As As and and Col and Col Col	2 pm (2 02 02 pm and and and and	e and and and all and all all all a	4 - 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	* ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
Description	Continued Pin Cotter Pin Nut	GEAR SET, Matched Pulley Gear Phion	CARRIER With Seal, Pulley Pin Carter Seal	AXLE With Steering Knuckles, Front Axle Knuckle Knuckle Pivot Washer Hvet Ettische	Plug CONVERSION Package, Cast Iron to Tubular Steel Center Member Stay Rod Nut Cap Cap Screw Lock Washer	V-Fitting V-Bolt Cap Screw Lock Washer Nut Cotter Pin Support Fitting	AXLE With Steering Knuckles, Front Axle Knuckle Knuckle Bushing Washer Bushing Pivet Cotter Pin Fitting Plug	AXLE Assembly Axle Hub Pin Pin Bearing Bearing Pin	AXLE And Wheel Change-Over Package Bolster Pivot Cotter Pin Gear Cap Screw Cap Screw Lock Washer Arm Shaft
	Ang addition were figures a service with a terror program with a service of the s	Tribumpuo par						•	**

C

12 - 7

: 1

3

# SECTION XIII GENERAL INFORMATION

## DETAILS OF ASSEMBLY

No. Req.	
Description	TIE ROD, Steering Knuckle Socket Socket Clamp Boltt Lock Washer Nut Clamp Cap Screw Lock Washer Nut TIE ROD, Steering Knuckle Socket So
Part Number	1KS-724-G 1KS-1160 1KS-1161-D 1K-6958-A 1K-6958-A 1K-6958-A 1K-6959-B 1K-6960 9-261 915001 1KS-724-H 1KS-7160 1KS-7160 1KS-7160 1KS-7160 1KS-724-H 1KS-7261 915001 1K-6959-E 1KS-724-H 1KS-724-H 1KS-724-H 1KS-724-H 1KS-724-H 1KS-726-I 1KS-726-I 1KS-726-I 1KS-750-A 1KS-6950 915001 915001 915001 915001 915001 1D-6755 1D-6755 1D-6755 1D-6755 1D-6756 1D-6756 1D-6756 1D-6757 1D-6757 1D-6774 1F-6775 1D-6774
No. Req.	
Description	AXLE Assembly AXLE Hub Phn Pin Bearting Fitting Plug Cotter Pin Rivet Socket TiB ROD, Steering Knuckle Socket Socket Socket TiB ROD, Steering Knuckle Socket TiB ROD, Steering Knuckle Socket S
Part Number	IKSA-712-P IKS-712-P IKS-712-P IK-714-C IK-720-A IK-720-B IKS-5039 IKS-5039 IKS-5039 S-1379 IMS-712 IKS-713 IKS-713 IKS-714-I IS-712 IKS-714 INS-714 INS-714 INS-714 INS-714 INS-716 INS-899 IK-6960 932020 932020 932020 932020 932020 932020 IKS-724-D IKS-1161-A IKS-1161-A IKS-1161-B 915001 915002 920083 S-261 915001 IK-6959 IK-6959 IK-6950 IKS-724-D IKS-1161-A IKS-1161-B 915001 IK-6950 IKS-1161-C IKS-724-F IKS-1161-C IKS-724-F IKS-1161-C IKS-724-F IKS-1161-C IKS-724-F IKS

1,7

Ö

## DETAILS OF ASSEMBLY

	No. Reg.	
	Description	BEAKING Package, Self Aligning Support Bearing Lock Washer Plain Washer Plain Washer Nut Cap Screw Cap Screw Cap Screw Cap Screw Nut Lock Washer Plaic Band Eccentric Cap Screw Nut BRAKE Change-Over Package Band Lock Washer Nut BRAKE Change-Over Package Band Eccentric Cap Screw Nut BRAKE Change-Over Package Band Eccentric Cap Screw Lock Washer Plug Cover Plug Co
	Part Number	1KSR-762-B 1K-762-B 1K-762-B 1K-763-3 920083 920083 920083 915113 908331 1MS-774-E 1K-1108 1K-1108 1K-1108 1K-1108 1K-1108 1K-770-D 1K-1108 1K-777-B 1K-1108 1K-777-B
20 And Andrews	No. Req.	КТТК пппппппппппппппппппппппппппппппппп
	Description	GEAR Assembly, Steering Plousing Plousing Plousing Plousing Plousing Plousing Cover Cox Screw Lock Washer Coxes Co
d see C	Number	IKS-750-B   IKS-6750-B   IKS-6750-B   IKS-6750-B   S-1073   920084   1A-6753-A   920084   1A-6750-A   920084   1A-6750-A   920084   1A-6750-A   1A-6750-A   1A-6750-A   1A-6750-B   1A-6750-B   1A-6750-B   1A-6822-B   1A-6750-B   920085   1KS-750-B   920085   1KS-750-B   920084   1A-6750-B   920084   1A-6750-B   920084   1A-6750-B   920084   1A-6750-B   920084   1A-6750-B   1A-6750-B   1A-6750-B   1A-6750-B   1A-6750-B   1A-6750-B   1A-6750-B   1A-6822-A   1A-6822-B   1

## DETAILS OF ASSEMBLY

No. Req.	~ 성 m m 성 º~ CV m m	اسم اسم اسم اسم اسم	mm 0 mm 0 4	n = 0 4	- 2 2 2 3 4	O O O O 4	- 00 - 00 <del>4</del>	~ N ~ N N O 4
Description	Continued Rail Cap Screw Lock Washer Nut Lock Washer Cap Screw Nut Pin Rail	SEAT Assembly - Complete Seat Suspension Transfer SEAT Assembly Package Box Bumper	Support Seat Pin SHAFT And Drive Bevel Gear Assembly Gear Differential Rivet Rivet	SHAFT And Drive Bevel Gear Assembly Gear Differential Rivet Rivet	DIFFERENTIAL Assembly Gear Gear Pla Differential Flug Havet	DIFFERENTIAL Assembly Gear Geor Differential Pin Ring Rivet Rivet	DIFFERENTIAL Assembly Gear Hing Pin Differential Gear Rivet Rivet	DIFFERENTIAL Assembly Gear Gear Differential Pin Ring Rivet Rivet
Part Number	1KS-949-A 1K-1872 908330 920087 915153 920156 908315 915266 S-1375	1KSA-949-C 1KS-949-D 1KSB-1851-A 1K-1869-A 1KSAR-949-C 1KS-876-A 1K-942	1KS-949-E 1KSA-949-C S-1375 1MSA-1100 1M-644 1MS-1100 S-632 S-672	IMSA-1100-A IM-644-A IMS-1100 S-677 S-678	IMSA-1100-B 1M-644-B 1M-654 1M-1101 1MS-1100 1M-1102 S-669 S-689	IMSA-1100-C IM-644-C IM-654 IMS-1100 IM-1101 IM-1102 S-671 S-690	1MSA-1100-D 1M-644-D 1M-1102 1M-1101 1MS-1100 1M-654 S-669 S-689	1MSA-1100-E 1M-644-B 1M-654 1MS-1100-A 1M-1101 1M-1102 S-669 S-689
No. Req.	→ ▼ ▼ → ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	gazed gazed gazed gazed	O	0	r	440777	years great great great great years are	-0-0000
Description	FILTER, Fuel Cartridge and Gasket Body Ring Head Plug Spring Retainer Cap Screw Lock Washer	STRAINER, Fuel Top and Valve Bowl Gasket Bail and Screw Strainer FILTER, Fuel	Cartridge Body Head Gasket Plug Spring Retainer Cap Screw	Gasket Gasket SEAT Assembly Pon Boott	Support Plate Cop Screw Spring Stud Stud Shaft Washer	Shaft Pin Cotter Pin Lever Sleeve Screw Bushing	SEAT Assembly Pon Hondle Cotter Pin Washer Latch Spring	Support Suring Stud Groov-Pin Shaft Shaft Lever Transfer Gear Pin Lock Washer Nut Gear
Part	IKS-841 IKS-5351 IK-5353 IK-5354 IK-5354 IK-5357 IK-5361 IK-5362 IK-5363 IK-5363	1KS-841-A 1KS-5300 1B-5301 1K-5304-A 1KS-5305 1KS-5307 1LS-841	1L.~5351 1L.~5353 1L.~5355 1L.~5356 1K.~5356 1L.~5361 1L.~5362 1L.~5363	1L-5366 1L-5366 1K-949 1K-949 S-410	9.2006.2 1K-185.1 1K-185.3 908.31.4 1K-185.5 1K-185.5 93.28.15 1K-185.7 1K-185.7 1K-185.7	V=1308   N=1858   A=901   S=1437   K=1863   K=1864   K=1866   K=1866   K=1867	1KS-949-A 1K-949-A 1K-952 932016 920009 1K-953 1K-953	1K-1854-A 1K-1855-A 932284 1K-1857-A 1K-1857-A 1K-1869-A 1K-1870 5-1375 920087 915153

## DETAILS OF ASSEMBLY

No. Req.	0 m m m m m m m m m m m m m m m m m m m	- N - N - N - N - N - N - N - N - N - N		m m 00 00 m	22 m m m m m m m m m m m m m m m m m m
Description	Continued Nut Pin End Spring Bar Guide Clamp Clamp Clamp Clamp Screw Lock Washer Nut Spring Pedal Rest Cap Screw Lock Washer Cap Screw Lock Washer Cop Screw Lock Washer Control	Fin Latch CLUTCH Complete, Power Take-Off Housing Plate and Lever Plate and Facings Plate Link Ring Pin Spring Spring Spring Spring Spring Spring Spring Spring Spring Spring Spring Spring Clock Washer Cap Screw	PLATE And Lever Assembly, Clutch Pressure Plate With Sleeve Lever Plan Roller Rung PLATE, Power Take-Off Clutch Back Plate Washer Plate Rung	BEARING, Power Take-Off Release Bearing Nut Cap Screw Fitting LEVER, Power Take-Off Clutch	Release Lever Latch Pin Nut Pin Cap Screw
Part Number	1885A-1556 915667 932119 1K-273 1K-291 1K-883-G 1K-883-G 1K-1014-G 1K-1014-G 1K-1014-G 1K-1014-G 1K-1014-G 1K-1014-G 1K-1014-G 1K-1014-G 1K-1014-G 920080 920080 920081 920081 920081 920081 920081 920081 920081 920081 920081 920081 920081	IK-1569-A IKS-1569-A IKS-1560-IK-1651 IKS-1650 IK-1657 IK-1663 IK-1663 IK-1664-A IK-16	1KSA-1655 1KS-1655 1K-1660 1K-1660 1K-1661 1K-1663 1KS-1667 1K-1667 1K-1667 1K-1669 1K-1669	IK S-1673 IK-1672 IK-1673 915634 908634 939017 IKS-1686	1K-1686 1K-1687 1K-1688 915113 8-1358 8-3092
No. Req.			A few hand hand hand hand hand hand hand hand	and and and and and and	md
Description	DIFFERENTIAL Assembly Gear Gear Gear Differential Pin Rivet Rivet Rivet Flivet Differential Pin Ring Rivet Gear Gear Gear Hing Ring Rivet Rivet Rivet Rivet Rivet Rivet Rivet Cam	Lock Washer Carrier Socket Arm STEERING Conversion Package Pivot Arm Gar Cap Screw Cap Screw Lock Washer Carrier Socket Arm TIE ROD E ND Serbor	Plung Socket Plug Sect TIE ROD END Sect End Plug Socket Plug Socket Plug Socket ARM, Power Lift Ttip - Front	Arm Staff Pin Roller Pin CARRIER, Roller and Pin, Power Lift Carrier Roller	Pin ACCELERATOR Package, Foot Complete Rod Cotter Pin Pin Washer End
Part	1MSA-1100-F 1M-644-C 1M-654 1MS-1100-A 1MSA-1100-G 1MSA-1100-G 1M-1101 S-690 1M-1101 S-690 1M-1101 S-689 S-6	920350 920350 1K-1150-A 1K-51161-D 1K-6772-A 1K-502-D 1K-715-D 1K-715-D 1K-775-C 5-3150 92035 1K-1150-A 1K-1150-A 1K-1150-A 1K-1150-A	10-6954-A 14-6954-A 10-6956 10-6951 1K-952 1C-6951 1K-6952 1C-6955 1C-6955 1C-6955 1C-6955	18-1510 10-1511 18-1512 18-1526 18-1520-B 18-1520-B 18-1523	1B-1524-A 1MSA-1556 1M-264-A 93200 1KS-265 920007 1B-273

Ġ

No. Req.	-0-0000-00	***************************************		000000-0	Н 2 3 дд.
Description	SUSP ENSION, Assembly Support Rubber Stud Pin Shaft Lever Washer Gear Gear Geor Pin SUSPENSION Assembly Suspension Rail Rail Can Screw	Lock Washer Nut Cap Screw Nut HOUSING Repair Package, Reservoir Plug Gasket Plug Plug Plug	VALVE Assembly, Selector Body Plunger Sect Ball Spring Caude Snap Ring Joint Washer Spring Spool ''0'' Ring ''0'' Ring Plug Snap Ring	VALVE Assembly, Selector Body Plunger Seat Ball Spring Guide Snap Ring Joint Washer Spring Spool ''O' Hing	Shim Plug Snap Ring Valve Valve  VALVE Assembly, Selector (Includes the same parts as IKSA-2007-A except it is assembled for left hand installation)
Part Number	1KSA-1851-A 1KS-1851-A 1K-1854-A 1K-1855-B S-1381 1K-1865-B 1K-1865-B 1K-1860-B 1K-1870 1K-1870 1K-1871 S-1380 1KS-1851-A 1KSA-1851-A 1KSA-1851-A 1KSA-1851-A 1KSA-1851-A 1KSA-1851-A 1KSA-1851-A 1K-1872 1K-1872 1K-1873 908332 908332	920083 915113 908315 915112 1K-2002-C 1K-2002-C 1H-212 1K-2039 1KR-2138 5-896	1KSA-2007 1K-2009 1K-2009 1K-2010 S-3735 1K-2011 1K-2011 1K-2030 1K-2034 1K-2034 1K-2038 1K-2008 1K-2008 1K-2008 1K-2008 1K-2008 1K-2008 1K-2018 1K	JKSA-2007-A JK-2009-A JK-2010 JK-2010 S-3735 JK-2012 JK-2036 JK-2036 JK-2036 JK-2038 JK-2038 JK-2008 JK-2008 JK-2008	1K-2080 S-1919 1B-1073 1KS-2024-B 1KSB-2007-A
No. Req.	011100111111	and and and and and and CO CO			
	1				
Description	LEVER Change-Over Package, Power Take-Off Key Cover Shaft Fork Cap Screw Lock Washer Pivot Lock Washer Bolt Lock Washer Nut Rod Cotter Pin Cap Screw	INJECTION Tubing Set Tube Tube Tube Tube Tube Tube Tube Nut	INJECTION Tubing Set Tube Tube Tube Tube Tube Tube Tube Tube	INJECTOR Holder Nozzle FUEL LINE Line Connector Elbow CONNECTOR AND RESTRICTOR Connector Restrictor	FILTER Package, Fuel Bracket Bracket Line Line Clamp Screw Lock Washer Nut Element

No. Req.	0-00 d d d d d d -	South level	had had had Q) bad		0	10 04440-0
Description	Continued Washer Joint Packing Plate Plug Ball Washer Cap Screw Screw Nut	VALVE Assembly, Selector (Same parts as 1KSA-2007-D except to be assembled for left hand installation) GEAR Package Gear Gear	PLATE And Gear Package Plate Gear Gear Cap Screw Cap Screw	COUPLING Repair Package Coupling Frame Frame Frame Body Spring ''0'' Ring Sleeve Valve Adapter Spring Valve Adapter Spring Cover Latch Pin Bar Washer Corp	HARNESS Package Hamess Connector HARNESS Package	Connector ELECTROMAGNETIC Cylinder Change-Over Package Harness Wire Relay Screw Lock Washer Nut Screw Wire Head
Part Number	IKSA-2007-D IK-2034-A IK-2034-A IK-2036-A IK-2036-A IK-2037 S-1919 S-3735 9-20081 908820 915083	IKSB-2007-D IKSR-2049-B IKS-2046-B IKS-2049-B	IKSRA-2049-B IK-2043-B IKS-2046-B IKS-2049-B IK-2056-A IK-2056-B	IKSR-2076-C IKSA-2076-D IKSA-2076-D IKSA-2076-E IK-2363 IK-2364 IK-2364 IK-2366 IK-2366 IK-2366 IK-2370 IK-2371 IK-2371 IK-2371 IK-2371 IK-2372 IK-2372 IK-2373 IK-2375 IK-2375 IK-2375 IK-2375 IK-2375 IK-2375 IK-2375 IK-2377 IK-2375 IK-2375 IK-2375 IK-2375 IK-2375 IK-2375 IK-2377	IKSR-2091-B IK-2222-D IKSR-2091-C IKSR-2091-C	1K-2222-D 1KSRA-2202-A 1KS-2091-D 1KS-2116-A 1K-2117 909019 920152 915111 S-2553 1K-2118 1KSR-2202-A
No, Req.		N C3 C3 41	conf hang his	- C C C C C C C C C C C C C C C C C C C		0 0 0 0 0 0 0 0 0 0
Description	VALVE Assembly, RH Selector Body Spool Plunger Seat Guide Ball Spring Snap Ring	VALVE Assembly, LH Selector	(includes the same parts as INSA-2007-B except it is assembled for left hand installation) VALVE Assembly, Slector Body Spool Diverse	Pringer Seat Guide Spring Valve Packing Snap Ring Spring Washer Joint Packing Plate Plate Plute Plute Plute Plute Cap Screw Screw Screw Screw VALVE Assembly, Selector (Same parts as IKSA-2007-C except substitute IKA-2007-C in place of IK-2007-C)	VALVE Assembly, Selector (Same parts as IKSA-2007-C except to be assembled for left hand installation)  VALVE Assembly, Selector	(Same parts as IKASA-2007-C except to be assembled for left hand installation)  VALVE Assembly, Selector Body Spool Plunger Seat Guide Spring Valve Packing Snap Ring Snap Ring Spring

. ©.

No. Reg.	
Description	Continued Peddl Peddl Peddl Peddl Cotter Pin Lutch Washer Cott Szrew Lock Washer Spring Bracke Coupsing Coupling Coupling Coupling Coupling Bolt Nut Washer Sway CHAIN Field Change-Over Pkg. Chaln Cotter Pin Couter Pin Coupling Bolt Nut Washer Cotter Pin Coupling Coupling Bolt Nut Washer Cotter Pin Coupling Cotter Pin Coupling Bolt Nut Washer Counk HOUSING Assembly Fitting Shaft Binion Wath Counk Nut Counk Counk HOUSING Assembly Shaft Binion Pin Pin Pin Pin Pin Pin Pin Pin Pin Pi
Part Number	IMSRA-2600-A IMS-1119-B IMS-1119-B 932037 S-1371 IMS-1121-A 932037 S-1371 IMS-1121-A 920015 IMS-1121-A 920015 IMS-1121-A 920015 IMS-121-A IMS-1125-B 920016 IMS-1413-C IMS-1421-A IMS-1423 900044 IL-3330-B IL-3331 920013 IL-3331 920013 IL-3331 P20013 IL-3354 IL-3354 IL-3354 IL-3355-A IL-3355-A IL-3355-A IL-3355-A IL-3355-A IL-3355-A IL-3355-A IL-3355-A IL-3353 IL-3353-B IL-3353-A S-1188 IL-3353-A S-1188 IL-3353-A S-1188 IL-3353-A S-1188 IL-3353-A IL-3353-A IL-3353-A IL-3353-B IL-3353-A IL-3353-A IL-3353-A IL-3353-A IL-3353-A IL-3353-A IL-3353-A IL-3353-A IL-3353-A IL-3353-IL-3353-B IL-3353-A IL-3353-IL-3353-B IL-3353-A IL-3353-A IL-3353-A IL-3353-A IL-3353-A IL-3353-IL-3353-A IL-3353-A IL-33
No. Req.	
Description	ELECTROMAGNETIC Cylinder Charnes-Over Package Wile Relay Screw Lock Washer Nut Screw Lock Washer Nut Screw Standle Washer Nut Plu Cotter Plu Pun Cotter Plu Pun Nut Rod Nut Rod Nut Rod Nut Screw Cotter Plu Pun Pun Cotter Plu Pun Cotter Plu Pun Cotter Plu Pun Pun Cotter Plu Pun Pun Pun Pun Pun Pun Pun Pun Pun Pu
Port Number	IKSRB-2202-A IKS-2116-A IKS-2116-A IKS-2117 909019 920152 920152 920152 920152 920152 920152 920152 920152 920152 920152 920152 1K-2361 IK-2361 IK-2300 IK-2361 IK-301 932016 IK-301 932016 IK-413-B IM-1112-A 90838 92008 IK-2617 91508 IK-2617 932016 IM-1110 908321 932016 IM-906-A 932016 IM-906-A 932016 IM-906-A 932016 IM-906-A 908358 920085 IK-1112-A 908358 IK-1111-A

## DETAILS OF ASSEMBLY

No.		
Description	BOWL Assembly, Fuel Bowl Bowl Packing Retainer Plug Disc BODY, Throttle - Complete Body Shaft Bracket Fly Cup Screw Screw Screw Screw Screw Screw Screw Fly Cup Screw Fly Cup Screw Fly Cup Screw Screw Packing Ply Cup Screw Screw	BODY, Carburetor - Complete Body Body Stratiner Plug BODY Assembly, Throttle Washer Plate Retainer Screw Bushing Pin Bushing Pin Bracket BODY And Bowl Cover Assembly, Throttle Cover Shaft Spring Plate BODY, Carburetor - Complete Body Packing Plate Body Retainer Valve Seat Plate Bolly, Retainer Valve Seat Plate Bolly Bocking Retainer Valve Seat Plate Bolly Bocking Retainer Valve Seat Plate Bolly Bocking Retainer Valve Seat Bolly Bocking Retainer Valve Seat Bolly Bocking Retainer Valve Boll Bocking Retainer Valve Boll Bocking Retainer Valve Boll Boll Bocking Retainer Valve Boll Boll Boll Bocking Retainer Valve Boll Boll Boll Boll Boll Boll Boll Boll
Part Number	IKS-7600-C IK-7600-B IB-7608-B IB-7639-B IB-7639-B IK-7666 IMS-7600 IMS-7600 IMS-7600 IMS-7600 IMS-7600 IMS-7600 IMS-7600 IMS-7600 IMS-7600 IH-7641 IH-7642 IH-7642 IH-7643 IH-7665 IH-7665 IH-7665 IH-7665 IH-7661 IMS-7600-A IMS-7600-A IMS-7600-A IMS-7600-A IMS-7600-A IMS-7600-A IMS-7600-A IMS-7600-A IMS-7600-A IMS-7606 IH-7641 IH-7641 IH-7641 IH-7641 IH-7641 IH-7641	1KS-7601 1K-7604 1H-7664 1H-7664 1H-7665 1KS-7601-A 1K-7608-A 1K-7608-A 1K-7608-A 1K-7608-A 1K-7601-A 1K-7601 1B-7661 1B-7661 1B-7661 1B-7661 1B-7611 1H-7611
No. Req.	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
Description	HEAD Service Package Head Lock Seat Seat Spring Retainer Guide Washer Bull Screw Gasket Fitting Valve Gasket Spring Holder Gasket Spring Holder Gasket Spring Holder Gasket Spring Holder Gasket Screw	Screw COVER, Steering Gear Housing Roller Shaft Plug Cover Screw Bushing Dowel SHAFT And Ball Nut Assembly Shaft and Worm Nut Ball Guide Clamp Screw Strew Strew Strew Short and Plug Assembly Fun Housing Plu Roll Ball Guide Clamp Screw Strew Strew Strew Strew Strew Strew Strew Screw Fun Housing Plu Housing Screw Plu Body Strew Screw Screw Screw Screw Strew Screw Strew Screw Plu Body Plu Body Strew Strew Screw Plu Body Plu Body Strew Screw Plu Body Body Body Blu Body Strew Screw Plu Body Body Blu Blu Body Blu Blu Body Blu
Part	IKSR-5748-B IK-5749-A IK-5749 IK-5750 IK-5750 IK-5751 IK-5754 IK-5754 IK-5756 IK-5756 IK-5756 IK-5756 IK-5760	

# SECTION XII GENERAL INFORMATION

## DETAILS OF ASSEMBLY

No. Req.						
Description						
Part Number						
No. Req.			0-			- 4
Description	GASKET SET, Carburetor Gasket Gasket Gasket Gasket	GASKET SET, Carburetor Gasket Gasket Gasket	GASKET SET, Carburetor Gasket Washer Washer	REP AIR KIT, Carburetor Float Shaft And Lever Gask et Packing Retainer Needle Gask et And Seat Shaft Gask et Package Packing	REPAIR KIT, Carburetor Sed. Retainer Plug Screw Needle Axle Gasket Screw Washer Plug Disc Screw Washer Plug Disc Screw Lock Washer Jet Washer Jet Washer Jet Washer Valve	REPAIR KIT, Carburetor Shaft Screw Gasket Spring Spring Spring Spring Shaft Needle Packing Packing Packing Valve
Part Number	1HS-7655 1B-396 1H-7653 1H-7654 1H-7655	1KS-7655 1H-7653 1F-7654 1K-7655 1K-7668	1KS-7655-A 1K-7621-A 1B-7603 1B-7632-A 1B-7633	1MSR-7605 1HS-7605 1MS-7606 1B-396 1H-7611 1H-7611 1MS-7614 1HS-7626 1HS-7626 1HS-7655 1H-7667	IKSR-7670-C IK-7608-A IK-7626 IB-7639-B IK-7610 IB-7631-A IK-7621-A IK-7621-A IK-760-B IB-7639-B IK-7606 IR-7606-B IR-7608-B IR-7608-B IR-7608-B IR-7608-B IR-7600-B IR-7600-B IR-7650 IR-7650 IB-7632-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617 IB-7633-A IK-7617	IKSR-7606 IKS-7606 IC-7643-A IKS-7655 IA-7630 IH-7628 IF-7628 IF-7628 IH-7628 IH-763 IK-7666-A IH-7613 IK-7667

Page Number	2-14 2-14 2-14 3-35 3-35 3-35 3-35 3-35 3-35 3-35 3-3
Part Number	1H-220   1H-221   1KS-222-A   1KS-222-A   1KS-222-A   1KS-222-B   1KS-222-B   1KS-222-B   1KS-224-A   1KS-224-A   1KS-225-A   1KS-229   1K-229   1K-229   1K-229   1K-229   1K-239   1K-239   1K-239   1K-239   1K-239   1K-246   1K-239   1K-246   1K-260   1KS-260   1KS-277   1H-278   1KS-277   1
Page Number	2-6. 1-2-2 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-2-3 2-1-4-1-4-1-3 2-1-4-1-4-1-3 2-1-4-1-4-1-3 2-1-4-1-4-1-3 2-1-4-1-4-1-3 2-1-4-1-4-1-3 2-1-4-1-4-1-3 2-1-4-1-4-1-3 2-1-4-1-4-1-3 2-1-4-1-4-1-4-1-3 2-1-4-1-4-1-4-1-4-1-3 2-1-4-1-4-1-4-1-4-1-4-1-4-1-4-1-4-1-4-1-
Part Number	IN-196-B   IK-197   IK-197   IK-197   IK-197   IK-198-A   IK-198-A   IK-198-A   IK-198-A   IK-198-A   IK-199   IK-199   IK-199   IK-199   IK-199   IK-199   IK-203   IM-203-B   IM-203-B   IM-203-B   IM-203-B   IM-203-B   IM-203-B   IM-203-B   IK-206-B
Page Number	2-18 2-9-18 2-9-18 2-9-18 2-9-18 2-9-18 2-13-12-1 2-13,12-1 2-2-14 2-2-14 2-3-14,12-2 2-3-3-14,12-2 2-3-3-14,12-2 2-3-3-3-3-3 2-3-3-3-3-3 2-3-3-3-3-3 2-3-3-3-3
Part Number	IKC-153 IKU-153 IKU-153 IKU-153 IK-1.153 IH-F-155 IH-F-155 IH-160 IK-164 IM-166 IH-160 IK-164 IMS-178-A IMS-178-B IMS-178-B IMS-178-B IMS-178-B IMS-178-B IMS-178-B IMS-178-B IMS-178-B IMS-180-B IMS-181-B IM
Page Number	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Part Number	19104   119124   119124   119124   119124   119124   119124   119126   119124   11926   1192

1 N 1

# SECTION XIII GENERAL INFORMATION

#### NUMERICAL NOEX

Page Mmber	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Part Number	IK\$-501-B   IK-501-D   IKR-502-D   IK-502-D   IK-502-D   IK-502-D   IK-502-D   IK-502-D   IK-502-D   IK-502-D   IK-502-D   IK-503-D   IK-503-D   IK-503-D   IR-503-D   IR-503-
Page Nimber	3-20 3-20,12-4 3-20,12-4 3-20,12-4 3-20,12-4 3-20,12-4 3-21,12-4 3-21,12-4 3-21,12-4 3-21,12-4 3-21,12-4 3-21,12-4 3-21
Part Number	IK-421   IKA-422   IMA-422   IMA-422   IMA-422-A   IMS-422-B   IMS-422-B   IMS-422-B   IMS-422-B   IMS-423-B   IMS-425-D   IMS-425-D   IMS-425-D   IMS-425-D   IMS-425-D   IMS-425-D   IMS-425-D   IMS-423-D   IMS-433-D   IMS-433-D
Page Number	7-15 5-7-2 5-7-2 5-7-2 5-7-2 5-7-2 5-7-3 5-8, 3-12, 3-12 5-3 5-1, 5-3 5-2, 5-3 5-3 5-3 5-3 5-3 5-3 5-3 5-3 5-3 5-3
Part Number	11+375   114-375   114-381   114-381   114-381   114-383   114-383   114-383   114-383   114-384   114-384   114-386   114-386   114-386   114-386   114-386   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-398   114-402-C   114
Page Number	2-19 3-24 3-24 3-24 3-24 3-24 3-24 3-24 3-24
Part Number	1H-282 1BF-283-A 1F-289 1B-286-A 1G-291 1K-292 1H-293 1H-293 1H-293 1H-293 1H-294 1H-304-A 1K-310-B 1K-330 1H-304-A 1K-310-B 1K-331 1K-332 1H-304-A 1K-330 1H-304-A 1K-331 1K-331 1K-331 1K-332 1H-335 1H-335 1H-335 1H-335 1H-335 1H-336 1K-331 1K-360 1K-331 1K-331 1K-331 1K-331 1K-331 1K-331 1K-331 1K-331 1K-331

#### 

Page Number	7-26 9-16 7-26 9-16 10-77 10-77 10-77 10-77 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-78 10-79 10-7
Part Number	10-703 10-703 10-703 10-703 11-704-F 11-704-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-F 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-705-B 11-711-A 11-712-B 11-713-B 11-713-B 11-713-B 11-713-B 11-714-B 11-714-B 11-715-B
Page Number	7-19 7-19 7-19 7-19 7-10,7-20 7-20 7-20 7-20 7-20 7-20 7-20 7-20
Part Number	IMS-643-A   IMS-643-B   IMS-643-B   IMS-643-B   IM-644-C   IM-644-C   IM-644-D   IM-644-D   IM-644-D   IM-644-D   IM-644-D   IM-644-D   IM-644-D   IM-652   IM-652   IM-652   IM-652   IM-652   IM-652   IM-652   IM-653   IM-654   IM-659-B   IM-699-D   IM-700-D   IM-700-
Page Number	7-3, 12-6 7-4, 12-6 7-4, 12-6 7-4, 12-6 10-48, 10-63 10-48, 10-63 1-24 7-4 7-4 7-4 7-4 7-4 7-4 7-4 7-4 7-4 7-
Part Number	1MS-596-J 1MSR-596-J 1MSR-596-J 1MSR-596-J 1B-597 1C-597 1C-597 1C-597 1MSR-602-A 1MSR-602-C 1M-603
Page Number	\$\$\text{\$\tex{\$\text{\$\t
Part Number	18-560-A   18-560-A   18-560-A   18-562-A   18-562-A   18-562-A   18-562-A   18-562-A   18-563-A   18-577   18-577   18-573-A   18-573-A   18-573-A   18-573-A   18-573-A   18-573-A   18-573-A   18-573-A   18-583-A   18-583-A   18-583-A   18-583-A   18-583-A   18-593-A   18

O

5 g<sup>2</sup> \$

#### NUMERICAL NOEX

,	
Page Number	3-28 3-28 3-28 3-29 3-29 3-29 3-29 3-29 10-64 4-1 1-16 1-16 1-16 1-16 1-17 1-19
Part Number	KS-841-B   I.S-841   I.S-841   I.S-841   I.S-841   I.S-842   I.S-842-A   I.S-842-B   I.S-842-B   I.S-842-B   I.S-843-B   I.S-843-B   I.S-843-B   I.S-843-B   I.S-843-B   I.S-85-B   I.S-8
Page Number	7-14 1-2 1-2 1-2 1-2 1-3 1-2 1-3 1-2 1-3 1-4 1-4 1-4 1-4 1-4 1-4 1-4 1-4
Part Number	116-775-A 116-775-A 116-775-A 116-775-B 116-775-C 116-775-C 116-775-C 116-775-C 116-775-C 116-775-C 116-775-C 116-776-C 116-77
Page Number	9-4,9-12 9-12 9-12 9-12 9-12 9-12 9-12 9-12
Part Number	IA-744   IK-744   IK-744   IK-748-A   IK-748-B   IK-748-D   IK-748-D   IK-748-D   IK-748-D   IK-748-D   IK-748-D   IK-750-B   IK-771   IMS-774-D   IMS-774-D   IMS-774-D   IMS-774-D   IMS-774-D   IMS-774-D   IMS-775-B
Page Number	8 -9 -9 -9 -9 -9 -9 -9 -9 -9 -9 -9 -9 -9
Part Number	

\$

#### NUMERICAL NOEX

Page Number	7-15 7-15 7-15 7-15 7-15 7-15 7-16,7-21 7-16 7-16 7-16 7-16 7-16 7-16 7-16 7-1
Part Number	IMS-1109-A   IMS-1109-B   IMS-1109-B   IMS-1109-D   IF-1110   IMS-1109-D   IMS-1109-D   IMS-1100-B   IMS-1113-A   IMS-1113-B   IMS-1113-B   IMS-1113-B   IMS-1120-B   IMS-11
Page Number	6-8 7-6 7-6 7-6 7-6 7-6 7-6 7-6 7-6 7-6 7-6
Part Number	
Page Number	1-12 1-12 1-12 1-12 1-12 1-12 1-12 1-12 1-12 1-12 1-12 1-12 1-12 1-12 1-12 1-12 1-13 1-25 1-27
Pari Number	IK-949-A   IKS-949-B   IKS-949-B   IKS-949-C   IK-952   IK-952   IK-952   IK-953   IK-954   IK
Page Number	6-7 6-7 6-7 6-7 6-7 6-7 6-7 6-7 6-7 6-7
Pari Number	

V.

## SECTION XII GENERAL INFORMATION

#### NUMERICAL NORX

projection of the state of the	.																																										1
December	Fage Number	7-22	7-17	7-22	7-17	7-22	7-17	7-17	7-28	7-26	7~26	10-79	10-79	35	ى ئىس	, ę,	မှ မှ လ လ	8-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6	ာ ဗ ဗ	မှ မှ မှ မှ	9 %	) ကို ဂ် လူ လူ	ට හ එ	က် က	2-22,3-6	. မှာ မှ မာ ဇ	0 0	10-2	10-2	10-2	2°22 7°22, 10°2	10-2	10-2	10-2	10-2	10-2 10-2	10-2 10-2	10-2	10-2	10-2, 12-11 10-2	10~2 10~2	10-2, 10-48	
Port Nimber	run Mumber	1M-1413-D 1M-1417	IMS-1421 IMS-1421-A	1M-1423	1M-1430	IM-1430-B	1H-1431 1K-1431	1K-1432	1B-1443 1M-1443	IF-1449	IF-1451-A	IM-1451 IM-1451-B	1K-1452	IMS-1470	IMS-1470-A	IK-1473	IK-1474 IM-1475	1K-1475	IKS-1476-B	IMS-1476-A IMS-1476-B	IMS-1476-C	IK-1477	IK-1479	IMS-1479	IK-1482 IL-1483	IM-1484 IL-1485	1K=1501=A	IC-1502-A	1C-1504-A	1KA-1506-A	1B-1507 1H-1507	1H-1508 1HS-1508	1K-1509-A	1B-1510	10-1511	1B-1512 1K-1513	10-1514	1Q-1516	1B-1519-B	1BS-1520-B 1C-1521	1B-1522 1B-1525	1B-1526 1B-1527	
Page Number	Jacon Maria	4-4	4m 4.	\$\$. \$\$.	4-4	4-10	4-10	4-10-10-24	4-10, 10-34	3-47,4-10	4-10	4~10 4~10	4-10	410	4-10	4	2-24,4-11	4-11	. 4 .	4-11	4-11	4-11	4 t	2.4	4-5	1-22	1-22	1-22	1-22	4-11	1-22	1-22	1-22	g ton	1.22	7-17,10-68	1-23	45	4.5 5.4	45 45	7-22	7-22	
Part Number		1K-1350 1K-1351	IK-1352-A IM-1352	IMS-1352 IM-1352-A	IMS-1352-A IK-1353	IMS-1354	IMS-1354-A IKS-1355	1BS-1356-A	1HS-1357	1BS-1358 1BS-1358-B	1KS-1358	1KS-1358-F	1KS-1358-G	1KS-1359-C	1K%-1359-D 1K%-1359-E	IKS-1359-F	1KS-1359-H	1K-1359-M 1K-1359-N	1MS-1359-A	IMS-1359-C	1M-1359-H 1M-1359-J	1M-1359-K 1M-1359-L	8 00C 1 0 A	1B-1366-B	1KS-1368	IMS-1372-H IMS-1372-J	IMS-1372-K IMS-1372-L	1MS-1372-P	IMS-1372-F	1KS-1376	IMS-1377-A	IMS-1377-D	IMSA-1378-D	1K-1380	IK-1380-A	10-1004-P	1E-1382-A 1K-1387	1AS-1391-A	1BS-1391-B 1K-1391	IK-1394 IK-1394-A	1Me 1413.A	IM-1413-B	
Page Number		4 4	4.2	4-2, 5-2 4-2	4°2 4°3		e-4. γ. ε.	e 4 e c	\$ <del>4</del>	4~4 4~25	4-4	4-4	4 4		\$ \$	4-13	4-13	4-13 2-22,4-13	\$ P	4-13	4-13,10-6	4-13	4-13	4-14	5-4/, 4-14, 10-34	4-14-	4-14	4 4	r J	្រ ស្ត្រី ម	ກທ່າ	\$ \$		7.4	10 th		ນ ທີ່ 1 ນ ເນ	<b>.</b>	2-24	1-19	4-4	4. ~	
Part Number		1K-1254-A 1K-1255	1KS-1255-D	IK-1256 IH-1257	1HR-1257 1M-1258		IK-1261-B	1M-1261 1M-1261-A	IK-1262	1K-1265 1K-1265-B	1K~1070"B	1MS-1270	1MS-1270-A	1MS-1270-C	IMS-1270-D IMS-1270-E	1B-1271	IK-1271-C	IK-1271-F	IH-1272-A	IK-1272-A	IK-1272-B IK-1272-C	IK-1272-D IB-1273	1B-1273-A	IK-1273-B	IKS-1273-E	IK-1273-F IK-1273-G	1M-1273 1K-1274	IK-1274-A IK-1274-B	1M-1280- 4	1MS-1280-A	1MS-1280-B	IM-1282	1K-1284	1MS-1286 1K-1287	1K-1288 1KS-1289	13.45-1000	IMS-1290-A	IK-1291	IM-1307 IK-1308	1MS-1315	IK-1348	1K-1349	
Page Number		8-9,12-11 8-4,9-13	8-12,0-13	8-6,8-9,8-12	9-13	8-9,12-11	06.4	8 8 4 0-8	9-13	0 2 2 2	2 4	9-27	8-4, 9-13 9-17	9-17	9-14	9°-14	. 0	8-4,9-14	& ¢	9-6,9-14	9-17	61-1	1-19	500	000	) () 	89-01	10-68	10-68	7.7.7	10-68	10-82	4-2	10-82	10-81	10-79	7-26	10-83	10-83	10-84 8-0	) pri pri	N CV	A AND AND AND AND AND AND AND AND AND AN
Part Number		1AS-1160-A 1H-1160		S-1161	S-1161-A	C-1161-B	S-1161-D	K-1162-A	IK-1162-A	IK-1162-C	B-1163	K-1164-A	K-1166-A	IK-1166-A	A-1168	1C-1168	6,1171	H-1172	IH-1173	IK-1176	.B-1178	S-1191	IKS-1191-A IMS-1191	(S-1192	S-1194	M-1198	K-1200	IK-1204 IK-1205	K-1205-A K-1205-B	A-1206	S-1208	A-1225	K-1225-A	K-1225-B B-1227-A	IC-1227-A IK-1227-A	<-1228	C-1230	4-1235-B	1JA-1235 1K-1235-B	IN-1235-C	IM-1250	B-1254-A	- 22

44 14

#### NOW THE LABOR OF THE SAME AND T

Page Number	
Port Number	K-1851   KS-1851-A   KS-1851-A   KS-1851-A   KS-1851-A   K-1852   K-1852   K-1852   K-1852   K-1852   K-1852   K-1852   K-1852   K-1854   K-1854   K-1856   K-1856   K-1856   K-1856   K-1856   K-1860   K-1800   K-1800   K-1900   K-1900
Page Number	\$\frac{9}{9} \frac{9}{9} \frac
Port Number	MS-1711   MS-1711-B   MS-1711-B   MS-1711-C   7A-1712-B   IK-1713-B   IK-1713-B   IK-1713-B   IK-1713-B   IK-1713-B   IK-1713-B   IK-1713-B   IK-1713-B   IK-1722   IK-1723   IM-1833
Page Number	10-69 10-69 10-69 10-69 10-69 10-69 10-69 10-69 10-69 10-69 10-69 10-69 10-70
Part Number	K-1663   K-1664   K-1665-A   K-1665-A   K-1665-A   K-1665-A   K-1665-A   K-1666-B   K-1667   K-1667   K-1667   K-1667   K-1669-B   K-1669-B   K-1669   K-1692   K-1692   K-1692   K-1693   K-1693   K-1693   K-1693   K-1693   K-1694   K-1705-A   K-1705-A   K-1705-A   K-1705-A   K-1705-A   K-1705-A   K-1706   K-1706   K-1709-A   K
Page Number	10-3,10-6, 10-2,10-49 10-3 10-3 10-3 10-3 10-3 10-3 10-3 10-3
Part Number	

164 A

# SECTION XII GENERAL INFORMATION

#### NUMERICAL INDEX

Page Number	10-10 10-10 10-11 10-11, 10-51 10-11, 10-51 10-11 10-11 10-11, 10-31, 10-54 10-11, 10-31, 10-54 10-11, 10-31, 10-54 10-11, 10-31, 10-54 10-11, 10-31, 10-54 10-11, 10-31 4-11, 10-11 4-11, 10-11 4-11, 10-11 4-11, 10-11 4-12, 10-31 10-12, 10-32 10-12, 10-34 10-12, 10-34 10-12, 10-32, 10-55 10-12, 10-32, 10-55 10-12, 10-32, 10-55 10-12, 10-32, 10-55 10-12, 10-32, 10-55 10-12, 10-32, 10-55 10-34 10-34 10-35 10-35 10-35 10-35 10-35
Part Number	1K-2077 1K-2077-A 1K-2079 1K-2079 1K-2079 1K-2079 1K-2081
Page Number	10-9 10-28, 10-28 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-29, 10-13 10-9, 10-28, 10-50 10-9, 10-10-20 10-9, 10-10-20 10-9, 10-10-20 10-9, 10-10-20 10-9, 10-10-20 10-9, 10-10-20 10-9, 10-10-20 10-9, 10-10-20 10-10-20, 10-10-20 10-10-20, 10-10-34 10-10, 10-34, 10-40 10-10, 10-34, 10-40 10-10, 10-34, 10-40 10-10, 10-34, 10-40 10-10, 10-34, 10-40 10-10, 10-30, 10-40 10-10, 10-30, 10-40 10-10, 10-30, 10-40 10-10, 10-30, 10-40 10-10, 10-30, 10-30 10-10, 10-30, 10-40 10-10, 10-30, 10-40 10-10, 10-30, 10-10 10-10, 10-30, 10-10 10-10, 10-30, 10-40 10-10, 10-30, 10-45, 10-62 10-31, 10-45, 10-62 10-31, 10-45, 10-62 10-31, 10-45, 10-62
Part Number	IKS-2046   IKS-2046-A   IKS-2046-B   IKS-2049-B   IKS-2061-B   IKS-2070-B   IKS-2070-B   IKS-2070-B   IKS-2070-B   IKS-2070-B   IKS-2070-B   IKS-2070-C   IKS-2
Page Number	10-24, 10-49 10-24, 10-49 10-24, 10-49 10-24, 10-49 10-8, 10-24, 10-49 10-8, 10-24, 10-49 10-8, 10-24, 10-49 10-8, 10-24, 10-49 10-8, 10-24, 10-49 10-8, 10-24, 10-49 10-8, 10-24, 10-49 10-8, 10-24, 10-49 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-8, 10-24, 10-50 10-9, 10-25 10-9, 10-25 10-9, 10-25 10-9, 10-25 10-9, 10-28 10-9, 10-28 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50 10-9, 10-28, 10-50
Part Number	1K-2009 1K-2010 1K-2010 1K-2010 1K-2010 1K-2011 1K-2011 1K-2011 1K-2011 1K-2013 1K-2013 1K-2013 1K-2013 1K-2020 1K-2020 1K-2020 1K-2020 1K-2020 1K-2020 1K-2030
Page Number	3-48 3-49 3-49 3-49 3-49 3-49 3-49 3-49 3-49
Part Number	K-1927   IM-1928   IM-1928   IM-1929   IK-1930   IK-1931   IK-1933   IK-2002-B   IK-2002-B   IK-2002-B   IK-2003-B

#### NUMERICAL INDEX

1	
Page Number	3-30 3-30 3-30 3-30 3-30 3-30 3-30 3-30 3-30 3-30 3-30 3-30 3-30 3-30 7-22, 12-14 7-22 7-22 7-22 7-22 7-23 7-23 7-23 7-23 7-23 7-23 7-23 7-23 10-73 10-73 10-73 10-73 10-73 10-73 10-73 10-73 10-73 10-73 10-73 10-73 10-73 10-74 10-74 10-74 10-74 10-74 10-74 10-74
Part Number	
Page Number	10-28, 10-41 10-28, 10-41, 10-51 10-18, 10-41 10-18, 10-43 10-18, 10-43 10-18, 10-43 10-18, 10-43 10-18, 10-43 10-18, 10-43 10-18, 10-43 10-18, 10-43 10-18, 10-62 10-45, 10-62
Part Number	IK-2262   IK-2263   IK-2264   IK-2264   IK-2282   IK-2282   IK-2282   IK-2301-A   IK-2303   IK-2313   IK-235   IK-235   IK-235   IK-235   IK-236   IK-237   IK-238
Page Number	10-15 10-15 10-15 10-15 10-15 10-15 10-15 10-15 10-15 10-15 10-15 10-15 10-16 10-10 10-10 10-10 10-40
Part Number	IK-2216   IK-2217   IK-2219   IK-2221   IKS-2221-A   IKS-2221-B   IKS-2221-B   IKS-2221-B   IKS-2221-B   IK-2223-D   IK-2223-D   IK-2223-D   IK-2223-D   IK-2223-D   IK-2223-D   IK-2223-D   IK-2223-D   IK-2223-D   IK-2233-A   IK-2233-A   IK-2233-A   IK-2233-A   IK-2233-A   IK-2233-A   IK-2233-A   IK-2233-A   IK-2234-A   IK-2234-A   IK-2234-A   IK-2234-A   IK-2234-A   IK-223-A   IK-225-A   IK-225-A   IK-225-A   IK-225-A   IK-225-A   IK-225-B   IK-225-B
Page Number	10-25 10-25 10-25 10-25 10-25 10-25 10-25 10-25 10-25 10-26 10-26 10-26 10-26 10-26 10-26 10-26 10-26 10-26 10-26 10-26 10-26 10-26 10-26 10-26 10-37 10-51 10-26 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-51 10-12, 10-37, 10-57 10-15, 10-57 10-15, 10-57 10-15, 10-57 10-15
Part Number	K-2125     K-2-126-A     K-2126-A     K-2136-A     K-2130-A     K-2131-A     K-2201-B     K-22

New York

# SECTION XIII GENERAL INFORMATION

#### Z BARACAL NORX

Page Number	ቁዋ ፡፡ የተዋና የተዋና የተዋና የተዋና የተዋና የተዋና የተዋና የተዋና
Part Number	IKRS-5805 IK-5605-A IK-5606-A IK-5606-A IK-5606-A IK-5606-A IK-5607 IK-5609 IK-5609 IK-5609 IK-5611 IK-5611 IK-5611 IK-5611 IK-5611 IK-5611 IK-5611 IK-5704-A IK-5701-A IK-5701-A IK-5701-A IK-5701-A IK-5701-A IK-5701-A IK-5701-A IK-5701-A IK-5711-A IK-5711-
Page Number	\$\text{9.30}\$ \$\text{9.30}\$ \$\text{9.30}\$ \$\text{9.30}\$ \$\text{9.31}\$ \$\text{9.32}\$
Part Number	114-5300-4 117-5300-4 117-5300-4 117-5301-1 117-5301-1 117-5301-1 117-5301-1 117-5301-1 117-5302-4 117-5303-4 117-5303-4 117-5304-4 117-5306-1 117-5308-1 117-5308-1 117-5309-1
Page Mmber	9.50 9.50 9.50 9.50 9.50 9.51 9.51 9.51 9.51 9.51 9.51 9.51 9.51
Part Number	1K-4041 1K-4043 1K-4044 1K-4044 1K-4044 1K-4044 1K-4044 1K-4046 1K-4046 1K-4049 1K-4049 1K-4049 1K-4072 1K-4072 1K-4073 1K-4073 1K-4086 1K-4080 1K-5001-B 1CS-5003-A 1K-5001-B 1CS-5003-A 1K-5001-B 1CS-5001-B 1CS-5001-B 1CS-5001-B 1K-5001-B 1K-5001-B 1K-5001-B 1K-5001-B 1K-5001-B 1K-5001-B 1K-5001-B 1K-5001-B 1K-5001-A 1K-5001-B 1K-5001
Page Number	10-74 10-74 10-74 10-74 10-74 10-74 10-75
Part Number	11. 3337 11. 3337 11. 3338 11. 3338 11. 3339 11. 33340 11. 33340 11. 33341 11. 33341 11. 33344 11. 33344 11. 33344 11. 33344 11. 33344 11. 33344 11. 33344 11. 33344 11. 33344 11. 33344 11. 33344 11. 33344 11. 33344 11. 33344 11. 3334 11.

#### NON THE REAL WAY

Page Number	8-13,9-14 8-13,9-14 8-13,9-14 8-13,9-14 8-13,9-14 8-13,9-14 8-13,9-14 8-13,9-14 8-13,9-14 8-13,9-14 8-10,9-15 8-10 8-10 8-10 8-10 8-10 8-10 8-10 8-10
Part Number	K-6820     K-6821     A-6822       A-6822
Page Number	8-3 9-14  8-12,9-14  8-12,9-14  8-12,9-14  8-13,9-14  8-10  8-13,9-14  8-10  8-13,9-14  8-10  8-13,9-14
Part Number	18-6054-B   18-6054-B   18-6054-B   18-6054-B   18-6051-B   18-6052-A   18-6053-B   18-6033-B   18-6
Page Number	φ φ φ φ φ φ φ φ φ φ φ φ φ φ
Part Number	IK-5799   IK-579-A   IK-5780   IK-5781   IK-5781   IK-5782   IK-5782   IK-5783   IK-5784   IK-5784   IK-5784   IK-5786   IK-5784   IK-5789   IK-5789   IK-5789   IK-5799   IK-5799   IK-5799   IK-5799   IK-5799   IK-5799   IK-5799   IK-5803   IK-5803   IK-5804   IK-5804   IK-5804   IK-5804   IK-5804   IK-5805   IK-5806   IK-5806   IK-5806   IK-5819-A   IK-5819-A   IK-5819-B   IK-5819-B   IK-5819-B   IK-5819-B   IK-5819-B   IK-5819-IK-5819   IK-5819-IK-5819   IK-5819-IK-5819   IK-5819-IK-5819   IK-5819-IK-5819   IK-5819   IK-5818
Page Number	φ φ. φ. φ
Part Number	K-5728-B   K-5728-B   K-5729   K-5729   K-5729   K-5729   K-5730   K-5731   K-5741   K-5741   K-5741   K-5741   K-5742   K-5741   K-5749   K-5750   K-5760   K-5760   K-5760   K-5760   K-5760   K-5760   K-5760   K-5760   K-5760   K-5779   K-5760   K-5779   K-5760   K-5779   K-5779

12 - 27

# SECTION XIII GENERAL INFORMATION

#### NUMERICAL INDEX

Page Number	44444444444444444444444444444444444444
Part Number	IKS-7621   IKS-7621   IK-7521-A   IK-7523   IHS-7623   IK-7623   IK-7625   IK-7625   IK-7626   IK-7639   IK-7649   IK-7641   IK-7641   IK-7641   IK-7643   IK-7643   IK-7643   IK-7643   IK-7643   IK-7644   IK-7645
Page Number	4-18 4-18, 4-19,
Part Number	IK-7434   IK-7434   IK-7434   IK-7434   IK-7434   IK-7434   IK-7436   IH-7430   IK-7438   IK-7438   IK-7441   IK-7441   IK-7441   IK-7442   IE-7441   IK-7442   IE-7444   IK-7442   IE-7444   IK-7442   IE-7443   IK-7600   IK-7
Page Number	4 4 4 4 4 4 4 4 4 4 4 4 4 4
Port Number	14-7385   16-7385   16-7385   16-7387   16-7387   16-7387   16-7387   16-7387   16-7388-A   16-7417-B   16-7422   16-7423   16-742
Page Number	4444 46.6.4.5.4.19 47.1.4.4.4.19 47.1.4.4.4.19 47.1.4.4.4.12 47.1.4.4.13 47.1.4.4.4.13 47.1.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4
Part Number	IK-7351-C IK-7351-C IK-7351-C IK-7351-D IK-7354-A IK-7354-A IK-7354-B IK-736-B IK-736-B IK-736-B IK-736-B IK-7379-B IK-7380-B IK-7380-A IK-7381-A IK-7380-A IK-7381-A

#### NUMERICAL NORX

Page Number	421,424,426 421,424,427 421,423 423 423 423 423 423 423 423 423 423
Part Number	18-7837   18-7838   18-7840   18-7840   18-7841   18-7842   18-7844   18-7844   18-7844   18-7844   18-7844   18-7844   18-7844   18-7844   18-7844   18-7844   18-7844   18-7848   18-7848   18-7849   18-7854   18-7854   18-7855   18-7858   18-7858   18-7858   18-7858   18-7858   18-7858   18-7858   18-7858   18-7858   18-7859   18-7859   18-7859   18-7860   18-7
Page Number	4-23 4-26 4-26 4-26 4-20,4-23 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26 4-21,4-24,4-26
Part Number	IK-7777-A   IK-7777-B   IB-7778-A   IK-7777-B   IB-7778-A   IK-7779-A   IK-7779-B   IB-7779-A   IK-7780-A   IE-7782   IE-7782   IE-7782   IE-7782   IE-7783   IE-7784   IK-7784-A   IE-7784   IK-7784-A   IE-7784   IK-7784   IE-7784   IK-7784   IE-7784   IK-7784   IE-7784   IK-7784   IE-7784   IK-7786-D   IE-7784   IK-7786-D   IE-7784   IE-7786   IE-7786   IE-7784   IE-7786   IE-7786   IE-7786   IE-7786   IE-7786   IE-7786   IE-7786   IE-7786   IE-7786   IE-7781   IE-7818   IE-7826   IE-7826   IE-7828   IE-7831   IE-7832
Page Number	4 29 4 29
Part Number	18-7710   18-7710   18-7711   18-7711   18-7711   18-7711   18-7711   18-7711   18-7711   18-7711   18-7711   18-7711   18-7711   18-7711   18-7724   18-7724   18-7726   18-7775-0   18-7775-0   18-7775-0   18-7775-0   18-7775-0   18-7775-0   18-7775-0   18-7775-0   18-7777-0
Page Number	4 4 4 28 8 4 4 4 28 8 4 4 4 28 8 4 4 4 28 8 4 4 4 28 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 4 28 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 32 8 4 4 4 32 8 4 4 32 8 4 4 4 32 8 4 4 4 32 8 4 4 4 32 8 4 4 4 32 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Part Number	K-7646   IM-7646   IM-7646   IM-7646   IM-7649   IM-7649   IM-7649   IM-7649   IM-7649   IM-7651   IM-7651   IM-7651   IM-7651   IM-7652   IM-7653   IM-7662   IM-7663   IM-7663   IM-7663   IM-7663   IM-7663   IM-7664   IM-7663   IM-7669   IM-7709   IM-77